F. No. NNM/59/2017-CPMU Government of India Ministry of Women & Child Development

Shastri Bhawan, New Delhi - 110001 Dated the 17 January, 2018

То

The Principal Secretaries/ Secretaries, Department of Social Welfare / Women & Child Development, All States/ UTs

Subject: Specifications of Smart phone, Tablet and Power bank under National Nutrition Mission (NNM) – regarding

Sir/Madam,

Please refer to this Ministry's letter No. NNM/7/2017-WBP dated 18th December, 2017 vide which administrative approval for setting-up of National Nutrition Mission (NNM) was conveyed to all the States and UTs.

- 2. One of the key activities under NNM is Information and Communication Technology enabled Real Time Monitoring (ICT-RTM) of Anganwadi Services. To monitor service delivery through ICT, Common Application Software (CAS) and IT-related assistance is to be provided to the field functionaries. All AWWs are to be equipped with a smart phone for capture of data and Lady Supervisors with a tablet. These devices will be procured at State/UT level and are to be pre-loaded with the application software (ICDS-CAS). The software and guidelines will be provided separately.
- 3. In this regard, I am directed to forward herewith the specifications of Smart phone, Tablet and Power bank. These devices have to be procured through Government e-Marketplace (GeM).
- 4. States/UTs are requested to take necessary action for procurement of Smart phones, Tablets and Power banks through GeM.

Yours faithfully,

Encl: as above

(Manoj Kumar Singh)

Director

Ph: 011-23386553

e-mail: mksingh.ofb@nic.in

Minimum Technical Specifications for the devices

A. Specifications of Smart Phone

Operating system:

o Android operating system version is 7.0 Nougat or above

Screen resolution:

- o 800 X 480 or better
- o Multi-touch
- o TFT capacitive touchscreen, 24 bit/16.7 Million color or better

Screen size:

o 5" or more

Screen and mobile protection:

 Corning Gorilla or equivalent scratch proof glass with scratch proof covers / coating

Device RAM size:

o 2GB or higher

Processor:

o Minimum quad core processor of 1.3GHz or higher

Battery:

- o Min 2800 mAh battery
- o Expected battery life that can last an entire work day
- o At least 5 days standby time
- o 16 hours talk time

Ruggedized

o Device should handle minor bumps without the screen breaking

Connectivity:

- o Supports 2G, 3G, 4G, Wi-Fi and Wi-Fi direct connectivity
- o Supports Bluetooth
- o Micro USB connectivity
- o Availability of USB OTG functionality

Internal storage:

o 16GB or more

microSD:

- o microSD memory slot
- o Provided 32GB SD card

Unicode:

 Supports Unicode for regional languages script rendering in fonts for English and all regional languages of India

SIM card:

o SIM card compatible

Image capture:

- o Camera, at least 5 Megapixel resolution
- o Geotag supported camera

riema

Location capture:

o Supports both Standalone GPS and AGPS

Speaker:

 Hands-free Speaker with adjustable loudspeaker volume (preferably 60 dB or above) with good quality (noise/crosstalk)

File formatted supported for recording:

- o Image
 - JPEG
 - o PNG
- Audio
 - o mp3
- Video
 - o 3gp

File formatted supported for playing:

- o Image
 - o JPEG
 - o PNG
- o Audio
 - o mp3
 - Should play audio with no quality issues
- Video
 - o 3gp
 - Should be able to play HD videos

Availability:

- o Available State/UT wide
- o Special check for availability in remote deployment

Accessories:

- o Battery charger
- Headset
- o Data cable
- o Power bank
- o Dust proof pouch
- o Rugged mobile case to tackle minor bumps
- o Screen protector that improves visibility of the screen in bright daylight
- o Audio headset jack with headphones included (AV 3.5mm phone port)

Warranty:

- o Device Warranty: 2 Year
- o Battery Warranty: 2 Year

Many

B. Specifications of Tablet

Operating system:

o Android operating system version is 7.0 Nougat or above

Screen resolution:

- o 600 x 1024 or better
- o Multitouch
- o TFT capacitive touchscreen, 24 bit/16.7 Million color or better

Screen size:

o 7" or more

Screen and mobile protection:

 Corning Gorilla or equivalent scratch proof glass with scratch proof covers / coating

Device RAM size:

o 2GB or higher

Processor:

o Minimum quad core processor of 1.3GHz or higher

Battery:

- o Min 3500 mAh battery
- o Expected battery life that can last an entire work day
- o At least 5 days standby time
- o 10 hours video playback time

Ruggedized

o Device should handle minor bumps without the screen breaking

Connectivity:

- o Supports 2G, 3G, 4G and Wi-Fi and Wi-Fi direct connectivity
- o Supports Bluetooth
- o Micro USB connectivity
- Availability of USB OTG functionality

Internal storage:

o 16GB or more

microSD:

- o microSD memory slot
- Provided 32GB SD card

Unicode:

 Supports Unicode for regional languages script rendering in fonts for English and all regional languages of India

SIM card:

o SIM card compatible

Image capture:

- o Camera, at least 5 Megapixel resolution
- o Geotag supported camera

Location capture:

Supports both Standalone GPS and AGPS

Speaker:

o Hands-free Speaker with adjustable loudspeaker volume (preferably 60 dB or above) with good quality (noise/crosstalk)

Many

File formatted supported for recording: o Image o JPEG o PNG Audio o mp3 Video 3gp 0 File formatted supported for playing: o Image o JPEG o PNG Audio o mp3 Should play audio with no quality issues Video o Should be able to play HD videos Availability: o Available State/UT wide o Special check for availability in remote deployment Accessories: o Battery charger o Headset o Data cable o Power bank o Dust proof pouch o Rugged mobile case to tackle minor bumps o Screen protector that improves visibility of the screen in bright daylight Audio headset jack with headphones included (AV 3.5mm phone port) Warranty: o Device Warranty: 2 Year

o Battery Warranty: 2 Year

na. '

C. Specifications of Power Bank

Description	Specification
Battery Capacity	At least 10,000 mAh
Battery Cell Type	Lithium-ion rechargeable battery
	UL Certified
Charging Time	Less than 6 hours on 5V/2A plug and standard cable
Power Supply	AC Adapter (AC 100 -240 V, 50 - 60 Hz)
Weight	Less than 300 gms
Expected charge cycles while	At least 500 times
maintaining at least 80% of	
its capacity	
Efficiency	At least 75%
Output Power	DC 5V 2.0A or higher
Ports	At least one charging port and one Micro USB port
Safety Features	Temperature Protection
-	Short circuit Protection
	Reset Protection
	Input over Voltage Protection
	Output over Voltage Protection
	Input reverse direction protection
	Over charge/ over discharge protection
	Cell PTC Protection
	Adapter Protection
	Protective Circuitry
Charging Temperature	0°C - 45°C
Operating Temperature	-20°C~+60°C
Certification	BIS certified (IS 13252)
Compatible with	Proposed phone and tablet
Accessories	Standard charger and power cable
	Standard Micro USB cable

