



ANNUAL HEALTH SURVEY 2010-11 FACT SHEET



Rajasthan



Office of the Registrar General & Census Commissioner, India
Ministry of Home Affairs, Government of India
2/A, Mansingh Road, New Delhi-110 011





ANNUAL HEALTH SURVEY 2010-11 FACT SHEET

Rajasthan

**Vital Statistics Division
Office of the Registrar General & Census Commissioner, India
New Delhi
Website : www.censusindia.gov.in**

Index

	Page No.
1. Introduction	i-xvii
2. Sample Particulars	1-5
3. Wealth Index	6
4. Household Characteristics	7-8
5. Sex Ratio	9-10
6. Effective Literacy Rate	11
7. Marriage	12-14
8. Schooling Status	15-16
9. Work Status	17-18
10. Disability	19-20
11. Injury	21-24
12. Acute Illness	25-32
13. Chronic Illness	33-48
14. Personal Habits	49-53
15. Fertility	54-62
16. Abortion	63-66
17. Family Planning Practices	67-71
18. Unmet Need for Family Planning	72
19. Ante Natal Care	73-79
20. Delivery Care	80-85
21. Post Natal Care	86-88
22. Janani Suraksha Yojana (JSY)	89-90
23. Immunization, Vitamin A & Iron Supplement and Birth Weight	91-96
24. Childhood Diseases	97-99
25. Breastfeeding and Supplementation	100-105
26. Birth Registration	106-107
27. Awareness	108-110
28. Mortality	111-120
29. Confidence Interval (95%) for some important Indicators	121-123
30. Housing Characteristics	124-130
31. Annexure	131-151

Introduction

Decentralized district-based health planning is essential in India because of the large inter-district variations. In the absence of vital data at the district level, the State level estimates are being used for formulating district level plans as well as setting the milestones thereof. In the process, the hotspots (districts requiring special attention) very often get masked by the State average. This statistical fallacy compounds the problems of the districts acutely, more so in the health sector. At present, none of the Surveys provides estimates of core vital indicators on fertility and mortality at district level. The District Level Household Survey conducted with periodicity of five years mainly focuses on indicators pertaining to maternal health and child welfare programmes. There has, therefore, been a surge in demand from various quarters, in recent years, to generate timely and reliable statistics at the district level for informed decision making in the health sector.

Genesis

2. The Annual Health Survey (AHS) was conceived during a meeting of the National Commission of Population held in 2005 under the Chairmanship of the Prime Minister wherein it was decided that “there should be an Annual Health Survey of all districts which could be published / monitored and compared against benchmarks”. The objective was to monitor the performance and outcome of various health interventions of the Government including those under National Rural Health Mission (NRHM) at closer intervals through these benchmark indicators. The AHS has been made an integral part of the NRHM, Ministry of Health & Family Welfare. The responsibility of the project has been entrusted to the Office of the Registrar General, India on behalf of the Ministry of Health & Family Welfare in view its expertise in handling the Sample Registration System, one of the largest demographic surveys in the world.

Objective

3. Realizing the need for preparing a comprehensive district health profile on key parameters based on a community set up, the AHS has been designed to yield benchmarks of core vital and health indicators at the district level; prevalence of disabilities, injuries, acute and chronic illness and access to health care for identified morbidities; and access to maternal, child health and family planning services. By virtue of being a panel survey, it has the unique ability to map the rate of change in these indicators on a yearly basis. AHS would, thus, enable better capturing of the health seeking behaviour of the public as compared to other periodic cross-sectional surveys, and also help needed corrections in the strategies.

Coverage

4. The sample size at the district level has been derived taking Infant Mortality Rate as the decisive indicator and host of other practical issues related to execution of the survey. Keeping in view the mammoth size of the sample, it was a conscious decision of the Government to initially confine the survey to the 284 districts (as per 2001 Census) of the 8 Empowered Action Group States (Bihar, Jharkhand, Uttar Pradesh, Uttarakhand, Madhya Pradesh, Chhattisgarh, Odisha and Rajasthan) and Assam for a three year period starting from 2010-11. These 9 high focus States with relatively high fertility and mortality account for about 48 percent of the total population in the country. A representative sample of 20,694 statistically selected Primary Sample Units (PSUs - Census Enumeration Blocks in case of urban areas and villages or a segment thereof in

case of larger villages in rural areas) based on 2001 Census has been drawn from these AHS States which would cover about 18 million population and 3.6 million households each year. However, during the Base-line Survey, a total of 20.1 million population and 4.14 million households have actually been covered. Despite being restricted to 9 States, the AHS is the largest demographic survey in the world and covers two and a half times that of the Sample Registration System.

Fieldwork Strategy

5. The project is being implemented as a hybrid model wherein the actual field work has been outsourced to seven selected Survey Agencies on the pattern of National Family Health Survey (NFHS) and District Level Household Survey (DLHS). The co-ordination, supervision and monitoring of the fieldwork in the States are being carried out by dedicated staff posted at various levels in the respective Directorate of Census Operations (DCOs). The responsibility for overall co-ordination, supervision and monitoring across the nine AHS States rests with the AHS Division of ORGI. For smooth and effective execution of the survey, the AHS States have been divided into 18 mutually exclusive and exhaustive zones, each having a group of contiguous districts with more or less equal workload.

Technical Consultation

6. The outline of the survey such as approach, periodicity, coverage, sampling strategy, sample size, permissible levels of relative standard errors, and levels of aggregation, was finalized after a series of deliberations with the representatives from Ministry of Health & Family Welfare, National Sample Survey Office (NSSO), Central Statistics Office (CSO), Ministry of Woman & Child Development, Indian Council of Medical Research, Planning Commission, International Institute for Population Sciences and other subject experts. Based on the recommendations, various technical details including preparation of sample design, derivation of sample size etc. were worked out and vetted by the Technical Advisory Group (TAG) constituted for the purpose.

Sample Design

7. The Sample design adopted for Annual Health Survey is a uni-stage stratified simple random sample without replacement except in case of larger villages in rural areas (population more than or equal to 2000 as per 2001 Census), wherein a two stage stratified sampling has been applied. The sample units are Census Enumeration Blocks (CEBs) in urban areas and villages in rural areas. In rural areas, the villages have been divided into two strata. Stratum I comprises villages with population less than 2000 and Stratum II contains villages with population 2000 or more. Smaller villages with population less than 200 were excluded from the sampling frame in such a manner that the total population of villages so excluded did not exceed 2 per cent of the total population of the district. In case of Stratum I, the entire village is the sample unit. In case of Stratum II, the village has been divided into mutually exclusive (non-overlapping) and geographically contiguous units comprising group of EBs called segments of more or less equal size and population not exceeding 2000 in any case. One segment from the frame of segments thus prepared was selected in a random manner to represent the selected village at the second stage of sampling.

8. The number of sample villages in each district was allocated between the two strata proportionally to their size (population). The villages within each size stratum were further ordered by the female literacy rate based on the Census 2001 data, and three

disjoint and equal size substrata were established. The sample villages within each substratum were selected by simple random sampling without replacement. Similarly, in urban areas, the Census Enumeration Blocks within a district were ordered by the female literacy rate based on the Census 2001 data, and three disjoint and equal size substrata were established. The sample Census Enumeration Blocks within each substratum were selected by simple random sampling without replacement. Thus, female literacy which has a direct bearing on the fertility behaviour was used for implicit stratification. Further, the process of selection ensured equal representation across three sub-strata both in rural as well as in urban areas of a district besides rendering the sample design as self-weighting.

Sample Size

9. Generating robust estimates of Infant Mortality Rate at the district level has become an utmost necessity as reduction in Infant Mortality constitutes one of the key targets in the Reproductive & Child Health Programme (RCH) under the umbrella of NRHM. This would also facilitate effective tracking of the Millennium Development Goal 4 on Child Mortality. The Infant Mortality Rate has therefore been taken as the decisive indicator for estimation of sample size at the district level. The permissible level of error has been taken as 10 percentage relative standard error (prse) at the district level. The sample size so worked out would yield relatively better estimates of Crude Birth Rate / Crude Death Rate and may also enable generation of rarer indicators like MMR (for a group of districts) with good precision. In the absence of district level estimates from any other reliable source, the district level derived estimates of IMR based on SRS pooled data have been used for estimation of sample size for each district.

Sample Identification Work

10. One of the essential prerequisites for the commencement of the survey was to uniquely identify the sample units on ground. This was done in all the sample units across the nine AHS States by the regular staff of ORGI. The work involved firming up of the boundary of the selected villages / Enumeration Blocks; resorting to segmentation in case of villages exceeding the population 2000, random selection of segment thereof and drawing of appropriate notional maps of the sample units to serve as the base map for the survey work.

Survey Tools

11. The Baseline Survey in all the nine AHS States was carried out during July 2010 to March 2011 and four Schedules, in all, were administered. These are: (i) House-listing Schedule, (ii) Household Schedule, (iii) Woman Schedule and (iv) Mortality Schedule. In the House-listing Schedule, besides the mapping and listing of all the houses and households in a sample unit, some key particulars relating to the housing characteristics (type and ownership), basic amenities available to the household and assets possessed by them were collected. In the Household Schedule, all Usual Residents as on 01.01.2010 were listed and for each listed member, information on background characteristics like Name, Sex, Relationship to Head, Date of Birth, Age, Religion, Social Group, Marital Status, Date at first Marriage, Education and Occupation/Activity Status was captured. Besides, information in respect of Disability, Morbidity (Injuries, Acute Illness, and Chronic Illness) and Personal Habits (like Chewing, Smoking and Consumption of Alcohol) was also collected wherever applicable. Woman Schedule comprised two sections. Section-I was administered to all Ever Married Women (EMW) aged 15-49 years and information relating to the outcome of pregnancy(s) (live birth/still

birth/abortion); birth history; type of medical attention at delivery; details of maternal health care (ante-natal/natal/post-natal); immunization of children; breast feeding practices including supplements; occurrence of child diseases (Pneumonia, Diarrhoea and fever); registration of births, etc. taken place during the reference period i.e. 01.01.2007 to 31.12.2009 was collected. Section II focused on information on pregnancy; use, sources and practices of family planning methods; details relating to future use of contraceptives and unmet need; awareness about RTI/STI, HIV/AIDS, administration of HAF/ORT/ORS during diarrhoea and danger signs of ARI/Pneumonia; and these details were collected from all Currently Married Women aged 15-49 years.

12. Through the Mortality Schedule, details relating to death occurred to usual residents of sample household during 01.01.2007 to 31.12.2009 were captured and it included information on name & sex of deceased, date of death, age at death, registration of death and source of medical attention received before death. For infant deaths, a question on symptoms leading to death was also probed. In case of deaths associated with pregnancy, information on a variety of questions on factors leading/contributing to death, symptoms leading to death, time between onset of complications and death, etc. was asked to yield data on various determinants of maternal mortality. These schedules were finalized after a series of deliberations in the TAG and thereafter piloting in the field situation. The fieldwork in sample units was carried out by teams of field enumerators which had at least one female in each team. This was done to ensure that besides canvassing of woman schedule, questions on morbidity for female members in household schedule and questions relating to infant deaths as well as deaths associated with pregnancy in the mortality schedule were also probed and recorded only by the female enumerator.

Training

13. Since information on morbidity, disability and few specific details in case of infant and maternal deaths etc. were collected at the district level in such a large survey setup for the first time, adequate emphasis was given to training. An exhaustive training manual for the field staff was prepared with inputs from various stakeholders and subject experts. A three day 'Training of Trainers' programme was organized at New Delhi prior to commencement of State/Zone level training sessions wherein experts imparted training on concepts, definitions and how best to collect data on different parameters. A pool of medical doctors was arranged with the help of National Institute of Health & Family Welfare (NIHFW) who imparted training to the field staff on disability and morbidity during State/Zone level training programmes. A standardized Video Training Module was specially developed for the purpose. Officers from ORGI and DCOs were deputed to observe the training programmes conducted at State level by Survey Agencies.

Supervision and Third Party Audit

14. In addition to the multilayer supervision mechanism adopted by the Survey Agencies, regular inspections were carried out by the officers/officials of respective DCOs and those from ORGI headquarters to ensure the data quality. The inspections were a judicious mix of concurrent as well as post survey audit. Over and above, a component of Third Party Audit was included to verify and authenticate the surveyed data through an independent mechanism. The Third Party Audit work was carried out in 20 randomly selected AHS units in each of the districts covering every fourth household thereof by following a standard protocol prescribed by ORGI. Truncated versions of Household, Women and Mortality Schedules were filled in afresh by the field staff of the Third Party

Audit Agencies. The findings in respect of key indicators were matched and re-survey was undertaken by the Survey Agencies in units where the variation was outside the permissible limit. The third party audit also helped in netting of missed vital events, particularly rarer ones like infant and maternal deaths.

Dissemination of Results

15. In view of the large volume of data collected under AHS and significant time required for validation and processing, dissemination of AHS results is done in two phases. The first set of data was released in August 2011 in the form of State-wise bulletins, which contained the district level data on crude birth rate, crude death rate, natural growth rate, infant mortality rate, neo-natal and post neo-natal mortality rates, under 5 mortality rate, sex ratio at birth, sex ratio (0-4 years) and overall sex ratio. In addition, the Maternal Mortality Ratio (MMR), Maternal Mortality Rate and life time risk were released for a group of districts. In order to facilitate direct intervention, the maternal mortality indicators were combined and released for a group of districts on the basis of existing administrative divisions in the respective AHS States.

16. Under the present phase of dissemination, data on host of other important parameters covered in AHS under Household and Woman Schedules are being released in the form of State and District Level Factsheets. Though the sample size has been calculated for the district as a whole, the rural and urban estimates at the district level have also been published as byproduct. Users are advised to keep the above fact into consideration while using the rural / urban estimates of a district. In order to ward off unusual sampling fluctuations, the urban estimates have not been published in respect of some indicators for the districts where the number of urban sample units was less than six. To begin with, number of PSUs, Households, Population, Ever Married Women, Currently Married Women, Children aged 12-23 months (as on date of survey) covered in the sample of each district and the State along with their rural-urban breakup have been given to provide the users requisite insight on the metadata. The indicators contained in the AHS Bulletin have also been reproduced in these Factsheets so that the users may have access to complete set of indicators at one place. However, they may refer to the AHS Bulletin for details on metadata.

Wealth Index

17. A few relevant indicators based on House-listing Schedule, which would help in assessing the economic profile of the households such as, structure of the house where the household is residing, i.e. Pucca/Kachcha; Ownership status of the house, i.e. Owned/Rented; Improved source of drinking water; Treatment of water by the households to make it safer for drinking; Access to toilet facility; Access to electricity; Main Source of lighting; Main source of fuel used for cooking; Availability of kitchen; and Possession of Computer/Telephone/Mobile have also been tabulated. In the absence of income and expenditure measures of economic status, household wealth Index has been constructed at State level for each of the nine study States using the assets possessed and the facilities availed by the households as mentioned above to determine a household's relative economic status and also to assess the differential impact with respect to health outcomes or health service utilization thereof. The technique of Principal Component Analysis (PCA) has been used to determine variable weightings. Similar approach was also followed in NFHS and DLHS Household Wealth Index.

18. The list of variables used for the development of wealth index along with their coding structure is given below:

List of Variables selected for the development of HH Wealth Index	
Assets	Coded Categories
Type of Structure of the House	Pucca House=1 Otherwise=0
Main Source of drinking water	Piped water into dwelling/yard/plot, Public tap/stand pipe, Hand pump, Tube well or bore well , Protected dug well = 1 Otherwise=0
Type of Toilet Facility mainly Used	Flush/Pour Flush Latrine – connected : to piped sewer line /septic tank/ pit latrine/somewhere else, Pit Latrine (Without flush/pour flush): Ventilated improved pit, Pit latrine with slab = 1 Otherwise=0
Household having Electricity	Yes=1, No= 0
Main Source of lighting	Electricity, Solar=1, Otherwise=0
Main Source of Fuel used for Cooking	LPG/PNG, Electricity, Biogas= 1, Otherwise=0
Number of Dwelling rooms exclusively in the possession of household	Household having no dwelling room exclusively in possession = 0, 1 dwelling room exclusively in possession = 1, 2 dwelling rooms exclusively in possession = 2, 3 dwelling rooms exclusively in possession = 3, 4 dwelling rooms exclusively in possession = 4, 5 dwelling rooms exclusively in possession = 5, 6 dwelling rooms exclusively in possession = 6, 7 dwelling rooms exclusively in possession = 7, 8 dwelling rooms exclusively in possession = 8, 9 or more dwelling rooms exclusively in possession=9
Availability of Kitchen	Cooking inside or Outside House - Has Kitchen=1, Otherwise=0
Possession of Radio/Transistor	Yes=1, No= 0
Possession of Television	Yes=1, No= 0
Possession of Computer/Laptop	Computer/Laptop with or without internet connection = 1, No =0
Possession of Telephone/Mobile Phone	Telephone, Mobile Phone or both = 1, No=0
Possession of Washing Machine	Yes=1, No= 0
Possession of Refrigerator	Yes=1, No= 0
Possession of Sewing Machine	Yes=1, No= 0
Possession of Bicycle	Yes=1, No= 0
Possession of Two wheeler (Scooter/Motorcycle/Moped)	Yes=1, No= 0
Possession of Car/Jeep/Van	Yes=1, No= 0
Possession of Tractor	Yes=1, No= 0
Possession of Water Pump/Tube well	Yes=1, No= 0
Possession of Cart (Driven by animal/machine/other)	Cart-Driven by animal/machine/other=1, Doesn't have =0
Land Possessed (in hectares)	No land= 0, Less than 0.02 hectare = 1, 0.02 to less than 1.00 hectare = 49, 1.00 to less than 4.00 hectares = 250, 4.00 to less than 10.00 hectares =700, 10.00 hectares or more=1000

Considering these variables, principal component analysis technique was applied and each of the above household assets/ facilities was assigned a weight or a factor loading. The Asset Scores have then been computed for each single household by using the following formula:

$$\text{HH Asset Score (AS)} = \frac{[\text{Value of Asset Variable} - \text{Mean of Asset Variable}]}{\text{Standard Deviation of Asset Variable}} \times \text{Weight of component I}$$

Subsequently, the Asset Scores of all the variables were added at the household level to get the Total Asset Score for each of the households. Thereafter the households were ranked according to their individual Household Asset Score (HHAS) and then divided into five quintiles with the same number of households in each. This provided the cut off points or the ranges for each quintile. The highest (20%) and the lowest (20%) quintiles have been published for each of the districts in a State to highlight the extreme disparity in the household's relative economic well being. The value of the indicators corresponding to these quintiles is outside the purview of this factsheet and would be presented in State level reports.

Marriage

19. The information on marital status as on 01.01.2010 was probed in respect of all household members (Usual Residents) irrespective of their age. For those who were married, the date of first marriage was recorded. Using this, age at first marriage, which has a direct impact on child bearing as women marrying early have on an average a longer period of exposure to pregnancy and a greater number of lifetime births, was obtained. Using the age data, the mean age at marriage for males and females has been worked out and included in the Factsheet. The mean age at marriage is based on the marriages to the members of the household (Usual Residents as on 1.1.2010) taken place during 2007-09. The proportion of marriages among males and females taking place below the legal age, i.e., 21 and 18 years respectively, has also been tabulated. Such proportions are also based on the marriages to the members of the household (Usual Residents as on 1.1.2010) taken place during 2007-09. Besides, the percentage of Currently Married Women aged 20-24 years marrying before legal age (18 years) and percentage of Currently Married Men aged 25-29 years marrying before legal age (21 years) have been worked out and presented.

Disability and Injury

20. The data on any type of disability as on date of survey was collected in respect of all the usual residents. The type of disability included 'mental', 'visual', 'hearing', 'speech', 'loco-motor' and 'multiple'. The prevalence of any type of disability per 1,00,000 population by gender and residence at the district and State levels has been presented in the factsheet. Since it is difficult to capture the type of injury and its severity from lay reporting, an attempt has been made to assess the severity of injury from the type and duration of hospitalization required. This would also provide an assessment of the workload on hospitals / doctors on account of injury. Accordingly, the type of treatment meted to the injury during last one year of the date of survey has been collected. The categories by type of treatment included 'treated in intensive care unit for any time-1, treated as in-patient with stay more than two weeks-2, treated as in-patient with stay one to two weeks-3, treated as in-patient with stay less than one week-4, treated as out-patient-5, treated by traditional healers-6, and treated at home-7'. Based on these

categories, the number of persons injured by type of treatment received per 1,00,000 population, have been categorized into severe (by including categories 1 & 2), major (by including categories 3 & 4) and minor (by including categories 5 & 6) groups. Those treated at home have been excluded from the above categorization and thus from the analysis also.

Acute Illness

21. On the morbidity front, if any member (usual resident) of the household suffered from any 'acute illness' during last fifteen days prior to the date of survey, the type of illness has been ascertained. Based on this data, persons suffering from acute illness per 1,00,000 population has been presented for a few select diseases like diarrhoea / dysentery; acute respiratory infection & all types of fever and also for any type of acute illness. Besides, the source from where the treatment for the acute illness was taken has also been included. Accordingly, two important indicators, viz., percentage of persons suffering from acute illness and taking treatment from any source and percentage of persons suffering from acute illness and taking treatment from Government source have been presented. The latter gives the share of Government source across all types of sources availed for taking treatment. It may be noted that the entire fieldwork was carried out over a period of six to seven months and in the process, districts were covered at different points of time (i.e., months / seasons). The seasonality effect may be taken note of while interpreting the results.

Chronic Illness

22. The data in respect of chronic illness has been collected based on the symptoms pertaining to a particular illness persisting for more than one month and also in respect of illnesses where it was diagnosed. For both the cases, the reference period was last one year preceding the date of survey. For ascertaining information on symptoms, a list of symptoms associated with various types of diseases was provided along with a separate category for asymptomatic (i.e., having no symptoms). The asymptomatic included those who were not suffering from any illness as well as those who were suffering but had no symptoms. Using this data, percentage of persons having any kind of symptoms of chronic illness along with their source of treatment has been presented. As regards chronic illnesses diagnosed, this was included to measure the extent to which facilities for diagnosis and treatment of some major chronic illnesses set up by centre/State/local Government / private agencies have been utilized. A list of common chronic diseases and those pertaining to major health intervention programmes was provided. Based on this data, percentage of persons diagnosed for a few important diseases such as diabetes, hypertension, tuberculosis, asthma / chronic respiratory disease and arthritis per 1,00,000 population has been presented besides those diagnosed for any type of chronic illness. Using the data collected on source of diagnosis, status with regard to getting regular treatment and source of treatment, percentage of persons having diagnosed for any kind of chronic illness and getting regular treatment as well as those getting regular treatment from Government source has been worked out and included in the Factsheet. Since the data on morbidity has been elicited as reported by the respondents, it may suffer on account of accuracy. Nevertheless, the availability of such a rich data set at the district level would fill in the much awaited void and pave the way for evidence-based health planning and appropriate interventions.

Personal Habits

23. During the base-line survey, information on personal habits such as chewing practices, smoking and consumption of alcohol has been collected for all the usual residents of age 15 years and above. Under chewing habits, the information has been separately collected for chewing with and without tobacco. Based on the data, the percentage of population by habit of chewing with and without tobacco, percentage of population by habit of smoking and percentage of population by habit of drinking alcohol, for the usual residents of age 15 years and above, have been presented. Both for smoking and consuming alcohol, the proportion is based on usual as well as occasional smokers / drinkers. The usual smoker is the one who smokes at least once every day and the usual drinker, who drinks at least once every week. The data on disability, morbidity as well as personal habits have been given by residence and sex to capture the differentials. The enumerators were specifically instructed to collect information pertaining to morbidity as well as personal habits from the concerned individuals in privacy and with due sensitivity in order to elicit proper response to the extent possible.

Fertility

24. The Total Fertility Rate (TFR), which is an age-period fertility rate for a synthetic cohort of women, measures the average number of births a group of women would have by the time they reach 50 years of age if they were to give birth at the current age-specific fertility rates. The TFR is expressed as the average number of births per woman. Under AHS, TFR has been calculated by dividing three years average of all births reported during the reference period, i.e., 2007-09 by all the women in respective age group. The seven five-yearly age-specific fertility rates for all women in the age groups from 15-19 to 45-49 have been added and thereafter multiplied by 5 to yield the TFR. Due to lack of adequate number of births, the TFR by residence could not be worked out and hence is not being published.

25. The distribution of births by birth order is another way to understand the dynamics on spacing of children and level of fertility. In this regard, two key indicators namely, 'percentage of women aged 20-24 reporting birth of order 2 & above' and 'percentage of women reporting birth of order 3 & above' based on last two live births taken place to Ever Married Women aged 15-49 years during the reference period, i.e., 2007-09, have been presented. 'Percentage of Currently Married Women aged 15-49 years with two living children wanting no more children' is one of the most crucial indicators on desire to limit child bearing. While deriving this indicator, sterilized women or their husbands have not been taken into account whereas women who were currently pregnant have been included.

26. Teen-age pregnancy and motherhood is an important subject in the settings where the marriage of girls takes place at very young ages. This is not only important from the fertility perspective but also its consequent implication on the health of the mother and child. Accordingly, 'percentage of women aged 15-19 who were already mothers or pregnant at the time of survey' has been tabulated and it depicts the percentage of women who have begun child bearing among all ever married women aged 15-19 years. The ever married sample denominator for the age group 15-19 years has not been adjusted by the all women factors for the same age group. This factor should be taken into consideration while interpreting the results.

Median age at first live birth

27. Median age at first live birth of women aged 15-49 years has been presented to reflect the age at which 50 percent of the women have given their first live birth. This indicator covers women of all marital status and ever married sample denominator has been adjusted by the all women factors in this age group. Ever Married Women not yet having first live birth and Never Married Women have been included as a separate category for computation. Median has been calculated from cumulated single year of age percent distributions of age at first birth. Median is linearly interpolated by the age values by which 50 percent or more of the women had a first birth. In order to gauge the same for older women of the same cohort, median age at first live birth for women aged 25-49 years has also been calculated and presented. These two indicators in conjunction would help in comparing the age with regard to entry into parenthood between the two cohorts.

Birth interval

28. The information on birth interval, which is defined as the length of time between two successive live births, has been collected in respect of last two live births which took place during the reference period, i.e., 2007-09 for birth order 2 & above. Short birth intervals are likely to have adverse bearing on the mother's health as also on the chances of survival of the neonates and infants. In the Indian context, the birth interval of 36 months may be taken as the bare minimum from the perspective of reducing neonatal and infant mortality and also for achieving the requisite nutritional outcomes. The information on percentage of live births taking place after an interval of 36 months has been calculated and presented to provide insight into the pace of child bearing.

Mean number of children ever born and surviving

29. The number of children ever born and surviving has been collected for all Ever Married Women aged 15-49 years. The survival status has been assessed as on 1.1.2010 (the reference point for the population). The number of children ever born to women provides an estimate of cohort fertility against the period measures of fertility such as the CBR and the TFR. In order to facilitate comparison of completed cohort fertility with the current fertility, the mean number of ever born children to women aged 45-49 years has been calculated and presented. The gap between the two would demonstrate the decline in fertility levels in the recent past.

Abortion

30. Abortion as an option was probed for all the pregnancies which resulted into any kind of outcome i.e. live birth, still birth, spontaneous and induced abortion during the reference period i.e. 2007-2009. This was followed by a series of questions such as when the abortion had taken place (month & year), month of pregnancy when the abortion had occurred, whether any ANC was received, whether ultrasound was performed before the abortion, the place of abortion and who performed the abortion. Based on these data, various indicators such as percentage of pregnancy(s) to women aged 15-49 years resulting in abortion, percentage of women who received any ANC before abortion, percentage of women who went for ultrasound before abortion, average month of pregnancy at the time of abortion, percentage of abortions performed by skilled health personnel (doctor / nurse / ANM / LHV / trained dai), and abortions which took place in institutions have been tabulated and presented.

Family Planning Practices

31. The information on awareness as well as the usage in respect of Family Planning Practices was probed from Currently Married Women aged 15-49 years. There were a few women whose marital status as on 1.1.2010 (reference date) was Currently Married but on date of survey, their marital status was widow / divorcee / separated. In such cases, questions on only awareness were probed from them.

Current usage of Family Planning Methods

32. Currently Married Women aged 15-49 years, who were currently menstruating or who were in lactating status or secondary amenorrhoea as on date of survey, were asked whether they or their husbands are currently using any method(s) of family planning. In other words, those CMW who were currently pregnant or in menopause status or who have undergone hysterectomy or never menstruated were excluded from the sample. The family planning methods included both modern as well as traditional methods. Modern methods included Tubectomy, Vasectomy, Copper-T/IUD, Pills (Daily), Pills (Weekly), Emergency Contraceptive Pill, Condom/Nirodh, etc., while the traditional ones were Contraceptive Herbs, Rhythm/Periodic abstinence, Withdrawal, Lactational Amenorrhoea Method, etc. Accordingly, percentage of CMW reporting use of various types of family planning methods (most used method) has been tabulated. In addition, percentage of CMW using any method (Contraceptive Prevalence Rate), any modern method and any traditional method has also been tabulated. Levels of use of contraceptives provide the most obvious and widely accepted criterion for assessing the success of FP programme.

Unmet Need for Family Planning


33. The unmet need for Family Planning is a crucial indicator for assessing the future demand for Family Planning services / supplies. Currently Married Women who are not using any method of contraception but who do not want any more children are defined as having an unmet need for limiting and those who are not using contraception but want to wait for two years or more before having another child are defined as having an unmet need for spacing. The sum total of unmet need for limiting and spacing is the unmet need for Family Planning. In order to ensure comparability with DHS Estimates, similar set of questions were probed from CMW aged 15-49 years under AHS also.

34. For working out the estimates on unmet need, the unmet need for spacing has been calculated as the “proportion of pregnant CMW whose pregnancy was mistimed; CMW in lactational amenorrhoea who are not using any family planning method and whose last birth was mistimed, or whose last birth was unwanted but now they say they want more children; fecund CMW who are neither currently pregnant nor in amenorrhoea, and who are not using any family planning method and say that they want to wait for two or more years for the next birth, including those who say that they are unsure whether they want another child, or want another child but are unsure when to have the birth”.

35. The unmet need for limiting has been worked out as the “proportion of pregnant CMW whose pregnancy was unwanted; CMW in lactational amenorrhoea who are not using any family planning method, whose last child was unwanted and who do not want any more children; and fecund CMW who are neither pregnant nor in amenorrhoea who are not using any method of family planning and who want no more children”. Using the met demand for contraception (current contraceptive users) and the unmet need for contraception, the total demand for family planning as well as the percentage demand

satisfied can be assessed. The classification for the need for family planning is illustrated as under:

Classification of the need for family planning



Ante-natal Care

36. Ante-natal care constitutes one of the key elements towards initiatives to promote safe motherhood. A series of questions to capture various aspects of ante-natal care such as, number of ante-natal check-ups received, months of pregnancy at the time of first ANC, main source of ANC, type of tests performed during ANC, number of Tetanus Toxoid (TT) injections received and number of days of consumption of Iron & Folic Acid (IFA) tablets/syrup, were asked from the EMW aged 15-49 years in respect of their last two outcomes of pregnancies which have resulted into live births / still births during the reference period, i.e., 2007-09. However, appropriate indicators based on the above aspects have been tabulated in respect of responses recorded for last live / still births.

37. The indicators included in the Factsheets are percentage of mothers who received any ANC, percentage of mothers who had ANC in first trimester, percentage of mothers who received 3 or more ANC, percentage of mothers who received at least one TT injection, percentage of mothers who consumed IFA for 100 days or more and percentage of mothers who had full ante-natal check-up. The full ante-natal check-up comprises at least three visits for ANC, at least one TT injection received and IFA consumption for 100 days or more. In addition, percentage of mothers who received ANC from Government source, percentage of mothers whose blood pressure & blood (for Hb) were taken and percentage of mothers who underwent ultrasound have been calculated and presented. Besides, percentage of Currently Married Pregnant Women aged 15-49 years registered for ANC has also been presented.

Delivery Care

38. Under Delivery Care, the details about place of delivery, source of transport provided / availed for reaching the institution, length of stay in the institution after delivery, type of delivery (normal / caesarean / assisted) and the personnel conducting delivery in case of domiciliary births were inquired from the EMW aged 15-49 years for their last two pregnancy outcomes resulting into live births/still births during the reference period, i.e. 2007-09. As in the case of ante-natal care, indicators based on these parameters have been tabulated in respect of responses for last live/still births. Percentage of deliveries taken place in institutions and their distribution into Government and Private institutions; percentage of deliveries taken place at home; percentage of home deliveries conducted by skilled health personnel; and percentage of Safe deliveries are the key indicators presented in the Factsheet. Safe delivery comprises institutional deliveries and home deliveries conducted by doctor/ nurse / ANM / LHV and it does not include those attended by trained dai. However, trained dai is included under skilled health personnel. If the respondent has mentioned more than one person attending delivery, only the most qualified person is taken into consideration.

39. As regards the extent of stay in institutions after delivery which is very crucial and has a direct bearing on the new born care as also on the health of the mother, the percentage of less than 24 hours stay in the institution after delivery has been worked out and presented. Besides, percentage of Caesarean deliveries out of total deliveries taken place in Government and Private Institutions respectively has also been presented.

Post-natal Care

40. Getting a Post partum / Post-natal check-up soon after the birth of baby or within 48 hours is crucial for the health of both the mother and the child. Accordingly, three indicators, viz., percentage of mothers who received Post-natal check-up within 48 hours of delivery, percentage of mothers who received Post-natal check-up within one week of delivery and percentage of mothers who did not receive any Post-natal check-up have been calculated and presented. In case of institutional delivery where the woman had stayed there for at least 48 hours, it was presumed that the post-natal care was given within 48 hours. These indicators are based on the last outcome of pregnancy which resulted into live / still birth during the reference period, i.e., 2007-09.

41. Along with the first post-natal check-up of mother, check-up of the new borns is essential. It was therefore probed from the mothers, whose last outcome of pregnancy resulted into live birth during the reference period, i.e., 2007-09, when was the new born checked up. Based on this, the percentage of new born who received check up within 24 hours of birth has been worked out and presented. In case of institutional delivery if the baby remained there for at least 24 hours, it was presumed that the first check-up was done within 24 hours.

Financial assistance under Janani Suraksha Yojana

42. The Janani Suraksha Yojana (JSY) is one of the most important programmes under the overall umbrella of NRHM aimed at reducing Maternal Mortality Ratio and Neo-natal Mortality Rate by promoting institutional deliveries. Under the Scheme, cash incentives are provided to mothers and they are facilitated by Accredited Social Health Activists (ASHAs) to deliver their babies in a health facility. There are also provisions for cost reimbursement for transport and incentives to ASHAs for encouraging mothers to opt for institutional delivery. The scheme is fully sponsored by the Central Government and is

implemented in all States and Union Territories, with special focus on low-performing States. There is also a provision for roping in the private sector by giving accreditation to willing private hospitals/nursing homes for providing delivery services. The Scheme has been implemented in all the 9 AHS States since 2005.

43. In order to gauge the spread and effectiveness of the JSY, Ever Married Women aged 15-49 years were probed whether they had availed the maternity financial assistance for safe motherhood under the scheme in respect of their last two outcomes of delivery resulting in live / still births during the reference period, i.e., 2007-09. The percentage of mothers who availed financial assistance for delivery, percentage of mothers who availed financial assistance for institutional delivery and percentage of mothers who availed financial assistance for Government institutional delivery under JSY, all in respect of the last outcome of delivery resulting in live birth / still birth, have been calculated and presented. Since the scope of JSY has been extended to domiciliary births also, these three sets of indicators would present a holistic picture.

Immunization

44. The information on childhood immunization, i.e., vaccination coverage, has been collected for all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09]. Information on six vaccine preventable diseases namely, tuberculosis, diphtheria, whooping cough (Pertussis), tetanus, polio and measles, has been collected with reference to the status as on date of survey. Universal immunization of children against these six diseases is vital for reducing infant and child mortality. Whenever the mother had the vaccination card (Immunization / MCH) and if the card was available at the time of interview, the responses were recorded based on entries in the card. Otherwise, the responses as reported by the mother were noted down. For those living children who did not receive any vaccination, the main reason thereof has also been noted.

45. In conformity with the International and Govt. of India guidelines which specify that children should be fully vaccinated by the time they complete their first year of life, the 12-23 months age group has been chosen for analysis. The percentage of children having Immunization Card, percentage of children aged 12-23 months who have received BCG, percentage of children who have received 3 doses of polio vaccine, percentage of children who have received polio dose at birth, percentage of children who have received three doses of DPT vaccine and percentage of children who have received measles vaccine, all for the age group 12-23 months, have been calculated and presented. Besides the percentage of children aged 12-23 months who have been fully immunized, the percentage of children aged 12-23 months who did not receive any vaccination have also been tabulated in order to portray the complete picture of immunization. According to the WHO guidelines, children are considered fully immunized when they have received vaccination against tuberculosis, three doses of DPT, three doses of the poliomyelitis and one dose of measles.

Administration of Vitamin-A and Iron & Folic Acid supplements

46. Proper and sufficient intake of Vitamin-A and Iron supplements is essential to thwart childhood morbidity and mortality. Vitamin-A is an essential micro nutrient for the immune system and plays an important role in maintaining the epithelial tissues in the body. Severe Vitamin-A deficiency (VAD) can cause eye damage. VAD has also the potential to increase the severity of measles and diarrhoeal diseases in children and slow recovery from illness. Since the human liver can store an adequate amount of the

vitamin for 4-6 months, Vitamin-A dosing every six months is one of the usual methods for ensuring that children at risk are protected from developing VAD. The National Programme on Prevention of Blindness mandates that children of age 9 months to 5 years should be administered oral doses of Vitamin-A every six months. In order to assess the situation, information on children aged 6-35 months who have received at least one dose of Vitamin-A during the last six months has been collected and presented.

47. Anaemia, which is characterised by a low level of haemoglobin in the blood, is a great concern in young children because it can result in impaired cognitive performance, behavioural and motor coordination, language development and scholastic achievement. It also enhances the risk of morbidity from other infectious diseases. One of the most vulnerable groups to anaemia is children aged 6-23 months. It was probed from the mothers of all living children older than 6 months whether IFA tablet / syrup was administered to the children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] in the last 3 months. IFA tablet/syrup as supplements is given to child beyond six months to prevent anaemia. Based on this, the percentage of children aged 6-35 months who have received IFA tablets / syrup during last three months has been calculated and presented.

Birth weight

48. Birth weight is an important indicator to measure the vulnerability of a new born to the risk of childhood illness and chances of survival. The information on birth weight assists in monitoring programmes to reduce neo-natal and infant mortality through a reduction in low birth weight infants. The information on birth weight has been collected in respect of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09]. Based on this data, the percentage of children whose birth weight was taken and percentage of children whose birth weight was less than 2.5 Kg. have been worked out and presented.

Childhood diseases

49. Treatment practices and contact with health services among children with the 3 most important childhood illnesses namely, Acute Respiratory Infection (ARI), Fever and Diarrhoea, help in the assessment of National Programmes aimed at reducing the mortality impact of these illnesses. The information on children suffering from Acute Respiratory Infection, Fever and Diarrhoea in respect of all the living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] during fifteen days preceding the date of survey has been collected. This has been done to minimise the recall lapse. Besides the prevalence, the information on treatment of ARI with antibiotics, treatment of fever and the treatment of diarrhoea with Home Available Fluids (HAF) / fluids prepared from ORS packet has been collected. The treatment of diarrhoeal diseases with Oral Rehydration Therapy (ORT) aids in the assessment of programmes that recommends such treatment. Based on these data, the percentage of children suffering from Diarrhoea and received HAF / ORS / ORT, percentage of children suffering from ARI and sought treatment, and percentage of children suffering from fever and sought treatment have been calculated and presented.

Child feeding practices

50. Early breastfeeding practices determine the successful establishment and duration of breastfeeding. It is recommended that children be put to the breast immediately or within one hour of birth. There is growing evidence of the benefits to mother and child of

early initiation of breastfeeding preferably in the first hour of the birth. Early initiation of breastfeeding contributes to reducing neo-natal mortality. It ensures early skin to skin contact which is important in preventing hypothermia and establishing the bond between the mother and her child. Early initiation of breastfeeding also reduces the mother's risk of post partum haemorrhage, one of the leading causes of maternal mortality. Although breastfeeding is nearly universal in India, very few children are put to breastfeed immediately after birth. In order to have an assessment with regard to the time of initiation of breastfeeding, the mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] were asked when did they first breastfeed their baby. Based on this, the percentage of children breastfed within one hour of birth has been calculated and presented.

51. Exclusive breastfeeding for the first six months of the child's life is an essential component of the optimal infant and young child feeding practices. The Government of India recommends that children should be exclusively breastfed for the first six months of life (i.e., the child should be given only breast milk and nothing else, not even water). In order to assess the situation on ground, the mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] were asked how many days/months did they exclusively breastfeed their baby. Based on the responses, percentage of children aged 6-35 months exclusively breastfed for at least six months has been worked out and presented.

Complementary feeding

52. The introduction of complementary feeding at six months of age, solid and semi-solid food and the diverse food combinations fed to children also constitute part of the optimal feeding practices. The purpose of complementary feeding is to complement the breast milk and sustain the growth and development of the child. WHO recommends introduction of solid or semi-solid foods to infants around the age of 6 months because by that age, breast milk by itself is no longer sufficient to maintain the child's optimal growth. Information on supplementation was obtained by asking mothers of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] at what age did they start feeding the baby food other than breast milk. The type of food included water, animal milk / formula milk, semi-solid mashed food, solid (adult) food and vegetables/fruits. Based on these, the percentage of children who received foods other than breast milk such as water, animal/formula milk, semi-solid mashed food, solid (adult) food and vegetables/fruits during first six months has been worked out and presented. Besides, the average month by which children received these foods have also been worked out and presented.

Birth Registration

53. India, being a signatory to the UN Convention on the Rights of the Child, 1989 which recognizes birth registration as one of the first rights of child, is committed to achieve universalization of birth registration. In India, registration of birth is compulsory under the Registration of Births and Deaths (RBD) Act, 1969. The Act mandates that every birth should be registered and a birth certificate provided free of charge to the informant. Despite significant efforts to improve the Civil Registration System, especially during the past decade, the overall level of registration of births still falls short by about 25 percent. The registration system in the country functions at different levels of efficiency across States/UTs. In order to assess the functioning of the Civil Registration System in the community, information on whether the birth of the baby was registered

with the civil authority and if so, the birth certificate was received or not in respect of all living children [last two outcomes of pregnancy(s) resulting in live births during reference period, i.e., 2007-09] has been collected. Based on this, the percentage of children whose births were registered and the percentage of children whose births were registered & who also received the Birth Certificates have been arrived at and presented.



54. Under the RBD Act, the institutions where birth takes place is to register the birth and issue the birth certificate in case they have been declared as the registration units or to report the event to the local Registrar of Births & Deaths. Of late, majority of the Government institutions have been declared as registration units. Since a review of the system across different States/UTs has revealed that due to lack of a proper and complete reporting system, the institutional births which have already been registered are not being reflected in the final figures compiled and therefore in order to net all such cases, it was presumed that the birth would have been registered. However, even in these cases it was probed whether the birth certificate has been received.



55. This Factsheet pertains to the State of Rajasthan. The field work for the AHS has been carried out by M/s. Social & Rural Research Institute (IMRB International), New Delhi and M/s. Nielsen (India) Pvt. Ltd., New Delhi in the allotted zones. The third party audit work in the State has been done by M/s. TALEEM Research Foundation, Ahmedabad.





SAMPLE PARTICULARS

State / District	Sample Units			Households			Population		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	1841	1294	547	351439	291173	60266	1790673	1488678	301995
Ajmer	69	34	35	12021	8417	3604	61604	43321	18283
Alwar	61	48	13	12050	10573	1477	62551	55451	7100
Banswara	44	39	5	9966	9454	512	48929	46685	2244
Baran	52	39	13	9065	7754	1311	45594	39097	6497
Barmer	57	50	7	9593	8844	749	52958	48593	4365
Bharatpur	76	55	21	14960	12936	2024	79090	68771	10319
Bhilwara	41	29	12	7402	6353	1049	35257	29784	5473
Bikaner	57	31	26	8076	5524	2552	44940	31852	13088
Bundi	56	41	15	10426	8445	1981	49773	40234	9539
Chittaurgarh	56	43	13	9595	8144	1451	44952	38230	6722
Churu	51	32	19	9116	7391	1725	50750	41110	9640
Dausa	45	38	7	11034	10289	745	53412	49622	3790
Dhaulpur	42	31	11	7247	5815	1432	42867	34299	8568
Dungarpur	64	57	7	15523	14601	922	76822	72444	4378
Ganganagar	88	57	31	13026	9387	3639	63890	46295	17595
Hanumangarh	58	42	16	11547	9972	1575	57227	49695	7532
Jaipur	82	33	49	13032	6713	6319	66264	36684	29580
Jaisalmer	48	37	11	7024	5555	1469	38369	31678	6691
Jalor	56	49	7	13091	12372	719	66997	63336	3661
Jhalawar	56	44	12	9237	7775	1462	45435	38394	7041
Jhunjhunun	84	60	24	20348	17440	2908	102903	87520	15383
Jodhpur	66	37	29	12219	9467	2752	63975	50362	13613
Karauli	32	25	7	6507	5547	960	35318	30314	5004
Kota	68	25	43	8749	4495	4254	43648	23283	20365
Nagaur	66	50	16	13371	12033	1338	74779	67172	7607
Pali	64	45	19	14785	12559	2226	69547	58618	10929
Rajsamand	38	31	7	9259	8136	1123	42474	36934	5540
Sawai Madhopur	34	25	9	6338	5105	1233	32924	26774	6150
Sikar	81	58	23	15762	13471	2291	85289	73098	12191
Sirohi	52	39	13	11365	10262	1103	54296	48966	5330
Tonk	55	39	16	12107	10169	1938	62282	51308	10974
Udaipur	42	31	11	7598	6175	1423	35557	28754	6803







SAMPLE PARTICULARS

State / District	Ever Married Women (aged 15-49 years)			Currently Married Women (aged 15-49 years)			Children 12-23 months		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	343035	284310	58725	329650	273331	56319	25950	22039	3910
Ajmer	12124	8486	3638	11551	8071	3480	896	668	228
Alwar	12016	10646	1370	11637	10319	1318	931	835	95
Banswara	9291	8804	487	8948	8479	469	1010	970	40
Baran	8733	7500	1233	8345	7177	1168	772	685	87
Barmer	9795	8932	863	9480	8643	837	1131	1056	75
Bharatpur	13675	11833	1842	13285	11513	1772	1049	895	154
Bhilwara	7261	6135	1126	6795	5720	1075	548	469	79
Bikaner	8316	5827	2488	8094	5689	2404	651	497	154
Bundi	10118	8161	1957	9596	7738	1858	691	561	130
Chittaurgarh	9562	8146	1416	9063	7738	1325	506	437	69
Churu	10054	8188	1866	9830	8018	1812	557	453	105
Dausa	9487	8818	669	9190	8547	643	790	737	53
Dhaulpur	7261	5780	1481	7005	5571	1434	778	641	137
Dungarpur	15214	14299	915	14508	13650	858	1359	1300	59
Ganganagar	12252	8873	3379	11793	8551	3242	676	454	222
Hanumangarh	11189	9723	1466	10795	9398	1397	550	453	98
Jaipur	12514	6898	5616	12070	6649	5421	823	459	365
Jaisalmer	6701	5417	1284	6564	5306	1258	550	478	72
Jalor	12854	12120	734	12415	11705	710	1319	1275	44
Jhalawar	9167	7746	1421	8721	7395	1326	746	640	106
Jhunjhunun	20190	17260	2930	19471	16611	2860	1239	1068	172
Jodhpur	12026	9290	2736	11693	9059	2634	529	393	136
Karauli	6388	5491	897	6180	5312	868	620	570	50
Kota	8514	4394	4120	8093	4199	3894	744	432	312
Nagaur	13867	12464	1403	13474	12106	1368	599	518	82
Pali	12771	10634	2137	12102	10043	2059	1084	953	131
Rajsamand	8735	7616	1119	8118	7064	1054	685	616	69
Sawai Madhopur	6205	5050	1155	6013	4894	1119	563	471	92
Sikar	16794	14418	2376	16324	14030	2294	981	830	151
Sirohi	10608	9562	1046	9995	9026	969	921	864	57
Tonk	12337	10194	2143	11815	9772	2043	969	776	193
Udaipur	7015	5603	1412	6686	5336	1350	681	586	95

WEALTH INDEX

State / District	Lowest (20%)			Highest (20%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	20.0	23.7	2.4	20.0	12.8	54.5
Ajmer	8.8	12.1	1.2	31.1	17.9	61.8
Alwar	6.9	7.8	0.6	22.8	17.5	60.9
Banswara	63.5	66.8	1.9	8.4	5.2	66.1
Baran	19.7	22.4	3.8	11.4	7.7	33.4
Barmer	42.5	46.0	2.0	9.5	5.2	60.3
Bharatpur	11.5	12.9	2.7	13.5	10.3	33.5
Bhilwara	19.4	22.2	2.9	13.7	9.1	42.1
Bikaner	17.5	24.9	1.4	29.1	14.1	61.5
Bundi	27.9	33.3	5.0	17.1	8.8	52.7
Chittaurgarh	18.7	21.9	0.7	20.0	12.8	60.2
Churu	12.5	14.2	5.2	23.7	19.0	43.8
Dausa	15.4	16.4	1.2	11.8	9.3	46.0
Dhaulpur	34.8	41.3	8.4	11.9	4.9	40.4
Dungarpur	46.2	48.8	5.3	9.9	6.8	58.7
Ganganagar	9.6	12.8	1.4	34.5	23.1	63.0
Hanumangarh	9.2	9.5	7.0	22.1	17.8	49.0
Jaipur	6.8	11.8	1.5	41.5	16.5	68.1
Jaisalmer	26.7	33.5	1.0	18.1	7.7	57.6
Jalor	34.7	36.2	8.8	8.3	5.7	52.0
Jhalawar	18.5	21.3	3.8	11.7	6.4	39.7
Jhunjhunun	5.5	6.1	1.8	33.4	30.6	49.7
Jodhpur	18.1	23.2	0.6	21.1	9.7	60.4
Karauli	38.1	43.8	5.2	9.6	3.5	45.0
Kota	7.3	14.0	0.3	35.2	12.1	59.6
Nagaur	14.4	15.7	1.9	20.9	18.3	43.9
Pali	15.9	17.9	4.4	16.5	11.5	44.8
Rajsamand	13.2	14.8	1.5	16.9	11.8	53.9
Sawai Madhopur	23.4	28.5	2.4	16.9	9.3	48.4
Sikar	3.3	3.7	0.6	27.6	22.5	57.6
Sirohi	28.4	31.1	4.0	14.4	11.2	43.6
Tonk	25.0	29.1	3.3	15.7	9.6	47.7
Udaipur	39.0	47.9	0.4	18.1	7.3	64.7

HOUSEHOLD CHARACTERISTICS



State / District	Average Household Size								
	SC			ST			ALL		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	5.1	5.1	5.0	5.0	5.0	4.7	5.1	5.1	5.0
Ajmer	5.1	4.9	5.2	4.9	4.9	4.9	5.1	5.1	5.1
Alwar	5.1	5.2	4.9	5.3	5.3	5.5	5.2	5.2	4.8
Banswara	4.8	4.8	4.9	5.0	5.0	5.0	4.9	4.9	4.4
Baran	4.9	4.9	5.0	4.8	4.8	4.4	5.0	5.0	5.0
Barmer	5.5	5.5	5.8	5.3	5.3	4.9	5.6	5.5	5.8
Bharatpur	5.1	5.1	5.0	5.1	5.1	5.1	5.3	5.3	5.1
Bhilwara	4.6	4.5	5.0	4.6	4.6	5.2	4.8	4.7	5.2
Bikaner	5.7	5.7	5.7	5.7	5.6	6.3	5.5	5.8	5.1
Bundi	4.7	4.8	4.7	4.6	4.5	4.9	4.8	4.8	4.8
Chittaurgarh	4.3	4.3	4.4	4.7	4.7	4.6	4.6	4.7	4.6
Churu	5.6	5.6	5.7	4.7	4.6	4.8	5.6	5.5	5.6
Dausa	4.8	4.8	5.5	5.1	5.2	4.4	4.9	4.9	5.1
Dhaulpur	5.7	5.7	5.7	5.8	5.9	5.1	5.9	5.9	6.0
Dungarpur	4.8	4.7	5.2	5.2	5.2	4.8	5.0	5.0	4.7
Ganganagar	4.9	4.8	5.1	4.8	4.7	5.0	4.9	4.9	4.8
Hanumangarh	4.9	4.9	5.0	4.5	4.4	4.7	4.9	5.0	4.8
Jaipur	4.7	5.0	4.5	5.4	5.5	4.8	5.0	5.5	4.7
Jaisalmer	5.7	5.8	4.7	5.2	5.4	4.3	5.5	5.8	4.6
Jalor	5.4	5.4	5.3	5.0	5.0	4.3	5.1	5.1	5.1
Jhalawar	4.6	4.6	4.6	4.8	4.8	4.2	4.9	4.9	4.8
Jhunjhunun	5.1	5.1	5.2	5.1	5.2	5.0	5.1	5.0	5.3
Jodhpur	5.3	5.4	5.3	5.0	5.0	4.8	5.2	5.3	4.9
Karauli	5.4	5.4	5.1	5.4	5.5	4.6	5.4	5.4	5.2
Kota	5.0	5.0	5.1	4.9	5.1	4.4	5.0	5.2	4.8
Nagaur	5.4	5.4	5.8	5.6	5.5	7.4	5.6	5.6	5.7
Pali	4.8	4.8	4.9	4.6	4.7	4.3	4.7	4.7	4.9
Rajsamand	4.7	4.6	5.1	4.8	4.8	5.1	4.6	4.5	4.9
Sawai Madhopur	5.1	5.3	4.9	4.9	5.0	3.8	5.2	5.2	5.0
Sikar	5.3	5.3	5.3	4.9	5.2	4.1	5.4	5.4	5.3
Sirohi	4.8	4.7	5.1	5.1	5.2	4.6	4.8	4.8	4.8
Tonk	5.0	5.0	5.7	4.8	4.8	5.7	5.2	5.0	5.7
Udaipur	4.4	4.3	4.6	4.9	4.9	4.3	4.7	4.7	4.8

HOUSEHOLD CHARACTERISTICS

State / District	Population below age 15 years (%)			Dependency Ratio			Currently Married Illiterate Women aged 15-49 years (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	35.2	36.6	30.9	75.2	80.1	61.5	51.8	60.2	26.3
Ajmer	32.4	35.1	28.3	66.4	73.6	56.5	29.6	38.5	15.6
Alwar	34.7	35.2	29.9	74.1	75.9	59.0	43.7	46.8	16.2
Banswara	39.2	40.0	27.3	86.2	88.5	55.0	66.7	70.0	19.5
Baran	33.5	34.1	30.7	74.6	76.8	63.4	56.3	61.2	27.3
Barmer	42.6	43.6	32.1	103.1	107.3	65.8	72.8	76.9	28.9
Bharatpur	37.1	37.7	34.5	79.6	81.7	71.0	52.3	56.5	34.9
Bhilwara	33.7	34.7	29.7	72.8	75.4	62.9	60.1	66.3	34.4
Bikaner	36.0	40.3	29.1	74.5	86.5	58.4	45.7	60.4	23.3
Bundi	32.8	34.6	27.0	66.8	71.6	52.6	53.7	62.1	26.0
Chittaurgarh	31.4	32.2	27.7	67.1	69.8	55.9	58.2	65.8	21.5
Churu	37.0	37.5	35.9	80.0	82.0	75.5	46.2	50.6	36.2
Dausa	37.0	37.5	32.6	80.6	82.0	69.3	51.6	53.8	29.0
Dhaulpur	40.7	41.7	37.6	86.1	90.1	75.4	63.1	68.8	46.9
Dungarpur	37.6	38.3	29.7	82.3	84.5	60.1	61.9	65.3	22.8
Ganganagar	30.1	31.4	27.1	62.5	65.3	56.2	39.6	47.7	19.9
Hanumangarh	32.8	33.1	31.6	65.2	66.6	60.1	52.3	56.0	38.9
Jaipur	33.6	36.7	30.7	68.4	77.8	60.5	36.9	55.1	19.4
Jaisalmer	39.4	41.5	29.8	84.7	91.8	57.8	58.4	69.5	16.4
Jalor	39.6	40.0	35.0	93.9	96.3	69.9	75.5	78.0	48.8
Jhalawar	32.6	33.5	28.4	72.8	75.8	59.1	61.4	67.8	27.3
Jhunjhunun	33.1	32.8	34.1	71.6	72.6	68.2	34.2	35.1	30.9
Jodhpur	36.9	39.7	32.0	75.8	84.9	61.6	55.1	70.0	28.8
Karauli	39.0	40.0	35.0	84.4	88.3	70.4	68.6	75.5	41.3
Kota	30.1	33.6	27.2	61.5	72.9	53.1	40.3	59.1	25.5
Nagaur	35.4	35.6	34.1	74.7	76.1	67.7	51.5	54.6	34.1
Pali	34.6	35.5	31.5	81.1	87.1	62.8	60.6	66.9	39.6
Rajsamand	34.9	35.8	30.3	83.5	87.7	63.9	50.0	55.5	18.7
Sawai Madhopur	35.5	36.9	31.0	74.3	79.3	60.8	62.0	70.5	35.3
Sikar	34.1	34.3	33.4	71.5	73.7	65.2	39.3	43.4	26.4
Sirohi	35.7	36.8	30.1	78.4	82.5	60.3	68.2	74.1	37.6
Tonk	33.6	34.1	32.1	69.0	71.0	62.6	58.9	65.6	35.4
Udaipur	35.9	38.9	27.4	81.4	91.6	57.3	55.6	70.8	12.6

SEX RATIO

State / District	Sex Ratio at Birth			Sex Ratio (0-4 years)			Sex Ratio (All ages)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	878	876	888	870	872	865	925	932	905
Ajmer	887	857	948	875	870	884	938	941	932
Alwar	882	875	964	870	864	921	882	882	882
Banswara	927	938	681	908	919	667	975	976	946
Baran	923	928	887	907	917	838	929	930	922
Barmer	922	916	1018	916	914	933	986	990	938
Bharatpur	865	859	896	834	843	794	874	870	888
Bhilwara	968	990	873	987	984	1000	952	958	927
Bikaner	905	867	981	919	897	968	911	924	891
Bundi	894	858	1063	894	875	978	908	902	928
Chittaurgarh	912	902	971	934	915	1047	951	953	941
Churu	894	872	954	874	852	934	965	962	971
Dausa	841	831	950	837	840	810	889	890	882
Dhaulpur	820	801	894	826	815	874	822	810	856
Dungarpur	872	861	1087	893	888	979	1001	1003	976
Ganganagar	889	897	866	861	894	785	882	884	876
Hanumangarh	874	890	812	843	848	821	883	888	867
Jaipur	846	819	873	826	807	844	881	895	869
Jaisalmer	841	820	961	827	813	930	851	848	862
Jalor	882	874	1040	882	877	956	1055	1063	963
Jhalawar	864	869	837	883	889	852	928	931	912
Jhunjhunun	914	896	985	847	844	857	961	970	934
Jodhpur	909	933	866	870	907	802	913	905	929
Karauli	830	839	774	847	844	866	827	811	892
Kota	846	868	824	855	886	825	906	918	897
Nagaur	844	839	869	860	852	902	922	923	922
Pali	883	894	838	900	913	848	983	1008	899
Rajsamand	836	836	830	845	836	914	1030	1040	975
Sawai Madhopur	782	785	772	789	789	787	872	876	858
Sikar	856	836	920	857	833	930	960	967	940
Sirohi	887	888	880	875	869	923	1002	1013	943
Tonk	925	955	827	910	946	802	905	902	915
Udaipur	870	887	798	865	873	832	982	1009	909



EFFECTIVE LITERACY RATE

State / District	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	70.7	66.0	84.6	82.7	79.5	92.2	57.8	51.7	76.2
Ajmer	76.6	70.8	85.3	84.1	82.8	90.9	66.7	58.2	79.5
Alwar	75.5	73.9	89.4	87.6	86.7	95.5	61.7	59.3	82.4
Banswara	60.2	58.3	89.0	72.8	71.3	94.5	47.6	45.3	83.3
Baran	70.1	67.5	84.5	84.4	82.8	93.0	54.8	51.1	75.4
Barmer	56.4	53.8	83.3	69.8	67.5	93.5	43.1	40.4	72.5
Bharatpur	74.5	72.8	82.0	88.7	87.9	92.1	58.5	55.5	70.7
Bhilwara	62.4	58.3	78.4	76.0	72.9	88.3	47.9	43.1	67.7
Bikaner	73.8	66.9	84.1	83.7	78.8	91.0	62.8	54.2	76.2
Bundi	70.0	65.1	85.7	82.3	79.0	93.2	56.5	49.9	77.6
Chittaurgarh	65.5	60.5	86.4	79.2	75.5	94.3	51.2	44.9	77.8
Churu	72.5	70.0	78.4	83.9	82.3	87.6	60.9	57.4	69.1
Dausa	72.7	71.5	83.3	85.6	84.8	93.4	58.3	56.8	71.9
Dhaulpur	68.2	65.6	75.4	78.7	77.3	82.9	55.4	51.2	66.5
Dungarpur	63.5	61.7	83.7	74.9	73.5	90.0	52.5	50.3	77.2
Ganganagar	75.5	70.8	86.6	83.6	80.0	92.3	66.3	60.4	80.2
Hanumangarh	69.0	66.8	77.1	79.2	77.4	85.7	57.6	55.0	67.3
Jaipur	80.4	71.7	88.3	90.2	85.1	94.7	69.4	57.0	80.9
Jaisalmer	67.1	61.7	90.3	79.6	75.7	96.1	52.5	45.2	83.6
Jalor	54.0	52.1	74.8	68.3	66.4	87.4	40.9	39.2	61.8
Jhalawar	63.5	59.9	81.2	76.5	74.4	87.0	49.5	44.5	74.8
Jhunjhunun	78.7	77.4	83.0	90.2	89.3	93.2	66.9	65.4	72.2
Jodhpur	71.5	64.5	83.7	84.0	79.6	91.9	58.0	48.0	75.0
Karauli	65.6	62.6	76.7	79.1	77.4	86.0	49.1	44.3	66.3
Kota	77.6	67.8	85.4	88.0	81.5	93.1	66.2	52.9	77.0
Nagaur	69.2	67.4	78.8	81.2	79.9	87.6	56.4	54.0	69.3
Pali	63.3	59.0	77.9	77.1	73.6	88.6	49.4	44.9	66.1
Rajsamand	68.3	64.6	87.4	82.5	79.9	95.1	55.1	50.5	79.7
Sawai Madhopur	67.6	62.3	83.2	81.0	76.8	93.4	52.5	46.1	71.6
Sikar	77.7	75.6	84.2	89.7	88.6	92.8	65.6	62.5	75.1
Sirohi	57.9	53.4	80.0	71.9	67.5	92.3	44.3	39.9	67.1
Tonk	66.8	62.8	79.7	79.4	77.0	87.4	52.8	46.9	71.5
Udaipur	64.0	54.2	90.3	76.2	68.6	95.2	52.0	40.5	85.1

MARRIAGE

State / District	Marriages among Females below legal age (18 years) (%) #			Marriages among Males below legal age (21 years) (%) #			Currently Married Women aged 20-24 years married before legal age (18 years) (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	21.9	26.8	9.0	30.1	37.1	13.2	57.1	60.7	43.3
Ajmer	27.9	41.0	9.6	35.0	48.8	17.1	62.8	71.7	43.9
Alwar	22.3	23.8	8.4	34.3	37.1	9.8	52.4	54.1	28.5
Banswara	13.5	14.7	-	30.5	33.0	-	51.3	52.2	-
Baran	19.0	22.8	2.0	27.4	32.2	7.9	58.7	60.8	42.2
Barmer	24.0	26.0	3.9	31.8	34.1	14.0	52.1	53.7	34.1
Bharatpur	14.7	16.1	9.6	28.2	32.0	12.9	46.6	48.5	35.8
Bhilwara	53.9	62.7	24.2	58.0	65.9	34.3	80.1	85.1	57.2
Bikaner	14.8	22.1	6.2	21.9	31.8	9.3	57.5	64.1	42.9
Bundi	38.4	48.9	10.5	39.1	50.4	14.0	66.9	72.2	42.0
Chittaurgarh	33.4	38.9	8.7	38.5	46.7	5.2	63.3	66.0	46.9
Churu	20.9	23.4	15.0	32.2	35.8	24.3	61.3	62.5	58.0
Dausa	34.6	37.3	10.7	47.4	50.9	18.8	68.0	69.4	52.9
Dhaulpur	21.3	26.4	9.8	31.5	38.3	15.9	60.0	63.6	47.7
Dungarpur	11.5	11.7	9.2	23.6	25.1	7.4	44.5	45.3	34.8
Ganganagar	3.7	4.0	3.3	9.7	12.2	4.0	36.5	38.7	30.2
Hanumangarh	10.0	10.5	8.3	17.5	18.0	16.1	44.5	46.0	38.5
Jaipur	22.6	40.6	8.6	26.8	47.5	11.8	58.4	70.6	42.1
Jaisalmer	14.8	16.3	7.6	18.5	21.6	6.8	51.9	53.2	44.1
Jalor	9.1	9.8	1.6	21.3	22.2	15.7	46.0	47.1	29.3
Jhalawar	36.6	43.2	4.7	38.8	45.7	6.0	68.6	73.2	34.0
Jhunjhunun	8.5	10.0	3.6	14.9	16.7	9.4	45.5	45.5	45.4
Jodhpur	21.3	28.6	10.0	29.0	40.2	12.0	54.4	59.5	43.3
Karauli	28.4	33.7	11.6	41.7	48.2	18.1	67.1	70.2	47.5
Kota	10.7	22.3	4.7	14.2	28.6	7.0	47.6	57.8	38.3
Nagaur	23.8	24.8	17.3	40.0	42.4	24.5	65.0	65.9	58.9
Pali	19.3	22.9	9.8	22.2	25.0	16.5	56.0	57.7	49.8
Rajsamand	41.9	46.8	14.5	40.7	47.3	14.4	66.9	69.2	52.5
Sawai Madhopur	27.7	35.4	7.6	32.3	42.0	14.4	65.8	69.4	50.0
Sikar	16.1	18.9	8.7	26.5	29.3	19.7	52.0	54.6	42.9
Sirohi	12.1	13.6	5.9	17.3	21.2	4.0	47.8	50.6	28.7
Tonk	35.8	47.0	8.8	44.7	56.3	17.6	68.2	74.5	40.4
Udaipur	15.0	15.9	12.9	25.4	32.6	10.1	51.1	55.2	34.0


Based on marriages taken place during 2007-2009.

MARRIAGE

State / District	Currently Married Men aged 25-29 years married before legal age (21 years) (%)			Mean age at Marriage#					
	Total	Rural	Urban	Male			Female		
				Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	52.3	58.2	34.6	22.2	21.4	24.2	19.7	19.1	21.4
Ajmer	53.1	65.8	31.9	22.0	20.2	24.6	19.5	17.9	21.8
Alwar	51.7	54.3	25.5	21.9	21.5	24.9	19.5	19.2	21.9
Banswara	55.9	57.3	-	22.1	21.8	-	19.9	19.7	-
Baran	56.0	59.7	34.1	22.4	21.8	25.1	19.8	19.5	21.5
Barmer	47.1	49.2	32.2	21.1	20.8	23.9	18.3	18.1	21.0
Bharatpur	46.2	48.9	33.3	22.4	22.0	24.2	20.3	20.0	21.3
Bhilwara	73.5	79.4	51.0	19.2	18.4	21.8	16.8	16.1	19.4
Bikaner	47.2	56.1	31.8	22.9	21.8	24.5	20.4	19.4	21.7
Bundi	61.7	70.2	28.8	21.6	20.3	24.9	19.1	17.8	22.4
Chittaurgarh	59.0	63.7	37.9	21.4	20.7	24.4	19.2	18.6	22.0
Churu	57.2	58.7	53.4	21.8	21.6	22.3	19.8	19.5	20.3
Dausa	67.3	69.8	43.2	20.7	20.3	24.2	18.8	18.5	21.4
Dhaulpur	54.0	59.4	36.9	22.5	21.9	24.1	20.0	19.5	21.1
Dungarpur	44.1	45.7	26.7	22.5	22.3	24.7	20.3	20.2	21.3
Ganganagar	36.3	41.8	22.2	24.1	23.6	25.3	21.9	21.7	22.3
Hanumangarh	45.0	48.4	33.1	23.2	23.1	23.6	20.7	20.5	21.5
Jaipur	50.7	69.2	32.6	22.5	20.2	24.4	20.0	18.0	21.7
Jaisalmer	38.2	40.8	26.9	23.4	23.1	24.8	19.7	19.5	21.1
Jalor	44.1	45.5	31.5	22.9	22.7	24.1	20.2	20.1	21.3
Jhalawar	61.1	67.7	23.0	21.6	20.8	25.4	18.8	18.1	22.5
Jhunjhunun	42.0	42.4	40.8	23.6	23.3	24.5	20.9	20.7	21.6
Jodhpur	45.3	52.0	32.0	22.3	21.2	23.9	19.5	18.7	20.7
Karauli	60.8	65.2	40.8	21.5	20.9	23.8	19.4	18.9	21.3
Kota	40.5	54.4	28.9	23.7	21.8	24.8	20.7	19.2	21.6
Nagaur	64.4	65.2	60.3	21.2	21.1	22.5	19.3	19.1	20.1
Pali	45.2	49.0	36.6	22.7	22.2	23.7	19.6	19.2	20.9
Rajsamand	63.8	68.1	46.1	21.1	20.5	23.9	18.3	17.7	21.2
Sawai Madhopur	55.9	63.6	35.4	22.3	21.2	24.7	19.6	18.7	22.1
Sikar	48.1	52.7	36.3	22.3	22.0	23.3	20.1	19.9	20.7
Sirohi	39.8	43.9	18.3	23.5	22.8	25.9	20.3	20.0	21.5
Tonk	61.7	69.1	34.8	21.1	20.0	24.0	18.8	17.8	21.6
Udaipur	47.6	54.5	25.5	22.9	22.0	25.0	20.2	19.7	21.4

Based on marriages taken place during 2007-2009.

Rajasthan: Mean age at Marriage (based on marriages taken place during 2007-2009)



SCHOOLING STATUS

State / District	Children currently attending school (Age 6-17 years) (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	86.2	85.3	89.2	90.4	90.3	90.7	81.4	79.7	87.4
Ajmer	84.7	82.7	88.5	89.7	89.5	90.1	79.1	75.0	86.7
Alwar	90.8	90.6	93.1	93.8	93.8	94.2	87.1	86.6	91.8
Banswara	83.5	83.0	-	87.1	86.7	-	79.6	78.9	-
Baran	85.5	84.5	91.7	90.9	90.7	92.0	79.6	77.6	91.4
Barmer	76.2	75.5	86.4	85.0	84.5	91.4	66.6	65.6	81.2
Bharatpur	87.0	87.1	86.6	91.5	92.1	88.7	81.7	81.2	84.1
Bhilwara	82.1	80.4	90.6	87.8	87.1	90.7	75.9	73.1	90.4
Bikaner	82.2	80.1	86.7	86.8	85.4	89.4	77.0	74.3	83.3
Bundi	87.4	86.0	93.3	91.5	90.7	94.5	82.7	80.6	91.8
Chittaurgarh	86.3	84.2	96.5	90.1	88.8	96.3	82.2	79.2	96.7
Churu	87.7	88.1	87.0	90.2	90.9	88.4	84.9	84.7	85.4
Dausa	90.3	89.9	94.4	94.5	94.4	96.3	85.3	84.7	92.1
Dhaulpur	90.4	89.9	91.9	92.4	92.4	92.4	87.9	86.7	91.3
Dungarpur	86.4	86.1	90.8	89.4	89.0	94.2	83.3	83.0	87.2
Ganganagar	88.6	87.6	91.5	89.4	88.6	91.6	87.6	86.3	91.5
Hanumangarh	88.4	89.3	85.1	89.7	90.5	86.3	87.0	87.8	83.7
Jaipur	92.2	93.7	90.6	94.3	96.4	91.9	89.8	90.5	89.0
Jaisalmer	76.0	73.0	94.1	82.0	79.9	94.6	68.5	64.3	93.4
Jalor	75.4	74.9	81.6	87.1	87.0	88.7	63.6	62.8	73.7
Jhalawar	83.8	82.5	91.4	88.9	88.4	91.6	78.1	76.0	91.1
Jhunjhunun	92.6	94.8	85.8	94.2	95.8	89.0	90.8	93.6	82.0
Jodhpur	85.3	84.2	87.8	88.9	89.0	88.8	81.2	78.6	86.8
Karauli	89.1	89.6	87.3	92.0	92.8	88.4	85.4	85.3	86.0
Kota	87.1	82.5	91.6	89.3	87.1	91.4	84.7	77.5	91.9
Nagaur	85.5	86.1	82.3	89.1	90.1	83.9	81.4	81.6	80.5
Pali	82.5	81.6	86.0	89.4	89.4	89.3	74.9	72.9	82.4
Rajsamand	85.6	84.4	93.1	89.9	89.4	93.4	81.0	78.9	92.7
Sawai Madhopur	88.6	87.6	92.2	94.6	94.8	93.8	81.9	79.4	90.4
Sikar	92.3	94.2	86.4	95.1	96.4	91.1	89.0	91.6	81.0
Sirohi	74.0	72.5	83.2	83.5	82.6	87.9	63.4	61.2	77.2
Tonk	87.0	86.5	88.8	92.3	93.1	89.3	80.9	78.7	88.3
Udaipur	75.0	70.5	92.1	82.1	79.1	93.2	67.7	61.8	90.9

SCHOOLING STATUS

State / District	Children attended before / Drop out (Age 6-17 years) (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	9.1	9.4	8.0	6.8	6.8	7.1	11.6	12.3	9.0
Ajmer	11.8	13.3	9.1	8.4	8.6	8.1	15.7	18.7	10.2
Alwar	6.7	6.8	5.6	5.0	5.0	4.8	8.8	9.0	6.6
Banswara	10.2	10.4	-	8.9	9.1	-	11.6	11.9	-
Baran	11.4	12.0	7.6	7.4	7.4	7.6	15.7	17.1	7.7
Barmer	12.9	13.1	11.0	8.8	8.9	7.3	17.5	17.7	14.8
Bharatpur	9.0	8.7	10.0	6.4	5.9	9.0	12.0	12.1	11.3
Bhilwara	12.3	13.1	8.6	9.4	9.5	8.6	15.6	17.0	8.6
Bikaner	9.5	11.1	6.1	7.4	8.4	5.4	11.9	14.1	6.9
Bundi	7.9	8.6	4.9	5.4	5.8	4.0	10.8	11.9	5.9
Chittaurgarh	8.6	9.8	3.2	7.1	7.8	3.4	10.4	11.9	2.9
Churu	8.7	8.5	9.2	7.3	7.0	8.0	10.4	10.3	10.5
Dausa	7.0	7.2	4.8	4.2	4.3	3.4	10.2	10.5	6.6
Dhaulpur	6.2	6.2	6.4	5.4	5.1	6.4	7.3	7.5	6.6
Dungarpur	9.8	10.0	7.8	8.2	8.4	5.3	11.6	11.7	10.4
Ganganagar	9.8	10.7	7.1	9.3	10.0	7.4	10.4	11.6	6.8
Hanumangarh	7.6	7.1	9.5	7.0	6.4	9.6	8.2	7.9	9.4
Jaipur	5.6	4.7	6.7	4.4	3.0	6.0	7.0	6.6	7.5
Jaisalmer	14.2	15.7	4.8	11.4	12.5	4.8	17.6	19.7	4.7
Jalor	12.7	13.0	10.0	7.4	7.4	7.1	18.1	18.5	13.3
Jhalawar	11.3	12.1	6.8	8.3	8.7	6.2	14.7	15.8	7.5
Jhunjhunun	5.8	4.3	10.6	4.6	3.4	8.4	7.3	5.4	13.3
Jodhpur	10.0	10.3	9.6	7.9	7.5	8.7	12.5	13.5	10.5
Karauli	6.3	6.2	6.6	5.0	4.9	5.5	7.9	8.0	7.8
Kota	10.5	13.4	7.6	9.0	10.1	7.9	12.2	17.1	7.3
Nagaur	8.0	7.6	10.4	6.3	5.7	9.9	9.9	9.7	10.9
Pali	11.9	12.4	10.0	7.5	7.4	7.7	16.9	18.1	12.5
Rajsamand	11.3	12.2	6.0	8.4	8.8	5.9	14.4	15.9	6.0
Sawai Madhopur	7.7	8.0	6.8	4.2	3.9	5.5	11.7	12.7	8.3
Sikar	6.2	5.0	9.9	4.0	3.1	6.6	8.7	7.1	13.7
Sirohi	13.1	13.1	12.9	8.9	8.8	9.0	17.9	17.9	17.8
Tonk	7.7	7.7	7.9	5.5	4.7	8.7	10.3	11.3	7.0
Udaipur	13.1	14.6	7.5	11.1	12.4	6.6	15.1	16.8	8.5

WORK STATUS



State / District	Children aged 5-14 years engaged in work (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	5.0	5.4	3.7	4.9	5.1	4.2	5.1	5.6	3.1
Ajmer	7.2	8.1	5.5	6.8	7.5	5.4	7.8	8.8	5.7
Alwar	2.6	2.7	1.5	2.7	2.8	2.1	2.5	2.6	0.7
Banswara	6.3	6.5	-	5.7	5.9	-	7.0	7.2	-
Baran	4.3	4.5	2.6	3.5	3.6	3.4	5.0	5.6	1.7
Barmer	9.4	9.8	2.5	7.2	7.5	2.2	11.9	12.5	2.8
Bharatpur	2.3	2.3	2.1	2.6	2.6	2.7	1.9	2.0	1.4
Bhilwara	4.6	4.8	3.6	4.6	4.8	3.8	4.5	4.8	3.3
Bikaner	2.1	2.2	1.9	2.8	3.0	2.5	1.3	1.4	1.1
Bundi	3.6	3.9	2.2	3.6	3.8	2.7	3.5	4.0	1.6
Chittaurgarh	3.3	3.7	1.2	3.4	3.9	1.0	3.2	3.5	1.4
Churu	2.5	2.4	2.7	3.5	3.4	4.0	1.4	1.4	1.3
Dausa	1.1	1.0	2.0	1.1	1.1	1.3	1.1	0.9	2.8
Dhaulpur	3.9	4.1	3.4	4.2	4.1	4.3	3.6	4.0	2.5
Dungarpur	4.5	4.5	4.3	4.9	4.9	4.2	4.1	4.1	4.4
Ganganagar	2.8	2.9	2.6	3.5	3.6	3.2	1.9	2.0	1.7
Hanumangarh	3.7	3.5	4.2	4.6	4.2	6.1	2.6	2.7	1.9
Jaipur	3.5	4.1	2.8	3.5	3.8	3.2	3.5	4.4	2.4
Jaisalmer	8.2	7.4	13.5	7.8	7.0	12.7	8.8	7.9	14.3
Jalor	5.6	5.8	3.4	3.9	3.9	4.0	7.4	7.8	2.7
Jhalawar	5.7	5.6	6.5	5.8	5.4	7.8	5.7	5.8	5.0
Jhunjhunun	10.8	11.0	10.1	10.8	10.8	10.9	10.7	11.2	9.2
Jodhpur	9.5	12.2	3.3	10.1	12.6	4.0	8.9	11.6	2.6
Karauli	2.7	2.4	4.1	3.4	2.8	5.8	1.9	1.9	2.0
Kota	2.8	3.1	2.5	3.3	3.2	3.5	2.2	3.0	1.4
Nagaur	7.9	7.6	9.5	7.4	6.8	10.4	8.5	8.6	8.4
Pali	3.5	3.8	2.2	3.4	3.6	2.6	3.6	4.0	1.9
Rajsamand	4.3	4.6	2.8	4.1	4.3	2.6	4.6	4.9	2.9
Sawai Madhopur	2.0	2.2	1.1	2.0	2.3	0.9	1.9	2.1	1.3
Sikar	6.6	7.7	3.2	6.7	8.0	2.4	6.6	7.4	4.0
Sirohi	4.7	4.9	3.1	4.2	4.5	3.0	5.1	5.4	3.3
Tonk	6.0	5.5	7.9	5.3	4.5	8.1	6.8	6.6	7.6
Udaipur	6.7	7.6	2.8	5.9	6.5	3.5	7.5	8.8	1.9

WORK STATUS

State / District	Work Participation Rate (15 years and above)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	47.6	49.2	43.3	74.0	74.6	72.5	20.0	22.9	11.6
Ajmer	48.4	54.2	40.3	71.9	74.0	69.0	24.1	33.9	10.5
Alwar	38.6	38.4	40.5	69.3	69.2	70.3	4.9	4.5	7.5
Banswara	59.6	60.7	-	81.7	82.2	-	38.0	39.6	-
Baran	65.2	68.7	46.1	76.5	77.3	72.4	53.2	59.6	17.8
Barmer	63.2	65.2	45.3	80.9	81.2	77.9	46.4	50.1	10.0
Bharatpur	39.2	39.2	39.2	70.5	70.4	70.6	4.5	4.2	5.5
Bhilwara	59.3	62.7	46.4	79.7	80.9	75.2	38.1	43.9	15.7
Bikaner	41.4	42.1	40.5	73.1	76.1	69.2	6.9	5.5	8.8
Bundi	51.2	53.3	44.8	73.8	75.3	69.4	26.8	29.5	18.6
Chittaurgarh	50.9	52.7	43.6	79.0	80.1	74.7	21.8	24.4	11.0
Churu	39.0	38.8	39.5	74.2	73.7	75.2	4.5	4.7	4.0
Dausa	41.4	41.6	39.7	68.6	68.7	68.2	11.6	12.0	8.4
Dhaulpur	42.7	43.1	41.4	71.9	72.2	71.0	7.4	7.6	6.7
Dungarpur	49.1	49.6	44.7	78.8	79.5	72.4	21.0	21.4	16.5
Ganganagar	42.7	42.9	42.1	74.9	76.1	72.2	6.9	5.8	9.4
Hanumangarh	46.0	46.6	44.0	76.1	76.5	74.7	12.6	13.5	9.4
Jaipur	44.4	44.0	44.7	70.2	67.1	72.8	15.5	19.0	12.5
Jaisalmer	46.3	46.8	44.3	78.1	79.1	74.2	9.3	9.4	9.0
Jalor	56.6	57.5	47.3	78.4	78.9	73.6	37.7	39.2	20.8
Jhalawar	66.4	69.8	50.0	79.8	80.8	75.1	52.1	58.2	23.0
Jhunjhunun	36.6	35.4	40.5	66.7	65.2	71.4	7.2	6.8	8.8
Jodhpur	44.5	44.9	43.7	76.4	78.3	73.3	10.2	8.7	12.6
Karauli	41.1	41.2	40.8	70.5	70.0	72.5	5.8	5.7	6.2
Kota	46.9	53.1	42.2	72.7	74.9	71.1	18.8	29.9	10.3
Nagaur	44.3	44.4	44.1	76.9	76.5	78.9	9.7	10.3	6.4
Pali	51.7	52.6	49.0	75.4	74.7	77.3	29.0	32.1	17.5
Rajsamand	58.0	60.1	47.6	76.6	76.9	75.4	41.3	45.4	19.9
Sawai Madhopur	41.6	43.0	37.6	69.9	72.0	64.3	9.5	10.4	6.9
Sikar	36.2	35.3	39.1	67.1	66.1	70.2	5.8	5.5	7.0
Sirohi	52.3	53.7	45.9	77.0	77.5	74.7	29.4	31.9	16.9
Tonk	53.9	55.0	50.2	73.8	73.4	74.9	32.4	35.0	24.0
Udaipur	66.2	74.0	47.3	81.9	85.3	74.1	51.0	63.4	18.4

DISABILITY

State / District	Prevalence of any type of Disability (Per 100,000 Population)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	1719	1811	1439	1924	2032	1594	1498	1572	1267
Ajmer	1298	1329	1251	1436	1429	1446	1151	1222	1043
Alwar	1246	1262	1100	1374	1396	1170	1102	1111	1021
Banswara	3029	3075	-	3703	3766	-	2338	2369	-
Baran	1837	1851	1755	2145	2169	2012	1505	1510	1476
Barmer	2661	2627	3047	3153	3095	3778	2165	2155	2270
Bharatpur	1125	1086	1291	1161	1116	1359	1083	1053	1215
Bhilwara	2222	2346	1718	2510	2663	1899	1919	2015	1522
Bikaner	1131	1188	1039	1168	1249	1041	1090	1123	1037
Bundi	2111	2065	2265	2363	2303	2568	1833	1801	1939
Chittaurgarh	2094	2198	1637	2373	2494	1848	1800	1887	1412
Churu	1196	1126	1361	1252	1182	1415	1138	1067	1305
Dausa	1418	1427	1338	1480	1474	1542	1348	1374	1106
Dhaulpur	2438	2542	2136	2721	2798	2492	2094	2226	1721
Dungarpur	3717	3762	3176	4513	4559	3973	2922	2969	2359
Ganganagar	1126	1129	1119	1161	1174	1131	1085	1077	1106
Hanumangarh	1052	1024	1155	1067	1007	1289	1035	1044	1001
Jaipur	1233	1147	1313	1305	1250	1356	1151	1031	1264
Jaisalmer	1300	1352	1061	1375	1438	1085	1212	1251	1034
Jalor	3624	3716	2568	4158	4273	2900	3120	3194	2225
Jhalawar	2067	2162	1577	2350	2459	1792	1761	1842	1341
Jhunjhunun	1119	1118	1125	1157	1157	1158	1080	1078	1089
Jodhpur	1131	1148	1102	1176	1177	1176	1082	1116	1022
Karauli	1811	1833	1719	2071	2069	2079	1496	1543	1315
Kota	1781	2004	1596	1997	2195	1834	1542	1795	1330
Nagaur	1143	1126	1236	1185	1162	1314	1096	1086	1151
Pali	3925	4242	2809	4627	5061	3180	3212	3430	2397
Rajsamand	2316	2264	2600	2692	2634	2994	1952	1909	2195
Sawai Madhopur	2176	2121	2343	2367	2300	2570	1957	1918	2078
Sikar	1104	1109	1091	1158	1162	1145	1048	1053	1033
Sirohi	2429	2587	1614	2988	3222	1826	1872	1963	1389
Tonk	2145	2274	1722	2308	2378	2077	1964	2158	1335
Udaipur	1226	1392	750	1496	1724	871	953	1063	617



INJURY



State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Severe								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	156	161	139	194	203	165	115	117	110
Ajmer	109	108	109	141	129	158	74	86	57
Alwar	201	206	155	295	304	212	95	96	90
Banswara	136	114	-	173	157	-	98	70	-
Baran	188	194	154	260	274	178	111	108	128
Barmer	187	185	206	211	205	267	163	165	142
Bharatpur	149	141	184	207	187	293	84	89	62
Bhilwara	195	198	183	175	210	35	216	185	342
Bikaner	149	146	153	200	180	231	92	109	65
Bundi	259	261	252	255	283	162	262	236	349
Chittaurgarh	159	131	283	220	190	347	96	69	215
Churu	82	78	93	112	99	143	52	56	42
Dausa	198	197	211	267	263	298	122	123	112
Dhaulpur	241	252	210	277	283	260	197	213	152
Dungarpur	125	122	160	155	153	181	94	91	139
Ganganagar	130	149	85	155	171	117	102	124	49
Hanumangarh	104	72	226	151	112	297	51	27	143
Jaipur	118	124	112	162	187	139	68	55	80
Jaisalmer	27	27	30	45	43	56	21	24	15
Jalor	150	134	328	159	154	215	141	116	445
Jhalawar	174	172	185	227	213	299	117	128	60
Jhunjhunun	89	105	39	119	140	50	59	68	27
Jodhpur	34	28	44	42	34	57	24	20	31
Karauli	171	164	200	167	153	227	176	177	170
Kota	209	247	177	285	327	251	124	161	94
Nagaur	128	122	185	164	157	226	89	83	142
Pali	224	236	183	330	372	191	117	101	174
Rajsamand	141	113	289	193	141	463	90	86	110
Sawai Madhopur	211	206	228	205	193	242	218	221	211
Sikar	63	59	74	88	80	111	37	38	34
Sirohi	205	216	150	260	276	183	151	157	116
Tonk	225	271	73	257	309	87	189	230	57
Udaipur	226	208	279	223	253	140	229	162	432

INJURY

State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Major								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	194	190	205	254	254	253	129	122	153
Ajmer	232	222	246	314	326	296	143	111	193
Alwar	419	436	268	556	591	239	265	261	300
Banswara	98	85	-	103	99	-	93	71	-
Baran	214	208	246	299	315	207	122	93	289
Barmer	168	159	275	202	192	311	134	125	236
Bharatpur	178	175	194	255	259	238	91	78	144
Bhilwara	258	259	256	277	311	141	239	204	381
Bikaner	205	218	183	279	301	246	123	128	113
Bundi	223	218	241	230	220	263	216	216	218
Chittaurgarh	230	110	759	282	162	809	175	55	706
Churu	123	79	228	191	125	348	53	31	105
Dausa	507	511	475	733	737	696	253	256	225
Dhaulpur	237	226	269	241	227	282	232	224	253
Dungarpur	157	152	206	170	170	181	143	135	231
Ganganagar	141	170	74	210	267	75	64	60	73
Hanumangarh	165	99	412	201	115	520	124	82	286
Jaipur	165	135	193	231	200	259	90	62	116
Jaisalmer	85	75	135	125	110	195	39	33	65
Jalor	196	199	164	268	288	54	128	116	278
Jhalawar	245	240	270	321	315	353	162	159	179
Jhunjhunun	116	119	104	147	134	189	84	104	13
Jodhpur	46	52	37	49	45	57	44	60	15
Karauli	163	164	160	181	179	189	141	144	127
Kota	200	229	177	289	324	261	102	125	83
Nagaur	233	251	75	249	267	96	215	233	51
Pali	202	213	165	290	314	209	113	112	116
Rajsamand	206	194	271	288	262	428	127	130	110
Sawai Madhopur	187	174	228	238	226	272	129	114	176
Sikar	162	105	336	240	150	509	81	58	152
Sirohi	233	231	244	317	307	365	149	156	116
Tonk	181	206	100	179	202	105	183	210	95
Udaipur	152	123	235	162	128	253	142	117	216

INJURY

State / District	Number of Injured Persons by type of Treatment received (Per 100,000 Population)								
	Minor								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	859	885	779	1047	1078	950	656	677	589
Ajmer	1270	1042	1619	1660	1420	2028	853	640	1180
Alwar	2942	3037	2085	3490	3574	2732	2320	2428	1351
Banswara	215	192	-	226	202	-	203	182	-
Baran	845	708	1632	1178	964	2397	488	434	802
Barmer	518	532	367	599	617	400	437	446	331
Bharatpur	1421	1537	921	1605	1752	970	1210	1291	865
Bhilwara	701	729	585	839	881	668	556	571	495
Bikaner	1861	1297	2758	2293	1705	3211	1388	855	2251
Bundi	276	280	262	304	310	283	245	247	240
Chittaurgarh	384	301	744	511	429	866	250	168	614
Churu	1214	848	2075	1591	1138	2658	825	547	1474
Dausa	4086	4032	4591	4995	4950	5417	3062	3000	3656
Dhaulpur	292	251	409	335	281	498	238	215	304
Dungarpur	286	284	320	306	306	316	266	262	324
Ganganagar	407	494	199	517	631	246	283	340	146
Hanumangarh	885	760	1354	1178	962	1983	553	533	629
Jaipur	388	361	412	491	496	487	270	209	327
Jaisalmer	583	352	1644	698	428	1947	447	262	1292
Jalor	385	368	574	462	460	483	312	282	667
Jhalawar	552	557	526	697	737	489	396	364	566
Jhunjhunun	810	994	202	837	1014	264	781	973	134
Jodhpur	235	191	316	221	117	411	251	272	214
Karauli	216	219	200	233	243	189	195	191	212
Kota	522	684	388	643	871	456	388	479	312
Nagaur	1167	1265	304	1410	1531	336	903	975	268
Pali	243	229	293	322	288	434	163	170	135
Rajsamand	411	407	433	541	563	428	285	257	439
Sawai Madhopur	205	171	309	198	163	302	214	180	317
Sikar	510	416	796	683	550	1082	330	277	491
Sirohi	394	354	600	511	438	877	278	272	309
Tonk	191	227	73	194	243	35	188	210	114
Udaipur	287	233	441	312	282	393	262	185	494



ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Diarrhoea/Dysentery								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	647	719	427	628	703	402	668	737	453
Ajmer	1030	984	1099	1032	975	1119	1027	994	1078
Alwar	1426	1481	930	1425	1472	1008	1427	1492	841
Banswara	249	223	-	293	257	-	204	188	-
Baran	241	256	154	233	259	89	249	253	225
Barmer	425	447	183	452	474	222	398	420	142
Bharatpur	1174	1325	523	1113	1260	476	1244	1400	577
Bhilwara	324	336	274	262	275	211	389	401	342
Bikaner	640	692	558	626	694	521	655	690	599
Bundi	40	30	73	36	22	81	45	39	65
Chittaurgarh	1162	963	2038	1134	944	1964	1192	983	2117
Churu	716	667	830	606	602	613	830	734	1053
Dausa	2021	2086	1398	1921	2004	1143	2133	2180	1687
Dhaulpur	641	745	338	624	717	347	663	781	329
Dungarpur	504	524	274	517	530	361	492	517	185
Ganganagar	123	143	74	99	123	43	149	165	109
Hanumangarh	156	131	252	132	121	173	184	142	343
Jaipur	273	309	240	292	356	234	252	256	247
Jaisalmer	314	229	702	321	246	668	305	209	743
Jalor	592	606	437	633	642	537	554	572	334
Jhalawar	594	583	653	583	581	597	606	585	715
Jhunjhunun	421	517	104	388	477	101	455	557	108
Jodhpur	182	230	95	197	235	128	166	225	61
Karauli	336	320	400	341	287	567	330	361	212
Kota	307	453	187	312	431	214	302	476	156
Nagaur	1984	2327	131	1813	2135	76	2169	2535	192
Pali	212	204	238	256	244	295	167	165	174
Rajsamand	771	864	271	711	807	214	828	918	329
Sawai Madhopur	428	478	276	427	488	242	429	465	317
Sikar	495	450	632	438	425	477	555	477	796
Sirohi	902	778	1538	948	823	1570	856	735	1505
Tonk	75	70	91	81	73	105	69	67	76
Udaipur	304	292	338	237	262	169	372	322	524

ACUTE ILLNESS





State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Acute Respiratory Infection (ARI)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	297	284	339	295	289	316	300	279	365
Ajmer	329	501	66	300	448	74	360	556	57
Alwar	679	355	3606	662	371	3289	699	336	3964
Banswara	350	333	-	356	341	-	344	326	-
Baran	608	446	1539	608	461	1450	609	430	1636
Barmer	297	312	137	269	286	89	326	338	189
Bharatpur	111	53	359	110	68	293	111	36	432
Bhilwara	180	180	183	196	183	246	165	177	114
Bikaner	342	409	237	326	396	217	360	423	259
Bundi	52	52	52	65	73	40	37	28	65
Chittaurgarh	617	479	1220	574	487	953	662	472	1504
Churu	296	197	529	281	210	450	311	183	611
Dausa	743	727	897	732	704	994	756	753	787
Dhaulpur	117	125	93	164	168	152	59	71	25
Dungarpur	509	532	228	480	502	226	537	562	231
Ganganagar	145	160	108	140	154	107	150	166	109
Hanumangarh	164	144	239	189	154	322	134	132	143
Jaipur	73	75	71	73	91	57	73	57	87
Jaisalmer	41	40	49	38	36	40	49	42	65
Jalor	137	134	164	157	162	107	117	108	222
Jhalawar	483	518	298	526	571	299	436	462	298
Jhunjhunun	348	349	345	351	350	352	345	348	336
Jodhpur	84	33	176	83	36	170	86	30	183
Karauli	127	119	160	122	115	151	133	124	170
Kota	158	213	113	193	270	130	120	151	94
Nagaur	29	22	66	18	17	25	40	27	110
Pali	190	219	91	223	259	104	157	178	77
Rajsamand	627	666	415	655	712	356	600	622	475
Sawai Madhopur	172	180	146	171	178	151	172	182	141
Sikar	206	234	123	181	205	111	232	264	135
Sirohi	385	285	901	418	319	913	352	251	888
Tonk	97	101	82	120	130	87	70	69	76
Udaipur	851	906	691	861	939	646	841	874	740



ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Fever (All Types)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	2165	2489	1169	2068	2389	1096	2270	2598	1249
Ajmer	2342	2571	1991	2113	2342	1764	2587	2814	2235
Alwar	4784	4854	4155	4456	4585	3289	5156	5159	5135
Banswara	2137	2121	-	2024	2004	-	2253	2240	-
Baran	5965	6372	3632	5799	6209	3462	6144	6547	3818
Barmer	3514	3618	2360	3521	3612	2533	3507	3623	2175
Bharatpur	3007	2599	4758	2886	2425	4887	3145	2799	4613
Bhilwara	1075	1187	621	1002	1086	668	1151	1291	571
Bikaner	2330	2248	2460	2378	2280	2531	2277	2213	2381
Bundi	226	259	115	189	216	101	265	306	131
Chittaurgarh	2164	2199	2008	2126	2183	1877	2203	2215	2148
Churu	306	260	415	356	299	491	255	220	337
Dausa	6118	6413	3325	5998	6301	3131	6253	6538	3543
Dhaulpur	957	1154	385	928	1130	325	993	1183	455
Dungarpur	2724	2858	1119	2568	2701	993	2880	3014	1248
Ganganagar	841	1067	301	789	1013	256	900	1128	352
Hanumangarh	1056	1051	1075	913	939	818	1218	1178	1373
Jaipur	633	808	470	639	859	436	626	750	509
Jaisalmer	8042	9606	867	7828	9343	834	8293	9916	904
Jalor	4795	5055	1803	4910	5182	1933	4685	4935	1668
Jhalawar	5343	5784	3068	5412	5860	3122	5269	5703	3009
Jhunjhunun	824	943	429	831	951	440	816	934	417
Jodhpur	1158	1382	757	956	1091	709	1380	1704	808
Karauli	466	458	500	441	429	491	497	494	509
Kota	1283	2193	530	1287	2199	540	1280	2186	520
Nagaur	1216	1361	434	1159	1313	328	1278	1414	548
Pali	662	699	531	593	640	434	733	758	638
Rajsamand	3800	4372	722	3461	3983	748	4129	4747	695
Sawai Madhopur	571	641	358	552	595	423	593	693	282
Sikar	1059	1046	1099	1053	1081	970	1065	1010	1236
Sirohi	1599	1557	1820	1461	1409	1716	1737	1701	1930
Tonk	241	270	146	263	301	140	217	237	153
Udaipur	3996	4841	1558	3700	4559	1348	4296	5120	1788

ACUTE ILLNESS

State / District	Persons suffering from Acute Illness (Per 100,000 Population)								
	Any type of Acute Illness								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	3547	3926	2382	3377	3764	2205	3731	4100	2579
Ajmer	4985	5122	4775	4481	4643	4235	5523	5632	5355
Alwar	7904	7788	8944	7405	7364	7772	8470	8270	10270
Banswara	2892	2842	-	2798	2735	-	2987	2952	-
Baran	7202	7481	5603	7010	7315	5266	7410	7660	5967
Barmer	4559	4718	2795	4530	4677	2933	4589	4758	2648
Bharatpur	4487	4176	5824	4273	3908	5858	4732	4484	5787
Bhilwara	1927	2028	1517	1695	1750	1477	2170	2318	1560
Bikaner	4226	3967	4638	4232	3959	4657	4221	3976	4616
Bundi	520	578	325	479	519	344	564	643	305
Chittaurgarh	4175	3869	5519	4048	3817	5053	4308	3922	6014
Churu	1556	1326	2095	1486	1336	1840	1628	1316	2358
Dausa	9748	10178	5673	9377	9806	5318	10166	10596	6074
Dhaulpur	1825	2160	852	1815	2147	823	1838	2176	885
Dungarpur	3975	4151	1873	3744	3915	1716	4206	4385	2034
Ganganagar	1233	1512	563	1170	1459	480	1303	1573	656
Hanumangarh	1680	1520	2284	1517	1406	1933	1865	1649	2688
Jaipur	1315	1460	1180	1301	1602	1024	1331	1301	1359
Jaisalmer	8527	9966	1928	8265	9688	1697	8834	10292	2196
Jalor	6101	6306	3742	6223	6428	3974	5985	6191	3502
Jhalawar	6974	7451	4516	6995	7488	4479	6952	7411	4558
Jhunjhunun	1865	2107	1066	1853	2079	1120	1878	2136	1009
Jodhpur	1601	1801	1241	1390	1508	1176	1831	2125	1312
Karauli	1145	1092	1359	1148	1052	1550	1142	1141	1145
Kota	2070	3219	1120	2108	3250	1173	2029	3185	1060
Nagaur	3363	3864	657	3112	3599	480	3635	4151	850
Pali	1571	1643	1318	1566	1644	1303	1577	1642	1334
Rajsamand	6318	7019	2545	5856	6515	2423	6767	7503	2670
Sawai Madhopur	1441	1599	959	1333	1454	967	1566	1766	950
Sikar	2222	2218	2231	2102	2177	1877	2346	2261	2608
Sirohi	3486	3205	4934	3347	3058	4783	3624	3349	5095
Tonk	645	687	510	677	718	541	611	652	477
Udaipur	5596	6507	2969	5218	6190	2556	5980	6821	3423





ACUTE ILLNESS

State / District	Persons suffering from Acute Illness and taking treatment from Any Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	96.1	96.2	95.1	96.2	96.3	95.5	95.9	96.2	94.7
Ajmer	96.8	97.9	94.8	96.4	97.7	94.3	97.1	98.2	95.3
Alwar	95.9	96.4	92.0	96.3	96.6	93.5	95.5	96.2	90.6
Banswara	92.7	94.2	-	92.6	94.1	-	92.9	94.2	-
Baran	96.8	97.4	92.9	97.1	97.3	95.5	96.5	97.4	90.3
Barmer	92.4	92.5	91.0	92.6	92.4	95.5	92.2	92.6	85.7
Bharatpur	97.9	97.7	98.7	98.0	97.7	98.8	97.9	97.7	98.6
Bhilwara	92.5	92.5	92.8	94.4	93.7	97.6	91.0	91.6	87.8
Bikaner	97.9	97.8	98.0	98.0	97.6	98.4	97.8	98.0	97.5
Bundi	88.6	90.0	80.6	86.1	89.1	70.6	91.0	90.8	92.9
Chittaurgarh	97.1	96.8	98.1	97.7	97.8	97.1	96.6	95.7	99.0
Churu	95.7	94.2	98.0	95.1	94.2	96.7	96.3	94.2	99.1
Dausa	97.1	97.1	96.7	97.1	97.2	96.3	97.1	97.1	97.2
Dhaulpur	97.0	97.1	95.9	96.9	97.2	94.7	97.0	97.0	97.1
Dungarpur	96.1	96.7	79.3	95.8	96.7	71.1	96.3	96.7	86.4
Ganganagar	96.6	96.7	96.0	95.9	95.6	97.8	97.3	97.8	94.4
Hanumangarh	98.4	98.4	98.3	98.5	98.9	97.4	98.2	97.9	98.9
Jaipur	94.3	93.8	94.8	94.9	94.7	95.1	93.6	92.5	94.7
Jaisalmer	99.2	99.3	96.1	99.2	99.3	98.4	99.1	99.3	94.1
Jalor	96.6	96.5	97.8	96.9	96.8	98.6	96.3	96.3	96.8
Jhalawar	93.6	94.1	89.0	94.4	94.8	91.5	92.6	93.4	86.3
Jhunjhunun	95.3	94.8	98.2	95.9	95.4	98.9	94.6	94.3	97.3
Jodhpur	97.7	97.8	97.6	98.1	98.2	97.6	97.5	97.4	97.7
Karauli	94.2	93.4	97.1	94.0	92.8	97.6	94.9	94.5	96.3
Kota	95.6	96.5	93.4	94.2	95.2	92.1	97.1	97.9	95.1
Nagaur	98.0	97.9	100.0	98.1	98.1	100.0	97.8	97.7	100.0
Pali	92.8	93.1	91.7	93.0	92.3	96.0	92.6	93.9	87.0
Rajsamand	96.9	97.1	92.9	96.7	97.0	92.6	97.0	97.2	93.2
Sawai Madhopur	92.8	92.4	94.9	93.0	92.2	96.9	92.6	92.6	92.6
Sikar	98.8	98.6	99.3	98.1	98.0	98.3	99.4	99.2	100.0
Sirohi	94.0	94.0	93.9	94.9	95.0	94.7	93.1	93.1	93.2
Tonk	92.9	95.7	80.4	93.0	95.1	83.9	92.6	96.4	76.0
Udaipur	95.8	95.8	95.5	95.7	95.4	97.8	95.8	96.2	93.7

ACUTE ILLNESS

State / District	Persons suffering from Acute Illness and taking treatment from Government Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	35.5	36.2	32.3	35.7	36.3	32.3	35.4	36.0	32.3
Ajmer	34.7	36.1	32.4	36.3	37.4	34.4	33.4	35.0	30.7
Alwar	20.6	20.0	24.8	20.7	20.6	21.9	20.4	19.5	27.4
Banswara	42.5	41.8	-	41.6	40.4	-	43.4	43.1	-
Baran	35.6	35.8	33.7	36.3	36.7	32.9	34.9	34.9	34.5
Barmer	68.9	68.6	73.9	69.2	69.1	69.8	68.6	68.2	79.2
Bharatpur	19.7	19.4	20.7	20.1	20.5	19.0	19.4	18.3	22.7
Bhilwara	57.0	55.2	66.2	62.4	60.0	73.2	52.3	51.4	58.3
Bikaner	37.0	37.5	36.3	37.8	37.8	37.9	36.0	37.1	34.5
Bundi	47.2	46.4	52.0	47.0	47.9	41.7	47.3	45.1	61.5
Chittaurgarh	39.1	37.7	43.1	37.3	37.0	38.2	40.8	38.5	47.4
Churu	24.6	26.9	21.2	25.8	26.1	25.3	23.5	27.8	18.0
Dausa	9.5	9.3	12.5	9.5	9.3	13.6	9.4	9.3	11.4
Dhaulpur	56.5	59.3	35.7	54.6	57.9	27.8	58.9	61.0	44.1
Dungarpur	38.8	38.7	41.5	37.7	37.8	33.3	39.7	39.5	47.4
Ganganagar	23.2	22.9	25.3	21.9	22.4	18.2	24.6	23.4	31.4
Hanumangarh	10.7	9.8	13.0	11.1	10.8	11.8	10.4	8.8	14.0
Jaipur	36.8	42.2	30.8	36.5	41.1	29.9	37.3	43.7	31.6
Jaisalmer	86.0	86.1	83.9	86.2	86.2	86.7	85.7	85.9	81.3
Jalor	38.2	38.0	41.8	37.0	37.0	35.6	39.4	38.9	49.2
Jhalawar	32.5	32.1	36.4	31.7	31.6	32.5	33.5	32.6	40.9
Jhunjhunun	23.3	24.8	14.3	22.6	23.3	18.2	24.1	26.2	9.6
Jodhpur	73.0	84.5	43.0	73.5	84.3	48.1	72.6	84.6	38.1
Karauli	43.0	41.3	48.5	51.1	47.9	60.0	33.5	34.3	30.8
Kota	36.7	37.8	33.8	38.1	40.0	33.6	35.1	35.5	34.0
Nagaur	49.3	49.6	40.0	50.5	50.6	47.4	48.2	48.7	35.5
Pali	53.0	56.4	37.9	52.4	56.0	37.5	53.7	56.8	38.3
Rajsamand	43.1	43.4	38.2	42.3	43.3	28.6	43.7	43.5	47.1
Sawai Madhopur	41.4	40.4	46.4	47.7	46.8	51.6	35.3	34.4	40.0
Sikar	14.1	14.0	14.4	14.4	14.4	14.7	13.8	13.6	14.3
Sirohi	37.3	37.0	38.5	35.2	35.8	33.1	39.3	38.0	43.9
Tonk	55.4	50.7	80.0	56.8	52.0	80.8	53.7	49.2	78.9
Udaipur	47.2	49.4	33.7	48.2	50.8	31.5	46.4	48.1	35.6

CHRONIC ILLNESS



State / District	Having any kind of Symptoms of Chronic Illness (Per 100,000 Population)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	2521	2427	2808	2358	2301	2533	2696	2563	3112
Ajmer	3326	3108	3659	2996	2994	2999	3678	3230	4368
Alwar	2867	2711	4282	2592	2432	4032	3180	3026	4565
Banswara	1884	1901	-	1921	1933	-	1846	1869	-
Baran	3292	3299	3248	3001	3050	2722	3604	3567	3818
Barmer	2418	2433	2245	2363	2359	2400	2473	2508	2080
Bharatpur	1699	1555	2316	1658	1526	2233	1746	1590	2409
Bhilwara	1973	2067	1590	2108	2249	1547	1831	1878	1636
Bikaner	4198	3579	5180	3678	2959	4802	4769	4252	5604
Bundi	1550	1612	1342	1521	1607	1233	1581	1618	1459
Chittaurgarh	2621	2561	2886	2691	2679	2743	2548	2437	3038
Churu	2396	2250	2739	2004	1847	2372	2802	2667	3116
Dausa	5324	5385	4749	4703	4801	3777	6023	6041	5849
Dhaulpur	1012	882	1389	1000	921	1235	1026	834	1568
Dungarpur	1831	1736	2969	1860	1807	2483	1802	1665	3467
Ganganagar	2832	2944	2563	2632	2657	2573	3058	3268	2552
Hanumangarh	2042	1647	3532	1793	1436	3123	2323	1883	4003
Jaipur	3030	2571	3455	2632	2379	2864	3481	2787	4134
Jaisalmer	1077	1019	1345	994	950	1196	1175	1100	1518
Jalor	3517	3436	4452	3642	3626	3813	3400	3258	5114
Jhalawar	2719	2825	2173	2533	2705	1656	2920	2954	2741
Jhunjhunun	2598	2892	1625	2187	2431	1397	3024	3366	1870
Jodhpur	895	520	1682	823	458	1573	973	587	1800
Karauli	1447	1216	2378	1616	1407	2494	1243	980	2248
Kota	2950	2623	3221	3056	2752	3305	2833	2482	3128
Nagaur	1314	1263	1591	1219	1178	1440	1417	1354	1754
Pali	3500	3882	2150	3553	3997	2068	3446	3767	2242
Rajsamand	4015	4215	2942	3754	4009	2423	4269	4412	3475
Sawai Madhopur	2554	2475	2797	2604	2465	3022	2497	2485	2534
Sikar	2556	2128	3855	2243	1849	3420	2882	2416	4318
Sirohi	3679	3559	4296	3654	3581	4016	3704	3538	4593
Tonk	1439	1653	738	1472	1686	768	1403	1617	706
Udaipur	2376	2522	1955	2429	2609	1938	2322	2436	1973

CHRONIC ILLNESS

State / District	Having any kind of Symptoms of Chronic Illness and sought Medical Care (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	85.4	83.0	91.7	85.8	83.8	91.4	85.0	82.2	92.0
Ajmer	89.4	86.8	92.8	89.5	87.0	93.3	89.3	86.6	92.5
Alwar	83.8	82.4	91.8	83.4	82.0	90.8	84.2	82.8	92.8
Banswara	84.5	83.8	-	85.5	85.0	-	83.4	82.6	-
Baran	60.8	56.5	85.8	65.7	62.6	85.9	56.4	51.0	85.7
Barmer	84.3	83.3	95.9	84.8	83.7	96.3	83.8	83.0	95.5
Bharatpur	93.6	92.6	96.7	94.1	93.0	97.5	93.1	92.1	95.7
Bhilwara	79.1	76.7	92.0	79.7	77.4	93.2	78.4	75.8	90.7
Bikaner	93.6	90.7	96.8	94.1	90.2	97.9	93.1	91.0	95.7
Bundi	91.9	90.9	96.1	91.0	90.1	95.1	92.9	91.8	97.0
Chittaurgarh	79.8	82.5	69.6	81.2	83.7	70.5	78.3	81.0	68.7
Churu	97.0	96.2	98.5	96.9	95.7	99.1	97.0	96.5	98.0
Dausa	79.0	79.6	72.2	81.6	82.3	72.4	76.7	77.2	72.1
Dhaulpur	77.7	69.3	93.3	80.1	75.1	91.2	74.9	61.4	95.2
Dungarpur	89.2	88.7	92.3	89.5	90.0	85.5	88.8	87.4	97.3
Ganganagar	95.3	94.5	97.6	96.0	95.6	97.1	94.6	93.4	98.1
Hanumangarh	95.8	95.8	95.9	96.1	96.7	95.2	95.5	95.0	96.4
Jaipur	93.4	89.7	95.9	92.9	89.0	95.8	93.8	90.3	96.0
Jaisalmer	90.3	90.7	88.9	89.3	89.5	88.4	91.3	91.9	89.4
Jalor	80.6	80.1	85.3	81.3	81.1	83.1	80.0	79.0	87.0
Jhalawar	72.1	70.0	85.6	74.7	73.2	86.9	69.6	66.9	84.8
Jhunjhunun	88.4	87.8	92.0	88.4	88.6	87.4	88.4	87.2	95.7
Jodhpur	88.4	84.7	91.4	90.7	89.7	91.4	86.3	80.3	91.4
Karauli	84.1	81.3	89.9	82.8	80.6	87.9	86.2	82.4	92.5
Kota	75.4	81.2	71.5	74.4	79.7	70.7	76.6	83.0	72.4
Nagaur	87.1	84.2	99.2	88.9	86.8	98.2	85.4	81.9	100.0
Pali	80.7	78.8	92.8	82.6	80.8	94.1	78.8	76.8	91.4
Rajsamand	69.9	67.6	87.7	72.1	69.9	91.2	68.1	65.6	85.3
Sawai Madhopur	84.1	81.0	92.4	83.9	81.1	91.0	84.2	80.8	94.4
Sikar	92.4	92.1	93.0	92.4	93.5	90.7	92.4	91.0	94.9
Sirohi	84.5	82.9	91.3	86.4	84.6	94.5	82.6	81.3	88.2
Tonk	79.2	78.2	86.4	81.1	80.1	88.6	77.0	76.1	83.8
Udaipur	81.9	80.0	88.7	81.1	78.3	91.3	82.7	81.9	85.9



CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Diabetes								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	135	67	344	153	83	368	115	49	318
Ajmer	150	79	257	167	83	296	131	76	216
Alwar	100	64	423	136	96	504	58	28	330
Banswara	56	46	-	74	57	-	37	34	-
Baran	67	62	92	85	89	59	47	33	128
Barmer	46	29	229	72	41	400	20	17	47
Bharatpur	76	22	310	96	29	384	54	14	227
Bhilwara	83	68	146	112	96	176	53	38	114
Bikaner	408	174	779	474	213	882	334	130	664
Bundi	53	22	157	61	25	182	44	18	131
Chittaurgarh	111	102	149	167	159	202	52	43	92
Churu	58	52	73	67	61	82	49	43	63
Dausa	49	49	53	53	53	50	46	45	56
Dhaulpur	61	26	163	71	36	173	49	12	152
Dungarpur	87	52	503	93	51	587	80	53	416
Ganganagar	378	304	557	440	365	619	309	235	486
Hanumangarh	164	74	505	158	61	520	171	88	486
Jaipur	274	41	490	262	38	468	287	45	516
Jaisalmer	53	48	75	63	46	139	51	50	59
Jalor	89	80	191	111	91	322	68	69	56
Jhalawar	123	81	341	139	98	353	106	63	328
Jhunjhunun	95	76	156	97	89	126	92	63	188
Jodhpur	142	17	367	165	22	425	117	11	305
Karauli	61	51	100	83	75	113	35	22	85
Kota	189	116	250	203	133	261	174	97	239
Nagaur	59	36	184	61	35	202	56	36	164
Pali	157	123	274	213	173	348	100	75	193
Rajsamand	152	116	343	163	126	356	140	107	329
Sawai Madhopur	87	46	211	126	68	302	42	21	106
Sikar	105	37	312	125	45	366	84	29	254
Sirohi	120	82	319	159	102	438	82	61	193
Tonk	82	79	91	83	98	35	81	59	153
Udaipur	201	37	676	194	59	562	209	15	802





CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Hypertension								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	277	190	541	215	151	409	343	233	687
Ajmer	438	328	607	273	217	359	614	445	874
Alwar	292	184	1268	248	143	1194	342	230	1351
Banswara	151	108	-	143	109	-	159	108	-
Baran	285	227	616	211	176	414	365	283	834
Barmer	204	194	321	169	160	267	239	227	378
Bharatpur	292	207	659	240	165	567	351	255	762
Bhilwara	181	185	164	99	115	35	267	258	304
Bikaner	581	346	955	435	241	738	742	459	1199
Bundi	133	110	210	110	94	162	158	127	261
Chittaurgarh	221	162	476	177	112	462	266	215	491
Churu	202	164	290	114	119	102	293	212	484
Dausa	230	227	264	181	190	99	285	268	450
Dhaulpur	40	21	93	43	29	87	36	12	101
Dungarpur	133	110	411	139	124	316	128	96	509
Ganganagar	429	422	443	354	337	395	513	519	498
Hanumangarh	207	110	571	145	91	347	277	133	829
Jaipur	431	174	669	332	142	506	543	209	857
Jaisalmer	192	166	314	171	154	250	217	180	388
Jalor	372	331	847	334	286	859	409	374	834
Jhalawar	246	177	597	177	153	299	319	203	923
Jhunjhunun	168	156	208	122	116	138	217	198	282
Jodhpur	184	53	419	150	46	340	221	61	503
Karauli	136	95	300	126	83	302	148	109	297
Kota	412	340	471	322	284	354	511	401	603
Nagaur	115	112	131	86	93	51	147	134	219
Pali	438	446	412	339	362	261	539	529	580
Rajsamand	273	256	361	164	161	178	379	348	549
Sawai Madhopur	185	155	276	200	156	332	168	154	211
Sikar	281	193	550	190	142	334	376	245	779
Sirohi	439	371	788	323	286	511	554	455	1081
Tonk	104	96	128	104	93	140	104	100	114
Udaipur	392	115	1191	339	104	983	447	127	1418





CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Tuberculosis (TB)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	108	115	86	134	146	96	80	82	75
Ajmer	101	134	49	112	164	32	89	103	68
Alwar	106	103	127	135	132	159	73	71	90
Banswara	119	113	-	172	172	-	66	53	-
Baran	111	109	123	146	156	89	74	59	160
Barmer	124	111	275	155	141	311	93	81	236
Bharatpur	87	72	155	114	90	220	56	50	82
Bhilwara	125	128	110	171	178	141	76	76	76
Bikaner	125	132	115	126	114	145	125	151	81
Bundi	127	146	63	169	195	81	80	91	44
Chittaurgarh	109	124	45	142	162	58	75	85	31
Churu	112	124	83	121	129	102	102	119	63
Dausa	205	210	158	276	279	249	125	133	56
Dhaulpur	54	57	47	78	83	65	25	25	25
Dungarpur	126	120	206	174	166	271	79	74	139
Ganganagar	85	99	51	91	116	32	77	79	73
Hanumangarh	80	59	159	86	69	149	73	48	172
Jaipur	143	192	98	163	231	101	120	147	94
Jaisalmer	32	29	45	25	18	56	40	42	32
Jalor	153	161	55	192	204	54	116	121	56
Jhalawar	77	84	43	82	88	54	72	80	30
Jhunjhunun	83	92	52	97	103	75	68	81	27
Jodhpur	26	25	29	35	39	28	17	9	31
Karauli	207	219	160	299	316	227	96	99	85
Kota	115	160	79	101	145	65	132	177	94
Nagaur	50	49	53	55	56	51	44	41	55
Pali	132	148	73	177	199	104	85	98	39
Rajsamand	114	111	126	148	135	214	81	89	37
Sawai Madhopur	197	214	146	268	296	181	116	120	106
Sikar	79	78	82	95	110	48	63	45	119
Sirohi	162	171	113	207	226	110	117	117	116
Tonk	112	121	82	139	144	122	82	95	38
Udaipur	84	104	29	113	144	28	56	64	31





CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Asthma / Chronic Respiratory Disease								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	300	321	234	349	386	239	247	252	230
Ajmer	389	401	372	407	446	349	370	353	397
Alwar	296	280	437	311	293	477	279	266	390
Banswara	236	246	-	297	305	-	174	185	-
Baran	216	242	62	246	284	30	182	197	96
Barmer	349	368	137	415	437	178	282	298	95
Bharatpur	229	244	165	281	303	183	171	177	144
Bhilwara	154	183	37	227	284	0	77	77	76
Bikaner	518	575	428	505	569	405	532	581	454
Bundi	142	163	73	204	240	81	74	77	65
Chittaurgarh	421	469	208	566	636	260	268	294	153
Churu	319	322	311	335	347	307	302	296	316
Dausa	905	933	633	980	1036	447	820	818	844
Dhaulpur	131	136	117	165	184	108	90	77	126
Dungarpur	297	305	206	408	424	226	186	186	185
Ganganagar	197	230	119	205	223	160	189	238	73
Hanumangarh	251	251	252	232	215	297	273	292	200
Jaipur	368	459	284	398	536	272	335	373	298
Jaisalmer	125	130	105	128	126	139	122	134	65
Jalor	476	503	164	675	722	161	288	298	167
Jhalawar	185	188	170	209	218	163	160	156	179
Jhunjhunun	350	405	169	406	476	176	293	332	161
Jodhpur	94	89	103	91	79	113	96	99	92
Karauli	195	154	360	241	200	416	140	99	297
Kota	236	386	113	293	468	149	175	296	73
Nagaur	158	138	263	198	183	278	114	89	247
Pali	545	640	210	659	799	191	429	482	232
Rajsamand	389	424	199	544	608	214	238	247	183
Sawai Madhopur	282	235	423	357	325	453	195	133	387
Sikar	242	246	230	288	300	255	194	191	203
Sirohi	486	511	356	642	668	511	331	357	193
Tonk	155	188	46	199	243	52	107	128	38
Udaipur	263	273	235	350	406	197	175	142	278





CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Arthritis								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	287	281	308	208	208	209	373	359	417
Ajmer	529	507	563	366	377	349	704	645	794
Alwar	344	324	521	243	238	292	458	422	781
Banswara	237	246	-	181	187	-	295	307	-
Baran	147	159	77	155	161	118	139	158	32
Barmer	135	118	321	106	100	178	164	137	473
Bharatpur	265	246	349	199	190	238	341	310	474
Bhilwara	120	140	37	124	146	35	115	134	38
Bikaner	406	364	474	248	185	347	580	558	615
Bundi	108	80	199	88	67	162	129	96	240
Chittaurgarh	469	458	521	388	371	462	555	549	583
Churu	289	235	415	129	105	184	455	370	653
Dausa	650	683	343	497	533	149	823	851	562
Dhaulpur	112	51	292	77	51	152	156	49	455
Dungarpur	289	275	457	258	246	406	319	304	509
Ganganagar	392	428	307	226	258	149	580	619	486
Hanumangarh	140	113	239	61	51	99	228	183	400
Jaipur	377	394	362	243	254	234	529	550	509
Jaisalmer	102	99	120	63	71	28	148	131	226
Jalor	382	323	1065	304	263	752	457	379	1390
Jhalawar	196	212	114	219	245	81	171	176	149
Jhunjhunun	390	467	137	234	283	75	552	656	202
Jodhpur	65	23	140	59	14	142	71	33	137
Karauli	136	96	300	165	132	302	102	51	297
Kota	208	175	236	151	142	158	271	211	322
Nagaur	105	96	158	70	74	51	143	119	274
Pali	330	397	91	229	282	52	432	512	135
Rajsamand	478	476	487	342	340	356	610	608	622
Sawai Madhopur	382	395	341	333	323	363	437	477	317
Sikar	281	260	345	188	139	334	378	385	356
Sirohi	397	434	206	356	391	183	437	475	232
Tonk	104	131	18	73	90	17	139	176	19
Udaipur	319	343	250	284	316	197	355	371	308



CHRONIC ILLNESS

State / District	Having diagnosed for Chronic Illness (Per 100,000 Population)								
	Any kind of Chronic Illness								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	2201	2033	2714	2064	1941	2437	2348	2133	3019
Ajmer	3143	2900	3517	2816	2751	2915	3493	3059	4164
Alwar	2494	2352	3775	2224	2065	3660	2799	2677	3904
Banswara	1573	1536	-	1598	1563	-	1547	1508	-
Baran	1865	1889	1724	1872	1967	1331	1856	1805	2150
Barmer	1925	1902	2176	1957	1921	2356	1891	1883	1986
Bharatpur	1652	1484	2374	1613	1466	2252	1697	1505	2512
Bhilwara	1509	1539	1389	1626	1681	1406	1387	1391	1369
Bikaner	4006	3357	5035	3508	2755	4686	4551	4010	5426
Bundi	1307	1309	1300	1300	1326	1213	1314	1289	1394
Chittaurgarh	2126	2129	2112	2255	2269	2195	1991	1983	2025
Churu	2377	2237	2707	1969	1824	2311	2800	2665	3116
Dausa	4251	4345	3351	3832	3958	2634	4722	4781	4162
Dhaulpur	698	500	1272	726	599	1105	664	379	1467
Dungarpur	1753	1655	2924	1785	1734	2393	1721	1578	3467
Ganganagar	2762	2869	2506	2534	2566	2456	3021	3211	2564
Hanumangarh	2002	1593	3545	1754	1373	3172	2282	1839	3975
Jaipur	2768	2242	3256	2408	2063	2725	3176	2443	3865
Jaisalmer	1004	953	1240	903	864	1085	1122	1057	1421
Jalor	2911	2791	4288	3040	2964	3867	2789	2629	4725
Jhalawar	1756	1711	1988	1678	1714	1493	1840	1707	2532
Jhunjhunun	2396	2661	1521	2025	2273	1220	2781	3059	1843
Jodhpur	759	456	1190	703	411	1148	821	506	1236
Karauli	1253	1028	2158	1401	1194	2268	1075	823	2036
Kota	2293	2304	2283	2326	2358	2299	2257	2246	2265
Nagaur	1113	1032	1551	1044	980	1390	1188	1089	1727
Pali	3049	3298	2169	3090	3385	2103	3007	3212	2242
Rajsamand	2721	2714	2762	2586	2672	2138	2852	2753	3402
Sawai Madhopur	2196	2042	2667	2325	2144	2871	2048	1925	2429
Sikar	2503	2057	3855	2219	1806	3452	2799	2316	4285
Sirohi	3274	3173	3790	3368	3289	3760	3180	3060	3821
Tonk	1207	1348	747	1267	1413	785	1142	1277	706
Udaipur	2187	1737	3484	2156	1845	3006	2218	1629	4009



CHRONIC ILLNESS

State / District	Having diagnosed for any kind of Chronic Illness and getting Regular Treatment (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	65.4	60.8	76.0	66.4	62.3	76.2	64.5	59.3	75.9
Ajmer	68.0	62.3	75.3	70.2	66.1	76.1	66.2	58.7	74.7
Alwar	66.2	64.7	74.6	67.7	66.2	75.4	64.8	63.4	73.8
Banswara	63.7	62.0	-	66.1	64.3	-	61.2	59.6	-
Baran	61.9	59.9	74.1	64.0	62.6	75.6	59.6	56.7	73.1
Barmer	67.4	64.9	91.6	70.4	68.1	90.6	64.2	61.5	92.9
Bharatpur	67.8	63.3	80.0	70.8	66.6	82.9	64.5	59.6	77.0
Bhilwara	52.1	51.6	53.9	51.0	51.2	50.0	53.4	52.2	58.3
Bikaner	83.2	78.4	88.3	85.0	80.8	88.9	81.7	76.6	87.8
Bundi	52.1	49.4	61.3	53.6	50.5	65.0	50.4	48.0	57.8
Chittaurgarh	64.9	62.5	75.4	64.8	63.1	72.4	65.0	61.8	78.8
Churu	72.8	71.4	75.5	74.9	74.3	76.1	71.3	69.4	75.0
Dausa	50.6	50.0	58.3	53.1	52.5	60.4	48.4	47.6	56.8
Dhaulpur	42.9	35.4	51.4	42.5	32.4	58.8	43.3	41.2	44.8
Dungarpur	73.4	72.5	78.9	74.2	73.6	79.2	72.5	71.4	78.7
Ganganagar	82.4	79.5	90.5	83.2	79.8	91.7	81.7	79.2	89.1
Hanumangarh	77.6	81.5	71.2	78.5	83.1	71.1	76.9	80.1	71.2
Jaipur	73.1	60.0	81.5	75.4	64.7	82.8	71.2	55.7	80.5
Jaisalmer	74.7	72.7	81.9	76.8	73.3	89.7	72.8	72.1	75.0
Jalor	67.6	66.2	77.7	68.6	66.7	84.7	66.5	65.8	71.8
Jhalawar	60.0	56.1	77.1	61.6	59.1	76.4	58.4	52.9	77.6
Jhunjhunun	63.2	59.2	86.3	64.5	61.2	84.5	62.1	57.6	87.6
Jodhpur	59.0	60.9	58.1	60.9	65.9	58.6	57.2	56.4	57.6
Karauli	52.3	51.1	54.6	52.6	51.5	55.0	51.8	50.3	54.2
Kota	52.6	42.4	61.1	53.0	44.7	59.9	52.1	39.8	62.4
Nagaur	76.9	72.8	91.5	76.1	72.2	90.9	77.7	73.5	92.1
Pali	57.1	55.3	66.7	55.8	53.9	66.1	58.5	56.9	67.2
Rajsamand	43.0	39.1	63.4	44.0	41.0	63.3	42.1	37.3	63.4
Sawai Madhopur	54.5	50.9	62.8	51.5	48.1	58.9	58.3	54.3	68.1
Sikar	68.9	63.4	77.9	72.1	68.8	77.4	66.3	59.1	78.3
Sirohi	62.2	60.6	69.3	64.0	62.6	69.9	60.4	58.4	68.7
Tonk	57.2	55.4	68.3	57.4	55.4	68.9	57.1	55.3	67.6
Udaipur	54.3	37.8	78.1	54.5	42.4	74.8	54.2	32.7	80.8

CHRONIC ILLNESS

State / District	Having diagnosed for any kind of Chronic Illness and getting Regular Treatment from Government Source (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	46.7	47.5	44.9	48.5	49.7	45.9	44.9	45.3	43.9
Ajmer	55.0	57.5	51.9	56.2	57.9	53.8	54.0	57.2	50.6
Alwar	39.9	40.1	38.7	44.5	45.5	39.8	35.8	35.6	37.4
Banswara	46.9	46.0	-	50.6	50.7	-	42.8	41.1	-
Baran	52.8	50.6	63.5	52.3	52.1	53.7	53.2	48.8	69.8
Barmer	44.7	42.5	60.6	48.1	45.7	64.2	40.9	39.1	56.1
Bharatpur	37.4	37.9	36.1	37.9	38.6	36.1	36.9	37.2	36.0
Bhilwara	61.0	60.2	64.4	61.6	59.8	69.7	60.2	60.8	57.7
Bikaner	58.8	55.0	62.5	62.6	57.0	67.5	55.5	53.6	57.8
Bundi	66.3	66.1	67.0	68.4	67.5	71.4	65.0	65.8	62.7
Chittaurgarh	60.5	66.0	37.0	61.8	68.2	32.8	58.9	63.2	41.7
Churu	49.2	53.6	40.7	49.8	54.4	41.4	48.7	53.0	40.1
Dausa	33.9	34.1	31.6	36.7	37.1	30.2	31.3	31.2	32.7
Dhaulpur	50.2	58.4	42.9	46.5	58.6	32.0	54.8	58.2	52.7
Dungarpur	56.9	57.9	50.4	58.2	59.8	44.7	55.5	55.8	54.3
Ganganagar	24.2	24.0	24.8	25.1	26.0	23.1	23.3	22.2	26.7
Hanumangarh	29.7	28.3	32.2	30.9	28.1	35.8	28.7	28.5	29.1
Jaipur	44.7	47.4	43.2	46.7	49.8	44.8	43.0	45.0	41.9
Jaisalmer	69.4	66.8	77.5	69.2	66.8	76.9	69.6	66.9	78.0
Jalor	29.9	29.8	30.5	31.5	30.6	38.7	28.1	28.9	22.7
Jhalawar	52.3	52.7	50.7	52.3	53.0	49.1	52.3	52.4	51.9
Jhunjhunun	39.5	41.9	27.3	43.6	45.2	34.4	36.4	39.3	22.3
Jodhpur	61.8	79.5	54.0	57.1	77.8	48.1	66.2	81.0	59.5
Karauli	67.7	66.1	70.4	69.2	66.1	75.5	65.4	66.1	64.4
Kota	46.0	56.3	38.7	47.2	57.8	39.4	44.7	54.6	37.9
Nagaur	60.7	64.5	47.9	61.8	65.1	50.0	59.6	63.9	46.0
Pali	56.1	58.2	45.8	55.6	57.9	43.9	56.7	58.5	47.7
Rajsamand	60.6	59.2	67.4	59.8	59.8	60.0	61.3	58.7	72.2
Sawai Madhopur	50.3	53.2	43.8	50.4	54.1	42.2	50.1	52.0	45.9
Sikar	28.6	30.9	24.9	32.1	34.3	28.8	25.6	28.1	21.7
Sirohi	33.4	32.0	38.7	33.1	32.1	37.2	33.7	32.0	40.2
Tonk	64.9	63.9	70.6	66.9	64.2	82.9	62.6	63.6	57.6
Udaipur	54.3	61.5	44.8	55.7	62.1	45.5	52.9	60.9	44.3

PERSONAL HABITS (15 YEARS AND ABOVE)

State / District	Population by habit of Chewing with Tobacco (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	6.9	7.0	6.6	11.8	12.1	10.9	1.9	1.8	2.0
Ajmer	7.2	6.6	8.0	12.1	11.7	12.6	2.1	1.3	3.1
Alwar	5.0	4.6	9.0	9.0	8.1	16.3	0.7	0.7	0.9
Banswara	9.7	10.1	-	16.8	17.4	-	2.9	3.1	-
Baran	22.1	24.0	11.9	29.2	31.3	18.2	14.5	16.2	5.2
Barmer	9.4	9.9	4.3	15.0	15.8	7.5	4.1	4.4	0.8
Bharatpur	5.6	5.0	7.8	9.9	9.0	13.6	0.8	0.6	1.6
Bhilwara	7.4	7.3	8.0	13.1	12.9	13.9	1.5	1.4	1.7
Bikaner	9.0	10.3	7.3	16.1	18.7	12.8	1.3	1.4	1.2
Bundi	8.5	9.0	7.1	14.9	15.6	12.9	1.6	1.8	1.0
Chittaurgarh	9.2	9.5	7.9	17.0	17.7	14.2	1.0	1.0	1.2
Churu	9.4	8.1	12.4	16.9	15.1	21.0	2.1	1.3	3.8
Dausa	7.0	6.8	8.1	12.1	11.9	13.1	1.4	1.2	2.7
Dhaulpur	8.3	8.9	7.0	13.4	14.1	11.6	2.2	2.5	1.5
Dungarpur	7.6	7.9	4.7	14.8	15.4	8.4	0.8	0.8	1.0
Ganganagar	3.9	4.7	2.1	7.2	8.7	3.8	0.2	0.1	0.2
Hanumangarh	2.8	2.4	4.5	5.2	4.4	8.2	0.2	0.1	0.3
Jaipur	3.8	2.6	4.9	6.4	4.5	7.9	1.0	0.5	1.3
Jaisalmer	5.5	5.8	4.4	9.7	10.4	7.0	0.7	0.5	1.4
Jalor	7.6	7.6	7.7	10.7	10.7	11.0	4.8	4.9	4.4
Jhalawar	10.6	11.3	7.4	18.6	20.0	11.9	2.1	2.0	2.5
Jhunjhunun	3.0	2.8	3.5	5.1	5.1	4.8	1.0	0.6	2.1
Jodhpur	3.7	3.5	3.9	6.1	6.2	5.8	1.1	0.6	1.8
Karauli	6.3	6.0	7.3	10.3	10.0	11.9	1.5	1.2	2.3
Kota	15.3	19.7	12.0	25.0	32.5	19.4	4.7	6.0	3.8
Nagaur	7.0	7.5	4.4	12.2	13.1	7.4	1.5	1.5	1.2
Pali	8.3	8.0	9.3	14.0	13.8	14.5	2.8	2.6	3.5
Rajsamand	7.7	8.1	5.8	14.3	15.2	10.3	1.8	1.9	1.3
Sawai Madhopur	6.6	6.6	6.7	10.9	10.9	11.0	1.8	1.8	1.9
Sikar	4.9	3.1	10.3	8.0	5.7	15.0	1.8	0.6	5.5
Sirohi	8.3	8.1	9.6	13.5	13.2	15.0	3.5	3.4	4.1
Tonk	5.5	5.3	6.0	9.5	9.3	10.1	1.1	1.0	1.6
Udaipur	8.0	9.6	4.1	14.7	18.1	7.2	1.5	1.8	0.8

PERSONAL HABITS (15 YEARS AND ABOVE)

State / District	Population by habit of Chewing without Tobacco (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	2.6	2.9	1.9	2.9	3.2	2.2	2.3	2.6	1.5
Ajmer	2.5	2.5	2.6	2.7	2.7	2.8	2.3	2.3	2.4
Alwar	1.3	1.4	0.5	1.5	1.5	0.9	1.1	1.3	0.1
Banswara	4.5	4.7	-	5.1	5.3	-	3.9	4.1	-
Baran	5.5	5.1	7.6	5.8	5.3	8.1	5.2	4.8	7.2
Barmer	4.4	4.7	1.1	4.3	4.6	1.8	4.4	4.9	0.4
Bharatpur	1.3	1.3	1.4	1.4	1.4	1.6	1.2	1.2	1.1
Bhilwara	3.5	2.3	7.9	3.9	2.7	8.4	3.1	2.0	7.4
Bikaner	0.7	0.6	0.8	1.0	0.9	1.1	0.4	0.3	0.5
Bundi	3.1	3.0	3.3	4.1	3.8	5.3	1.9	2.1	1.2
Chittaurgarh	3.6	3.7	3.1	4.1	4.1	4.0	3.0	3.2	2.2
Churu	0.7	0.6	1.0	1.2	0.9	1.7	0.3	0.2	0.4
Dausa	1.0	0.9	2.1	1.2	1.1	1.7	0.8	0.6	2.5
Dhaulpur	4.0	5.0	1.2	4.5	5.5	1.6	3.3	4.3	0.7
Dungarpur	8.3	8.1	10.4	8.8	8.5	12.3	7.9	7.8	8.5
Ganganagar	0.6	0.6	0.7	0.9	0.9	1.0	0.3	0.2	0.4
Hanumangarh	0.5	0.5	0.5	0.5	0.5	0.6	0.4	0.5	0.3
Jaipur	0.7	1.0	0.5	0.9	1.3	0.6	0.5	0.7	0.4
Jaisalmer	4.4	0.9	17.9	4.6	1.2	17.2	4.3	0.6	18.6
Jalor	0.8	0.8	0.8	0.9	1.0	0.7	0.6	0.6	0.8
Jhalawar	6.0	5.1	10.5	6.5	5.6	10.9	5.5	4.6	10.2
Jhunjhunun	6.1	7.5	1.5	6.2	7.6	1.6	6.0	7.3	1.5
Jodhpur	4.7	7.0	1.1	4.8	6.9	1.2	4.7	7.1	0.9
Karauli	4.3	4.5	3.6	4.8	4.7	4.8	3.8	4.2	2.3
Kota	1.5	1.0	1.8	2.2	1.4	2.7	0.7	0.5	0.9
Nagaur	2.4	2.7	0.8	3.5	4.0	0.8	1.3	1.4	0.7
Pali	1.0	0.8	1.7	1.4	1.1	2.4	0.6	0.5	1.0
Rajsamand	2.7	2.8	2.2	2.9	3.0	2.5	2.5	2.6	1.9
Sawai Madhopur	5.2	6.8	0.8	5.5	7.2	0.9	4.8	6.2	0.8
Sikar	4.6	5.5	1.9	4.5	5.4	2.0	4.7	5.6	1.8
Sirohi	1.6	1.0	4.5	1.9	1.2	4.8	1.3	0.7	4.3
Tonk	1.2	1.1	1.5	1.8	1.6	2.1	0.6	0.5	0.8
Udaipur	1.4	1.3	1.6	1.8	1.6	2.2	1.0	1.0	1.0


PERSONAL HABITS (15 YEARS AND ABOVE)

State / District	Population by habit of Smoking (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	9.3	10.7	5.2	16.2	18.7	9.4	2.0	2.4	0.7
Ajmer	9.5	12.6	5.2	16.0	21.1	8.9	2.8	4.0	1.3
Alwar	12.8	13.3	9.0	20.3	20.8	16.2	4.6	5.0	1.1
Banswara	9.7	10.1	-	19.1	20.0	-	0.4	0.5	-
Baran	9.2	10.0	4.4	17.1	18.8	7.8	0.7	0.7	0.7
Barmer	6.1	6.5	2.3	12.2	13.1	4.3	0.3	0.3	0.1
Bharatpur	9.1	9.8	6.5	15.4	16.3	11.6	2.2	2.5	1.1
Bhilwara	14.4	16.1	8.1	26.7	29.9	14.8	1.6	1.8	1.0
Bikaner	9.2	13.0	4.2	17.1	24.3	7.6	0.7	0.9	0.4
Bundi	12.1	13.9	6.7	22.1	25.3	12.6	1.3	1.5	0.5
Chittaurgarh	11.8	12.9	7.2	22.1	24.1	13.5	1.2	1.3	0.7
Churu	12.3	12.9	11.0	23.9	25.3	21.0	0.9	0.9	1.0
Dausa	26.0	27.5	13.2	33.5	35.2	18.2	17.8	18.9	7.6
Dhaulpur	8.6	9.9	4.9	12.8	14.4	8.6	3.4	4.4	0.6
Dungarpur	8.2	8.7	3.3	16.5	17.5	6.3	0.4	0.4	0.3
Ganganagar	3.9	4.5	2.5	7.2	8.3	4.6	0.3	0.3	0.3
Hanumangarh	4.3	4.4	3.7	7.9	8.2	6.9	0.2	0.2	0.2
Jaipur	8.3	11.9	5.3	12.8	17.4	9.0	3.3	5.9	1.0
Jaisalmer	5.3	5.7	3.8	9.5	10.3	6.6	0.5	0.5	0.5
Jalor	8.6	9.0	4.9	18.0	18.9	9.4	0.5	0.5	0.4
Jhalawar	10.1	11.5	3.3	19.0	21.8	6.1	0.6	0.7	0.2
Jhunjhunun	6.5	7.5	3.0	12.1	14.1	5.3	1.0	1.1	0.6
Jodhpur	2.5	3.2	1.5	4.3	5.4	2.6	0.6	0.8	0.3
Karauli	10.4	11.0	8.4	16.5	17.0	14.9	3.1	3.6	1.3
Kota	10.7	15.7	6.9	19.8	29.3	12.7	0.8	1.2	0.4
Nagaur	6.2	6.9	2.9	11.4	12.5	5.4	0.8	0.9	0.2
Pali	9.4	10.7	5.0	18.1	21.1	9.2	0.9	1.1	0.3
Rajsamand	11.9	13.3	5.4	22.2	24.8	10.2	2.7	3.2	0.6
Sawai Madhopur	10.4	12.2	5.3	17.3	20.3	8.8	2.6	3.1	1.2
Sikar	5.7	5.6	6.0	10.8	10.5	11.4	0.8	0.9	0.5
Sirohi	8.1	8.5	6.0	16.2	17.4	11.0	0.6	0.5	0.9
Tonk	13.0	15.1	6.4	23.0	26.3	12.1	2.3	2.9	0.4
Udaipur	8.9	11.0	3.9	17.7	22.3	7.3	0.4	0.5	0.2


PERSONAL HABITS (15 YEARS AND ABOVE)

State / District	Population by habit of Drinking Alcohol (%)								
	Person			Male			Female		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	3.4	3.7	2.6	6.3	6.8	4.8	0.4	0.4	0.3
Ajmer	3.9	4.4	3.1	7.2	8.4	5.5	0.5	0.4	0.6
Alwar	3.5	3.2	6.2	6.3	5.7	11.6	0.4	0.4	0.3
Banswara	7.3	7.7	-	14.4	15.0	-	0.5	0.5	-
Baran	4.6	5.1	2.0	8.7	9.7	3.6	0.3	0.3	0.2
Barmer	2.4	2.4	2.2	4.7	4.8	4.0	0.1	0.1	0.1
Bharatpur	2.7	2.3	4.2	4.7	4.0	7.6	0.4	0.4	0.6
Bhilwara	3.9	4.1	3.1	7.3	7.8	5.5	0.4	0.4	0.5
Bikaner	3.9	5.0	2.5	7.3	9.4	4.5	0.2	0.2	0.2
Bundi	4.0	4.2	3.1	7.1	7.6	5.9	0.5	0.6	0.1
Chittaurgarh	4.5	4.7	3.6	8.2	8.6	6.7	0.6	0.6	0.3
Churu	3.8	4.1	3.2	7.5	8.0	6.4	0.2	0.3	0.1
Dausa	2.1	2.2	1.3	3.9	4.0	2.5	0.2	0.2	0.0
Dhaulpur	4.1	4.9	1.7	5.3	6.2	2.9	2.5	3.3	0.2
Dungarpur	4.3	4.6	2.1	8.6	9.0	3.9	0.4	0.4	0.3
Ganganagar	5.4	6.4	3.2	9.9	11.7	5.8	0.5	0.5	0.4
Hanumangarh	2.3	2.0	3.6	4.2	3.5	6.5	0.2	0.3	0.2
Jaipur	1.9	1.5	2.2	3.4	2.6	4.0	0.3	0.3	0.2
Jaisalmer	3.0	3.2	2.1	5.3	5.7	3.7	0.3	0.3	0.1
Jalor	2.4	2.3	3.2	4.9	4.8	6.1	0.2	0.2	0.3
Jhalawar	5.7	6.6	1.7	10.9	12.5	3.0	0.3	0.3	0.2
Jhunjhunun	2.8	3.3	1.0	5.1	6.2	1.6	0.5	0.5	0.4
Jodhpur	1.4	1.2	1.7	2.4	2.0	3.1	0.3	0.4	0.3
Karauli	1.3	1.1	2.2	2.3	1.8	4.1	0.1	0.1	0.2
Kota	4.8	5.5	4.4	9.1	10.3	8.2	0.2	0.3	0.1
Nagaur	2.1	2.4	0.6	3.8	4.4	1.0	0.3	0.4	0.2
Pali	3.3	3.8	1.9	6.6	7.7	3.4	0.2	0.2	0.1
Rajsamand	4.7	5.1	2.6	8.7	9.5	5.0	1.0	1.2	0.3
Sawai Madhopur	1.5	1.6	1.4	2.6	2.7	2.4	0.3	0.3	0.3
Sikar	1.7	1.7	1.9	3.2	3.1	3.6	0.3	0.3	0.2
Sirohi	3.8	3.7	4.4	7.4	7.3	7.9	0.4	0.3	0.9
Tonk	2.6	2.8	1.9	4.8	5.1	3.6	0.2	0.3	0.1
Udaipur	7.7	9.6	3.0	14.7	18.7	5.6	0.9	1.1	0.2


Rajasthan: Population by habit of Chewing with/without Tobacco (%)



Rajasthan: Population by habit of Smoking (%)







Rajasthan: Population by habit of Drinking Alcohol (%)



FERTILITY

State / District	Crude Birth Rate (CBR)			Natural Growth Rate			Total Fertility Rate		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	24.7	25.8	21.5	18.2	18.9	15.9	3.2	3.4	2.5
Ajmer	23.8	25.6	21.0	17.4	19.0	15.0	2.9	-	-
Alwar	22.9	23.4	18.7	17.0	17.4	13.1	2.8	-	-
Banswara	30.8	31.5	18.6	23.1	23.6	13.5	4.2	-	-
Baran	25.7	26.8	19.1	18.9	19.6	14.9	3.3	-	-
Barmer	32.5	33.0	26.4	26.1	26.6	20.9	4.7	-	-
Bharatpur	23.8	24.4	21.4	17.9	18.3	15.9	3.2	-	-
Bhilwara	22.4	23.1	19.7	14.9	15.1	14.1	2.8	-	-
Bikaner	24.9	26.5	22.4	18.5	19.6	16.8	3.2	-	-
Bundi	23.7	24.9	19.9	15.9	16.7	13.1	3.0	-	-
Chittaurgarh	21.4	22.3	17.5	15.7	16.2	13.4	2.7	-	-
Churu	23.4	24.2	21.6	17.2	17.9	15.5	2.8	-	-
Dausa	22.4	22.5	21.6	15.8	15.9	14.8	2.8	-	-
Dhaulpur	29.1	30.5	25.0	23.1	23.9	20.7	4.3	-	-
Dungarpur	28.0	28.8	18.8	21.5	22.2	13.3	3.8	-	-
Ganganagar	22.7	23.9	20.0	16.4	17.4	13.9	2.7	-	-
Hanumangarh	23.6	23.9	22.5	17.4	17.5	16.7	2.9	-	-
Jaipur	23.1	23.2	22.9	17.2	17.2	17.1	2.8	-	-
Jaisalmer	24.2	24.9	21.1	17.5	17.9	15.3	3.4	-	-
Jalor	27.9	28.7	19.2	20.6	21.3	13.0	3.8	-	-
Jhalawar	25.0	25.9	20.3	17.2	17.7	14.6	3.2	-	-
Jhunjhunun	23.3	24.0	20.8	17.4	18.1	15.3	2.7	-	-
Jodhpur	23.9	24.3	23.2	17.6	17.9	17.1	2.9	-	-
Karauli	27.5	29.5	19.3	21.3	23.0	14.5	4.0	-	-
Kota	22.0	24.5	19.9	16.3	17.2	15.6	2.6	-	-
Nagaur	23.4	23.6	22.6	16.9	17.0	16.8	3.0	-	-
Pali	23.5	24.7	19.0	16.7	17.4	14.2	3.4	-	-
Rajsamand	28.1	29.6	19.9	19.4	20.2	15.1	3.7	-	-
Sawai Madhopur	27.4	29.3	21.6	20.0	21.0	17.0	3.9	-	-
Sikar	24.0	24.3	22.9	17.9	18.1	17.4	2.8	-	-
Sirohi	24.1	25.5	17.1	17.2	18.2	11.9	3.3	-	-
Tonk	23.3	23.6	22.0	15.7	15.2	17.2	3.0	-	-
Udaipur	29.9	32.7	21.6	21.6	23.6	15.7	4.0	-	-






FERTILITY

State / District	Women aged 20-24 reporting birth of order 2 & above (%)			Women reporting birth of order 3 & above (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	45.8	47.5	39.2	37.6	40.3	27.6
Ajmer	44.0	44.7	42.2	31.4	34.8	24.7
Alwar	47.9	49.2	31.9	32.1	32.8	24.0
Banswara	49.7	49.8	-	47.5	48.3	-
Baran	44.8	45.4	40.2	34.3	34.7	31.8
Barmer	51.7	52.2	43.8	55.8	56.4	46.6
Bharatpur	44.3	45.3	39.5	37.1	38.1	32.6
Bhilwara	48.9	48.6	50.0	37.0	38.2	31.4
Bikaner	46.1	48.6	40.1	38.3	45.9	21.9
Bundi	44.6	46.6	36.2	34.0	36.5	23.9
Chittaurgarh	42.3	43.4	35.6	33.6	34.9	26.7
Churu	44.5	46.3	40.8	33.9	32.6	36.5
Dausa	49.3	49.6	45.5	36.1	36.5	32.1
Dhaulpur	55.6	57.3	49.4	42.5	42.1	44.1
Dungarpur	45.3	45.4	44.3	44.7	45.4	29.5
Ganganagar	36.6	38.2	31.5	18.7	21.3	13.1
Hanumangarh	40.0	41.7	34.0	22.4	23.3	19.8
Jaipur	43.1	49.8	34.8	23.8	27.2	20.8
Jaisalmer	41.4	43.4	31.1	39.9	43.5	17.9
Jalor	47.1	47.7	34.9	51.0	51.2	47.3
Jhalawar	47.8	48.0	46.0	35.1	35.8	30.1
Jhunjhunun	41.6	41.8	40.5	26.8	25.1	32.7
Jodhpur	44.3	45.7	42.0	31.7	38.4	21.0
Karauli	54.3	55.9	40.7	40.0	40.4	37.6
Kota	41.5	45.1	37.8	29.1	33.8	24.3
Nagaur	40.0	41.6	31.6	33.7	32.3	39.6
Pali	48.0	49.3	42.9	44.0	46.3	33.7
Rajsamand	44.3	44.4	43.3	44.1	45.1	33.3
Sawai Madhopur	49.1	50.8	41.0	38.9	39.9	34.8
Sikar	40.8	41.8	37.4	27.4	26.4	29.9
Sirohi	39.8	40.8	32.3	46.9	48.0	38.1
Tonk	48.6	50.4	41.8	34.2	35.2	31.0
Udaipur	47.0	48.7	39.3	45.9	50.6	24.9

FERTILITY

State / District	Women with two children wanting no more children (%)			Women aged 15-19 years who were already mothers or pregnant at the time of survey (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	60.5	52.4	74.5	36.3	36.1	37.4
Ajmer	65.4	50.4	80.5	36.8	37.3	34.3
Alwar	64.3	62.6	71.7	42.1	42.9	19.0
Banswara	55.9	51.5	-	45.6	45.5	-
Baran	67.5	64.1	79.1	35.7	36.3	30.8
Barmer	47.0	45.6	57.5	32.5	32.0	45.5
Bharatpur	65.2	60.4	77.5	40.7	41.0	37.5
Bhilwara	56.4	51.3	69.4	27.4	26.5	33.3
Bikaner	61.5	43.1	75.5	47.5	47.7	46.4
Bundi	65.0	62.0	71.4	38.9	37.9	45.7
Chittaurgarh	62.6	58.1	76.8	25.4	25.0	30.4
Churu	55.8	53.2	59.8	29.7	28.5	33.3
Dausa	56.6	52.9	76.0	49.9	48.5	83.3
Dhaulpur	53.5	47.0	65.0	55.1	58.3	35.3
Dungarpur	54.8	52.4	71.7	34.2	34.1	35.7
Ganganagar	79.2	68.7	89.0	35.8	33.3	43.9
Hanumangarh	69.9	67.8	74.2	36.7	36.9	35.9
Jaipur	68.4	52.1	75.0	42.1	42.6	41.0
Jaisalmer	41.4	35.2	57.1	29.7	29.0	35.7
Jalor	46.6	43.8	73.7	33.7	34.8	18.8
Jhalawar	71.2	68.0	79.5	37.7	37.6	40.0
Jhunjhunun	71.4	71.9	70.1	42.6	46.0	22.9
Jodhpur	54.2	29.7	78.0	26.6	23.8	36.0
Karauli	49.9	41.5	69.9	43.8	43.0	53.3
Kota	74.0	63.6	79.1	39.6	45.5	33.3
Nagaur	36.3	36.4	36.1	20.5	21.1	8.3
Pali	46.4	39.6	62.7	34.8	32.8	43.1
Rajsamand	61.1	55.5	80.2	33.2	33.5	29.4
Sawai Madhopur	55.6	46.2	74.2	42.6	42.1	45.8
Sikar	63.0	62.1	64.7	36.3	34.2	47.2
Sirohi	49.8	46.4	64.3	36.2	36.3	35.7
Tonk	62.0	56.4	74.4	35.6	35.0	38.9
Udaipur	64.5	50.2	83.5	36.8	36.6	38.1


Rajasthan: Women aged 15-19 years who were already mothers or pregnant at the time of survey (%)



FERTILITY

State / District	Median age at first live birth of Women aged 15-49 years			Median age at first live birth of Women aged 25-49 years			Live Births taking place after an interval of 36 months (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	21.7	21.3	22.8	21.1	20.8	22.2	34.2	32.4	42.4
Ajmer	22.7	21.8	23.8	22.2	21.3	23.1	38.4	35.3	44.9
Alwar	21.2	21.0	23.0	20.8	20.6	22.6	31.3	29.9	48.1
Banswara	20.9	20.8	-	20.7	20.6	-	34.8	34.5	-
Baran	21.1	20.9	22.2	20.7	20.6	21.5	32.1	29.7	50.8
Barmer	21.4	21.3	22.5	21.0	21.0	21.7	31.2	30.6	41.9
Bharatpur	22.2	21.9	23.0	21.7	21.5	22.6	32.1	30.7	39.2
Bhilwara	20.9	20.8	21.6	20.5	20.4	21.1	33.2	32.1	39.2
Bikaner	21.6	20.9	22.7	20.9	20.4	22.0	35.8	35.3	37.0
Bundi	21.6	21.1	23.0	20.9	20.7	22.4	31.6	30.7	35.8
Chittaurgarh	21.6	21.5	22.3	21.2	21.0	21.8	39.2	37.7	48.5
Churu	21.3	21.2	21.3	20.7	20.7	20.8	40.9	37.7	47.8
Dausa	21.0	20.9	22.5	20.7	20.6	21.9	34.4	34.1	37.8
Dhaulpur	21.0	20.7	21.9	20.6	20.5	21.2	24.9	22.5	34.2
Dungarpur	21.5	21.5	21.7	21.0	21.0	21.0	32.9	33.0	30.0
Ganganagar	22.2	21.8	23.1	21.7	21.3	22.6	38.8	33.1	52.2
Hanumangarh	22.3	22.1	22.7	21.7	21.6	22.1	32.2	31.4	34.7
Jaipur	22.5	21.2	23.7	22.0	20.8	23.2	36.8	27.3	45.9
Jaisalmer	22.2	22.2	22.0	21.6	21.8	21.3	35.8	35.0	43.2
Jalor	21.3	21.2	22.0	20.9	20.8	21.4	35.6	35.2	42.9
Jhalawar	21.0	20.8	22.9	20.6	20.4	22.4	33.8	32.2	44.0
Jhunjhunun	21.8	21.7	22.3	21.1	21.0	21.4	41.0	39.5	45.7
Jodhpur	22.1	21.7	22.8	21.5	21.1	22.0	33.2	29.4	41.6
Karauli	21.2	20.9	22.4	21.2	20.9	22.4	24.0	22.5	34.2
Kota	21.9	21.0	22.7	21.4	20.6	22.1	31.7	29.2	34.8
Nagaur	22.1	22.0	22.4	21.4	21.3	21.6	39.1	37.4	46.1
Pali	21.3	21.1	21.8	20.8	20.8	21.3	33.4	31.7	41.6
Rajsamand	21.2	21.0	22.0	20.8	20.7	21.4	38.5	37.3	54.5
Sawai Madhopur	21.4	21.1	22.3	20.9	20.8	21.5	26.2	24.1	34.8
Sikar	22.1	21.8	22.8	21.2	21.0	21.9	41.4	39.4	46.3
Sirohi	21.9	21.8	22.5	21.3	21.2	21.8	44.9	44.6	47.2
Tonk	21.2	20.9	22.2	20.8	20.6	21.6	31.1	28.7	40.5
Udaipur	21.3	20.9	22.7	20.9	20.7	22.2	35.5	34.3	42.0

Rajasthan: Median age of Women at first live birth




FERTILITY

State / District	Mean number of children ever born to Women aged 15-49 years			Mean number of children surviving to Women aged 15-49 years			Mean number of children ever born to Women aged 45-49 years		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	2.9	3.0	2.6	2.6	2.7	2.4	4.3	4.6	3.7
Ajmer	2.6	2.7	2.4	2.5	2.6	2.3	3.7	4.0	3.4
Alwar	2.8	2.8	2.4	2.6	2.6	2.3	4.2	4.3	3.3
Banswara	3.2	3.3	-	2.9	2.9	-	4.8	4.9	-
Baran	3.1	3.2	2.7	2.7	2.7	2.4	5.1	5.2	4.5
Barmer	3.6	3.6	2.8	3.1	3.2	2.6	5.6	5.8	4.3
Bharatpur	3.0	3.0	2.8	2.8	2.8	2.6	4.6	4.9	4.0
Bhilwara	2.8	2.9	2.5	2.4	2.5	2.3	4.3	4.4	3.9
Bikaner	3.0	3.3	2.5	2.9	3.2	2.4	4.3	5.1	3.3
Bundi	2.9	3.0	2.5	2.6	2.7	2.3	4.5	4.7	3.9
Chittaurgarh	2.6	2.6	2.4	2.3	2.3	2.2	4.0	4.1	3.6
Churu	2.8	2.8	2.8	2.6	2.6	2.6	4.3	4.3	4.2
Dausa	3.0	3.0	2.9	2.7	2.7	2.6	4.8	4.8	4.9
Dhaulpur	3.7	3.8	3.4	3.3	3.4	3.1	5.2	5.4	4.7
Dungarpur	3.1	3.1	2.7	2.8	2.9	2.5	4.3	4.3	4.0
Ganganagar	2.4	2.5	2.2	2.3	2.4	2.2	3.2	3.3	3.0
Hanumangarh	2.5	2.5	2.4	2.4	2.4	2.3	3.2	3.3	3.0
Jaipur	2.6	2.8	2.3	2.5	2.6	2.3	3.5	4.1	3.1
Jaisalmer	3.0	3.1	2.4	2.8	2.9	2.4	4.5	4.8	3.4
Jalor	3.5	3.5	3.1	3.0	3.0	2.8	5.3	5.4	4.6
Jhalawar	2.9	2.9	2.7	2.5	2.5	2.5	4.4	4.5	3.8
Jhunjhunun	2.7	2.6	2.9	2.5	2.5	2.7	3.9	3.9	4.1
Jodhpur	2.7	2.8	2.5	2.6	2.7	2.5	3.8	4.1	3.6
Karauli	3.4	3.4	3.1	3.1	3.1	2.9	5.2	5.4	4.6
Kota	2.6	2.9	2.4	2.4	2.6	2.2	3.8	4.4	3.5
Nagaur	2.5	2.5	2.8	2.5	2.4	2.7	3.7	3.6	4.3
Pali	3.2	3.3	2.7	2.8	2.9	2.4	4.7	5.0	3.8
Rajsamand	3.1	3.1	2.8	2.6	2.6	2.5	4.5	4.6	4.1
Sawai Madhopur	3.3	3.4	3.0	2.9	2.9	2.7	5.2	5.4	4.6
Sikar	2.7	2.7	2.7	2.6	2.6	2.6	4.0	4.0	3.9
Sirohi	3.3	3.3	3.0	2.8	2.8	2.6	5.0	5.1	4.6
Tonk	2.9	2.9	2.9	2.6	2.6	2.7	4.5	4.5	4.2
Udaipur	3.1	3.3	2.5	2.7	2.8	2.3	4.6	5.1	3.6

ABORTION

State / District	Pregnancy to Women aged 15-49 years resulting in abortion (%)			Women who received any ANC before abortion (%)			Women who went for Ultrasound before abortion (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	4.5	4.2	5.6	46.3	44.4	51.5	34.0	32.2	39.0
Ajmer	1.9	1.9	1.8	41.1	39.0	45.5	34.1	33.0	36.4
Alwar	3.0	2.7	5.9	52.4	52.8	50.0	36.8	38.4	28.6
Banswara	2.0	2.0	-	52.1	50.5	-	31.6	31.0	-
Baran	10.2	10.1	11.0	59.0	59.0	59.0	39.2	38.2	46.2
Barmer	4.2	4.1	4.7	42.0	40.5	63.6	32.1	31.8	36.4
Bharatpur	5.1	4.4	5.8	41.6	45.3	38.2	33.1	33.5	32.7
Bhilwara	4.8	4.4	6.5	53.6	54.8	50.0	38.8	40.6	33.3
Bikaner	1.4	1.7	0.7	54.7	52.5	66.7	28.9	22.0	66.7
Bundi	7.8	7.3	10.1	50.2	49.5	52.0	36.3	33.5	44.0
Chittaurgarh	7.8	7.1	11.9	33.0	30.1	42.1	15.8	13.3	23.7
Churu	1.2	1.1	1.4	38.7	50.0	20.0	58.3	69.5	40.0
Dausa	3.4	3.1	3.8	48.8	48.5	50.0	39.5	41.2	33.3
Dhaulpur	4.9	4.8	5.4	40.0	35.8	53.6	33.6	33.0	35.7
Dungarpur	3.5	3.2	9.0	42.0	38.9	63.2	35.5	32.2	57.9
Ganganagar	1.4	1.4	1.6	52.6	53.9	50.0	51.3	38.8	75.0
Hanumangarh	3.3	2.8	4.5	49.3	49.0	50.0	73.1	76.7	66.7
Jaipur	4.5	5.1	4.0	44.1	44.1	44.1	31.5	34.7	26.5
Jaisalmer	1.3	0.8	4.4	63.6	50.0	77.8	70.9	75.0	66.7
Jalor	6.0	5.8	9.3	44.6	43.8	52.9	35.0	33.9	47.1
Jhalawar	5.8	4.5	13.8	49.2	41.4	64.2	28.6	21.9	41.5
Jhunjhunun	2.6	2.9	2.3	56.0	54.3	75.0	33.6	34.3	25.0
Jodhpur	1.3	1.1	1.5	52.8	50.0	53.3	49.7	66.7	46.7
Karauli	5.4	4.2	11.6	27.9	27.7	28.1	22.5	18.2	31.3
Kota	6.9	6.5	7.3	63.2	62.6	63.6	46.0	40.8	50.6
Nagaur	1.2	1.4	0.4	74.5	72.6	100.0	59.3	56.4	100.0
Pali	5.3	5.0	6.9	48.5	42.6	67.6	39.1	35.3	51.4
Rajsamand	6.7	5.9	14.9	51.5	46.9	69.7	32.9	29.0	48.5
Sawai Madhopur	9.0	8.2	12.4	42.5	42.3	43.2	33.2	30.1	40.9
Sikar	1.0	1.0	1.0	50.0	50.0	50.0	56.3	58.7	50.0
Sirohi	8.4	7.7	13.3	54.0	51.0	66.7	38.8	37.1	45.5
Tonk	4.2	4.1	4.7	43.7	36.4	64.3	32.3	28.6	42.9
Udaipur	4.1	3.6	6.7	33.5	28.9	44.0	21.5	20.3	24.0

Rajasthan: Pregnancy to Women aged 15-49 years resulting in abortion (%)



ABORTION

State / District	Average Month of pregnancy at the time of abortion			Abortion performed by skilled health personnel (%)			Abortion taking place in Institution (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	3.3	3.3	3.1	64.9	64.8	67.8	60.5	59.3	67.3
Ajmer	3.3	3.5	2.8	74.0	70.3	81.8	70.0	64.4	81.8
Alwar	3.5	3.6	3.1	76.6	79.0	64.3	70.6	71.9	64.3
Banswara	3.4	3.4	-	39.5	40.8	-	33.3	34.4	-
Baran	3.0	3.1	2.6	58.0	59.7	46.2	56.7	58.6	43.6
Barmer	3.3	3.4	2.5	41.4	39.9	63.6	40.1	39.1	54.5
Bharatpur	3.4	3.3	3.5	81.0	86.1	76.4	76.8	85.0	69.1
Bhilwara	3.3	3.5	2.7	74.6	69.9	88.9	70.3	64.3	88.9
Bikaner	4.4	4.2	5.3	81.5	78.0	83.5	77.3	73.1	82.0
Bundi	3.0	3.1	2.6	68.2	66.2	74.0	65.5	62.4	74.0
Chittaurgarh	3.2	3.2	3.1	28.6	22.8	47.4	24.6	19.1	42.1
Churu	4.4	4.6	4.0	72.8	80.6	60.0	65.2	80.6	40.0
Dausa	3.7	3.9	2.9	77.5	78.1	75.0	72.0	71.1	75.0
Dhaulpur	3.5	3.6	3.1	51.8	43.6	78.6	51.5	43.2	78.6
Dungarpur	3.1	3.2	2.5	42.4	39.3	63.2	41.3	38.9	57.9
Ganganagar	4.0	3.5	4.9	92.5	88.5	95.9	87.7	81.2	92.8
Hanumangarh	3.6	3.5	3.8	74.7	74.5	75.0	70.5	68.0	75.0
Jaipur	3.3	3.3	3.2	76.8	77.0	76.5	73.6	71.7	76.5
Jaisalmer	5.1	4.6	5.6	88.6	87.5	94.0	83.6	83.5	87.5
Jalor	3.3	3.3	3.2	49.7	48.8	58.8	44.6	43.2	58.8
Jhalawar	2.9	3.1	2.6	50.8	37.8	75.5	48.7	35.6	73.6
Jhunjhunun	3.7	3.8	3.3	65.6	67.0	50.0	61.4	62.4	50.0
Jodhpur	5.1	4.5	5.2	87.8	88.9	83.1	83.7	86.0	81.9
Karauli	3.2	3.3	2.9	53.9	57.3	46.9	51.3	53.4	46.9
Kota	2.8	2.9	2.7	82.3	81.4	83.1	81.5	79.7	83.1
Nagaur	4.9	5.0	3.0	86.4	85.5	92.5	85.5	85.3	92.5
Pali	3.3	3.5	2.7	50.3	47.4	59.5	49.1	46.7	56.8
Rajsamand	3.2	3.2	2.9	58.0	57.3	60.6	53.7	51.9	60.6
Sawai Madhopur	3.3	3.4	3.1	43.8	38.6	56.8	41.9	37.8	52.3
Sikar	4.4	4.3	4.8	96.8	95.6	97.7	95.5	95.6	93.8
Sirohi	3.0	3.1	2.9	59.4	54.0	81.8	54.2	49.0	75.8
Tonk	3.2	3.2	3.2	71.5	69.1	78.6	65.7	62.4	75.0
Udaipur	3.0	3.1	2.5	57.8	55.0	64.0	50.1	44.0	64.0

Rajasthan: Abortion where ultrasound was performed/ Abortion performed by skilled health personnel (%)



FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Any Method (%)			Any Modern Method (%)			Female Sterilization (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	64.5	63.1	68.6	58.8	57.4	63.1	45.1	46.9	39.7
Ajmer	55.3	50.6	62.7	54.0	49.6	61.1	42.5	43.0	41.7
Alwar	72.6	72.6	72.9	61.6	61.7	60.8	52.2	53.9	36.7
Banswara	75.8	76.4	-	65.7	65.9	-	48.6	49.3	-
Baran	62.2	61.3	67.9	55.4	54.8	58.9	45.2	46.7	36.7
Barmer	58.8	58.7	60.3	46.8	46.4	51.7	33.0	33.0	33.7
Bharatpur	55.9	54.2	62.7	48.1	47.1	51.8	40.6	41.4	37.4
Bhilwara	61.2	58.7	71.6	55.5	53.2	65.5	37.8	38.3	35.9
Bikaner	61.7	58.8	66.4	58.8	54.8	64.9	45.2	47.5	41.6
Bundi	52.8	50.0	62.2	51.4	48.8	60.1	42.0	43.1	38.4
Chittaurgarh	68.8	68.7	69.0	60.9	61.0	60.5	41.5	42.3	37.4
Churu	63.5	65.2	59.5	55.1	56.7	51.6	45.9	49.2	38.3
Dausa	64.7	64.3	69.5	55.2	54.8	59.5	48.6	49.9	35.4
Dhaulpur	49.0	45.9	57.9	44.1	42.0	50.3	32.3	32.4	32.2
Dungarpur	73.8	73.9	72.8	64.9	64.7	67.0	45.0	45.1	43.1
Ganganagar	79.2	79.9	77.7	75.6	76.2	74.1	54.2	61.2	37.3
Hanumangarh	78.8	79.8	75.4	73.2	74.5	68.2	60.4	63.7	48.2
Jaipur	69.9	68.2	71.5	67.5	67.1	68.0	51.6	61.4	42.3
Jaisalmer	55.1	50.5	72.9	49.3	43.7	70.3	39.1	36.5	49.4
Jalor	57.7	56.9	65.6	51.0	50.4	57.1	39.4	39.4	40.1
Jhalawar	64.9	64.4	67.5	56.6	56.2	58.8	42.6	44.2	33.9
Jhunjhunun	74.8	74.9	73.5	67.6	68.4	64.7	57.4	60.0	48.1
Jodhpur	63.3	58.6	71.6	58.1	54.8	63.8	45.7	49.0	40.0
Karauli	51.7	48.9	63.0	47.8	45.6	56.5	41.4	41.4	41.5
Kota	69.2	66.7	71.2	65.5	64.5	66.4	44.1	49.4	40.0
Nagaur	61.8	61.3	64.8	58.3	58.1	59.7	52.4	53.3	47.3
Pali	54.9	51.4	67.0	52.7	49.4	63.8	40.0	40.5	38.3
Rajsamand	65.1	62.3	80.8	60.6	58.0	75.6	36.7	36.5	37.9
Sawai Madhopur	57.9	56.4	62.4	53.8	53.3	55.0	43.9	45.5	39.0
Sikar	69.3	69.5	68.6	63.6	64.2	61.7	52.3	57.4	36.5
Sirohi	57.8	56.7	63.3	51.4	50.4	56.6	34.3	34.0	36.2
Tonk	51.3	48.5	60.9	49.9	47.3	59.1	38.1	39.9	32.0
Udaipur	70.1	69.2	72.7	61.8	61.1	63.9	37.3	39.0	32.5

FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Male Sterilization (%)			Copper-T/IUD (%)			Pills (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	0.4	0.4	0.5	1.0	0.9	1.4	2.8	2.2	4.7
Ajmer	0.4	0.3	0.6	1.0	0.6	1.6	3.8	2.4	6.0
Alwar	0.5	0.5	0.8	0.8	0.7	1.7	1.3	1.2	2.7
Banswara	0.2	0.2	-	0.4	0.3	-	2.5	2.5	-
Baran	0.4	0.4	0.3	0.2	0.2	0.3	3.2	2.9	5.3
Barmer	0.1	0.1	0.0	2.7	2.6	3.7	3.9	3.9	3.3
Bharatpur	0.2	0.2	0.1	0.6	0.3	1.7	1.3	1.1	2.1
Bhilwara	0.3	0.2	0.5	0.3	0.3	0.6	2.9	2.4	4.9
Bikaner	0.5	0.4	0.6	0.4	0.4	0.5	1.8	1.8	1.8
Bundi	0.3	0.3	0.3	0.3	0.3	0.4	2.9	2.4	4.6
Chittaurgarh	0.4	0.2	1.6	1.9	1.9	2.1	3.0	2.9	3.4
Churu	1.0	1.2	0.4	0.3	0.2	0.4	1.1	0.7	2.1
Dausa	0.4	0.4	0.0	0.4	0.4	0.7	1.4	1.1	5.1
Dhaulpur	0.4	0.5	0.2	0.6	0.6	0.6	2.8	2.4	3.7
Dungarpur	1.0	1.0	1.1	2.1	2.0	3.1	2.7	2.6	4.1
Ganganagar	0.4	0.4	0.4	1.5	1.1	2.3	2.0	1.5	3.1
Hanumangarh	0.5	0.4	0.7	2.5	2.4	2.9	2.5	1.8	5.4
Jaipur	0.4	0.2	0.6	0.8	0.3	1.3	2.6	1.1	4.1
Jaisalmer	0.2	0.2	0.2	1.6	1.0	3.9	3.7	2.1	9.7
Jalor	0.1	0.1	0.3	2.3	2.2	2.6	3.2	3.1	4.6
Jhalawar	0.5	0.5	0.5	0.4	0.3	0.9	3.1	3.1	3.3
Jhunjhunun	1.0	1.2	0.7	0.4	0.4	0.5	3.2	1.8	7.9
Jodhpur	0.4	0.3	0.6	0.8	0.3	1.6	3.5	1.2	7.5
Karauli	0.2	0.2	0.4	0.8	0.5	1.7	1.2	0.8	2.5
Kota	0.3	0.3	0.3	0.3	0.1	0.4	3.5	3.1	3.8
Nagaur	0.2	0.2	0.3	0.6	0.7	0.3	1.3	0.9	3.7
Pali	0.1	0.1	0.2	0.5	0.2	1.3	2.3	2.0	3.3
Rajsamand	0.6	0.6	0.9	2.1	0.5	11.3	5.2	4.7	8.4
Sawai Madhopur	0.4	0.4	0.6	1.1	1.4	0.3	3.3	3.3	3.2
Sikar	0.4	0.4	0.5	0.2	0.2	0.2	4.0	1.3	12.6
Sirohi	0.3	0.2	0.8	1.7	1.6	2.1	5.0	4.8	6.0
Tonk	0.8	0.9	0.3	0.9	0.8	1.0	3.1	2.4	5.7
Udaipur	0.5	0.6	0.2	2.8	2.7	3.1	4.2	4.0	4.6


FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Condom/Nirodh (%)			Emergency Contraceptive Pills (%)			Any Traditional Method (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	9.3	6.9	16.5	0.1	0.1	0.1	5.7	5.7	5.6
Ajmer	6.1	3.2	10.8	0.1	0.1	0.1	1.3	1.0	1.7
Alwar	6.6	5.3	18.5	0.1	0.1	0.2	11.0	10.9	12.1
Banswara	14.0	13.6	-	0.0	0.0	-	10.1	10.5	-
Baran	6.2	4.5	16.1	0.0	0.0	0.1	6.8	6.5	9.0
Barmer	7.1	6.8	10.3	0.1	0.0	0.5	12.0	12.3	8.6
Bharatpur	5.0	3.8	10.1	0.2	0.2	0.4	7.8	7.1	10.8
Bhilwara	14.1	11.9	23.2	0.1	0.0	0.1	5.7	5.5	6.1
Bikaner	10.8	4.6	20.2	0.2	0.1	0.2	2.9	4.0	1.2
Bundi	5.7	2.6	16.2	0.0	0.0	0.1	1.4	1.2	2.1
Chittaurgarh	13.9	13.6	15.6	0.0	0.0	0.2	7.9	7.7	8.5
Churu	6.9	5.4	10.3	0.0	0.0	0.0	8.4	8.5	8.0
Dausa	4.3	2.9	18.0	0.1	0.0	0.4	9.5	9.5	10.0
Dhaulpur	7.9	5.9	13.6	0.0	0.0	0.0	4.9	3.9	7.6
Dungarpur	14.1	14.0	15.3	0.0	0.0	0.0	8.9	9.2	5.8
Ganganagar	17.4	11.9	30.8	0.1	0.0	0.1	3.6	3.7	3.6
Hanumangarh	7.0	6.0	10.8	0.2	0.2	0.2	5.7	5.2	7.2
Jaipur	11.9	4.0	19.5	0.0	0.1	0.0	2.3	1.1	3.5
Jaisalmer	3.8	3.5	4.9	0.4	0.0	2.0	5.8	6.7	2.3
Jalor	5.8	5.5	9.3	0.0	0.0	0.2	6.7	6.5	8.5
Jhalawar	9.9	8.0	20.1	0.0	0.0	0.0	8.3	8.2	8.7
Jhunjhunun	5.3	4.7	7.5	0.2	0.2	0.0	7.0	6.5	8.7
Jodhpur	7.6	4.0	13.9	0.1	0.1	0.2	5.2	3.8	7.8
Karauli	4.1	2.6	10.3	0.1	0.0	0.1	3.9	3.3	6.5
Kota	17.1	11.6	21.4	0.0	0.0	0.0	3.7	2.2	4.8
Nagaur	3.5	2.8	7.8	0.3	0.3	0.3	3.5	3.2	5.1
Pali	9.6	6.3	20.5	0.1	0.1	0.0	2.2	2.0	3.2
Rajsamand	15.9	15.7	16.8	0.0	0.0	0.0	4.5	4.3	5.2
Sawai Madhopur	4.9	2.7	11.8	0.0	0.0	0.0	4.1	3.1	7.4
Sikar	6.5	4.7	11.9	0.1	0.1	0.1	5.7	5.3	6.8
Sirohi	10.0	9.7	11.4	0.0	0.0	0.0	6.4	6.3	6.7
Tonk	6.6	2.9	19.7	0.1	0.1	0.1	1.4	1.2	1.8
Udaipur	16.8	14.5	23.2	0.1	0.0	0.1	8.3	8.1	8.8

FAMILY PLANNING PRACTICES (CMW AGED 15-49 YEARS)

State / District	Current Usage								
	Periodic Abstinence (%)			Withdrawal (%)			LAM (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	2.8	2.8	2.8	1.1	0.9	1.7	1.5	1.7	0.9
Ajmer	0.8	0.7	0.9	0.4	0.2	0.8	0.0	0.0	0.0
Alwar	5.8	5.7	6.9	0.8	0.7	1.1	4.2	4.2	3.6
Banswara	4.7	4.8	-	0.9	1.0	-	4.0	4.3	-
Baran	3.1	3.1	3.6	1.5	1.5	1.5	1.8	1.5	3.6
Barmer	7.6	7.6	7.5	1.0	1.1	0.8	3.2	3.5	0.1
Bharatpur	4.7	4.0	7.3	1.9	1.8	2.3	0.2	0.2	0.2
Bhilwara	3.2	3.2	3.1	1.4	1.2	2.0	0.7	0.7	0.6
Bikaner	0.8	1.2	0.1	0.9	0.9	1.0	1.1	1.9	0.0
Bundi	0.8	0.6	1.4	0.2	0.1	0.6	0.2	0.3	0.0
Chittaurgarh	6.3	6.2	6.4	0.9	0.8	1.5	0.3	0.3	0.4
Churu	2.2	1.7	3.4	0.6	0.5	0.8	5.6	6.3	3.8
Dausa	1.8	1.7	2.5	0.9	0.8	2.0	6.2	6.4	4.2
Dhaulpur	3.7	3.0	5.6	0.9	0.6	1.8	0.0	0.0	0.1
Dungarpur	4.3	4.4	2.7	0.7	0.6	1.6	3.5	3.7	1.4
Ganganagar	1.2	0.9	1.8	1.9	2.3	1.1	0.5	0.4	0.6
Hanumangarh	2.8	2.6	3.5	0.0	0.0	0.1	2.7	2.4	3.6
Jaipur	0.7	0.4	1.0	1.4	0.3	2.4	0.2	0.4	0.0
Jaisalmer	2.6	3.0	1.1	1.1	1.2	0.6	1.7	2.1	0.4
Jalor	3.2	3.2	3.2	1.2	1.0	3.0	2.1	2.0	2.1
Jhalawar	4.3	4.1	5.6	2.2	2.2	2.4	1.5	1.6	0.6
Jhunjhunun	3.5	3.1	4.6	1.3	1.3	1.2	2.2	2.0	2.7
Jodhpur	2.0	1.3	3.3	1.8	1.1	2.9	1.1	0.9	1.4
Karauli	2.7	2.8	2.4	0.2	0.2	0.1	0.8	0.0	3.9
Kota	1.4	0.8	2.0	1.5	0.6	2.1	0.5	0.3	0.7
Nagaur	1.9	1.8	2.7	0.3	0.2	0.7	1.3	1.2	1.7
Pali	1.2	1.1	1.4	0.6	0.4	1.5	0.3	0.3	0.3
Rajsamand	2.0	2.1	1.5	1.1	0.8	3.0	0.8	0.8	0.4
Sawai Madhopur	3.5	2.6	6.1	0.5	0.4	0.8	0.0	0.0	0.0
Sikar	1.6	1.7	1.1	2.8	2.3	4.6	1.2	1.2	1.0
Sirohi	3.8	3.6	4.7	1.5	1.6	0.9	0.8	0.8	0.9
Tonk	0.8	0.6	1.4	0.1	0.1	0.1	0.1	0.1	0.1
Udaipur	4.4	3.6	6.5	1.1	1.0	1.3	2.2	2.6	0.9

Rajasthan: Current Usage of Family Planning Practices (CMW aged 15-49 years) (%)



UNMET NEED FOR FAMILY PLANNING

State / District	Unmet need for Spacing (%)			Unmet need for Limiting (%)			Total Unmet need (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	11.9	12.5	10.3	7.6	8.0	6.7	19.6	20.5	16.9
Ajmer	12.3	13.9	9.6	10.2	10.5	9.6	22.4	24.5	19.2
Alwar	9.5	9.4	10.7	4.9	5.0	3.3	14.4	14.4	14.0
Banswara	11.4	11.7	-	5.5	5.5	-	16.9	17.2	-
Baran	13.9	14.7	9.2	6.4	6.6	4.8	20.3	21.3	14.0
Barmer	13.4	13.8	9.4	14.4	14.6	11.9	27.8	28.4	21.3
Bharatpur	14.2	14.5	12.5	11.2	12.0	8.0	25.3	26.5	20.5
Bhilwara	16.0	17.0	12.3	5.4	6.0	2.6	21.4	23.0	14.9
Bikaner	13.9	15.6	11.3	10.3	10.8	9.5	24.1	26.4	20.7
Bundi	15.8	17.0	11.8	13.2	15.0	7.4	29.0	32.0	19.2
Chittaurgarh	10.9	10.9	10.4	5.1	5.3	4.4	16.0	16.2	14.8
Churu	9.3	9.1	9.8	11.3	11.4	11.0	20.6	20.5	20.8
Dausa	13.1	13.0	13.2	6.1	6.3	4.4	19.1	19.3	17.6
Dhaulpur	18.9	20.4	14.7	13.5	16.0	6.1	32.4	36.4	20.8
Dungarpur	10.0	10.2	7.9	4.5	4.6	4.1	14.5	14.8	12.0
Ganganagar	6.2	6.5	5.5	3.8	3.4	4.8	10.0	10.0	10.3
Hanumangarh	6.9	6.7	7.7	4.9	4.7	5.3	11.8	11.5	13.0
Jaipur	10.5	10.1	10.8	7.2	6.6	7.8	17.7	16.7	18.6
Jaisalmer	18.7	22.0	5.9	12.3	12.7	10.8	30.9	34.7	16.7
Jalor	14.4	14.9	9.6	7.4	7.6	5.2	21.8	22.5	14.8
Jhalawar	12.2	12.7	10.3	7.0	7.6	3.3	19.2	20.3	13.6
Jhunjhunun	8.8	8.5	9.8	5.5	5.3	6.2	14.2	13.7	16.0
Jodhpur	10.3	11.6	8.0	7.0	7.1	6.9	17.3	18.8	14.8
Karauli	17.1	18.7	10.9	8.1	8.4	7.1	25.2	27.1	18.0
Kota	13.3	15.9	11.3	5.0	6.5	3.7	18.3	22.4	15.0
Nagaur	9.3	8.8	12.3	6.6	6.8	5.8	15.9	15.5	18.1
Pali	14.9	16.5	9.6	7.8	8.3	6.2	22.7	24.8	15.8
Rajsamand	9.5	10.4	4.7	8.3	9.1	3.7	17.8	19.5	8.4
Sawai Madhopur	15.7	16.2	14.3	5.3	5.5	4.8	21.0	21.7	19.1
Sikar	9.6	8.5	13.1	8.4	9.0	6.3	18.0	17.6	19.4
Sirohi	14.7	15.6	9.7	7.6	8.0	6.1	22.3	23.6	15.8
Tonk	17.8	18.4	15.7	12.6	13.7	8.9	30.4	32.1	24.6
Udaipur	10.1	11.2	7.0	5.9	6.5	4.1	16.0	17.7	11.1

ANTE NATAL CARE

State / District	Currently Married Pregnant Women aged 15-49 years registered for ANC (%)			Mothers who received any Antenatal Check-up (%)			Mothers who had Antenatal Check-up in First Trimester (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	66.8	64.9	73.7	84.8	82.5	93.6	53.2	49.4	67.1
Ajmer	60.9	54.8	74.3	96.7	95.9	98.3	57.9	52.0	69.5
Alwar	62.5	62.1	64.8	93.3	93.1	96.2	64.9	64.4	69.7
Banswara	77.0	76.8	-	88.7	88.4	-	49.3	48.7	-
Baran	78.9	77.6	88.0	92.7	92.2	96.4	75.9	74.0	88.6
Barmer	44.5	42.8	75.9	54.3	52.4	83.8	20.5	19.1	42.9
Bharatpur	64.4	63.9	67.0	92.2	91.3	96.3	64.0	61.1	78.6
Bhilwara	75.8	75.5	77.0	91.8	90.8	96.1	64.7	61.0	80.7
Bikaner	61.0	56.6	70.9	86.7	82.6	95.9	41.2	34.5	56.0
Bundi	75.9	75.2	78.4	81.4	79.4	89.6	62.7	59.5	75.3
Chittaurgarh	73.2	70.1	86.0	89.6	88.9	94.0	59.4	56.7	74.2
Churu	69.6	70.1	68.4	80.5	79.4	82.8	59.9	57.1	65.6
Dausa	63.9	62.4	78.6	85.6	85.3	88.6	57.1	56.1	67.5
Dhaulpur	60.6	60.6	60.5	73.6	71.7	80.4	45.0	42.8	53.0
Dungarpur	79.9	79.6	83.8	87.0	86.7	93.3	50.1	49.2	66.7
Ganganagar	67.7	63.8	78.3	85.6	83.3	90.5	58.5	57.2	61.1
Hanumangarh	67.5	67.3	68.4	65.5	64.2	69.4	44.0	42.4	48.7
Jaipur	69.7	65.4	73.8	96.0	93.8	97.9	65.5	62.4	68.0
Jaisalmer	47.6	45.7	69.2	67.9	63.9	92.9	34.2	30.4	57.1
Jalor	61.0	59.9	75.0	71.0	70.1	86.5	26.4	25.5	42.6
Jhalawar	78.3	76.6	88.3	91.1	90.1	97.5	71.3	68.7	87.3
Jhunjhunun	68.1	63.8	83.5	93.5	92.3	97.7	71.4	68.1	82.8
Jodhpur	58.4	58.4	58.3	75.0	65.2	91.9	31.7	28.4	37.5
Karauli	62.9	62.2	67.3	87.7	86.3	95.1	53.1	51.8	60.2
Kota	66.8	68.9	64.7	94.9	92.8	97.0	74.6	69.5	79.6
Nagaur	68.1	66.6	78.6	93.8	93.4	95.6	40.3	39.2	45.1
Pali	63.0	59.5	76.1	83.1	81.3	90.8	43.8	40.6	58.0
Rajsamand	77.2	75.7	90.3	90.8	90.2	97.0	54.5	51.3	87.4
Sawai Madhopur	79.2	76.6	88.7	87.2	85.0	95.2	58.7	54.2	75.3
Sikar	72.4	68.6	78.7	83.6	82.1	87.4	69.1	66.3	76.5
Sirohi	62.9	62.1	67.4	77.5	75.9	89.2	35.8	32.6	59.4
Tonk	68.1	66.0	76.0	82.9	80.8	89.7	59.4	54.2	75.8
Udaipur	63.1	59.7	81.0	77.1	72.4	97.1	47.1	41.0	73.1


ANTE NATAL CARE

State / District	Mothers who received 3 or more Antenatal Care (%)			Mothers who received at least one Tetanus Toxoid (TT) injection (%)			Mothers who consumed IFA for 100 days or more (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	47.5	41.7	69.0	84.3	81.8	93.2	12.3	9.9	21.4
Ajmer	68.8	68.1	70.1	96.5	95.6	98.3	12.2	9.9	16.7
Alwar	52.0	49.9	76.4	93.1	92.8	96.2	12.1	11.3	21.2
Banswara	42.6	41.9	-	87.9	87.6	-	10.6	10.6	-
Baran	65.2	62.1	86.1	91.8	91.3	95.3	7.7	8.2	4.0
Barmer	25.7	23.9	54.5	53.4	51.5	83.8	5.3	4.1	23.0
Bharatpur	42.5	40.5	52.7	91.9	91.2	95.9	8.2	6.8	15.3
Bhilwara	54.8	50.3	74.2	91.4	90.4	95.7	18.4	16.0	28.3
Bikaner	50.9	42.9	68.7	86.7	82.6	95.9	15.1	10.9	24.4
Bundi	47.7	43.0	66.1	80.5	78.2	89.5	10.5	9.9	12.8
Chittaurgarh	44.0	39.8	67.3	89.4	88.6	94.0	9.1	8.2	14.1
Churu	41.1	40.5	42.3	80.5	79.3	82.8	12.9	14.4	9.8
Dausa	49.6	49.3	52.8	85.2	84.9	88.6	9.1	8.2	18.7
Dhaulpur	33.5	30.3	44.8	72.8	70.7	80.2	7.4	7.4	7.2
Dungarpur	42.1	40.1	82.4	86.8	86.5	93.3	4.7	4.2	15.8
Ganganagar	54.3	50.4	62.6	85.6	83.3	90.5	12.8	10.3	18.4
Hanumangarh	37.6	34.5	46.6	65.5	64.2	69.4	25.4	25.1	26.3
Jaipur	73.7	62.0	83.6	95.9	93.7	97.7	23.8	11.3	34.2
Jaisalmer	23.4	18.9	51.1	67.9	63.9	92.9	8.2	6.3	20.3
Jalor	38.3	36.8	63.1	68.6	67.8	81.6	10.8	9.7	29.1
Jhalawar	51.1	46.5	80.2	90.3	89.5	95.4	8.1	7.3	13.1
Jhunjhunun	46.9	44.7	54.2	93.3	92.1	97.5	22.2	18.4	35.2
Jodhpur	38.4	26.4	59.1	74.8	65.0	91.6	13.9	6.8	25.9
Karauli	42.5	40.0	56.3	87.3	85.9	95.1	4.7	5.3	1.5
Kota	70.5	58.5	82.1	94.5	92.5	96.4	15.3	11.5	19.1
Nagaur	29.6	26.9	41.2	93.8	93.3	95.6	5.2	5.0	5.8
Pali	46.6	42.8	63.8	81.4	79.5	89.7	15.8	13.4	26.5
Rajsamand	45.2	43.0	68.3	89.7	89.2	95.2	12.5	12.1	17.4
Sawai Madhopur	47.8	42.0	69.6	86.7	84.4	95.1	8.5	5.9	18.2
Sikar	50.2	43.8	66.9	83.4	82.0	87.2	8.3	7.5	10.1
Sirohi	37.9	34.7	61.5	76.0	74.4	87.5	13.7	12.3	23.4
Tonk	48.6	40.5	73.8	81.9	79.7	88.7	9.6	6.8	18.3
Udaipur	40.0	28.9	86.7	76.5	71.7	97.1	16.2	14.7	22.4

ANTE NATAL CARE

State / District	Mothers who had Full Antenatal Check-up (%)			Mothers who received ANC from Govt. Source (%)			Mothers whose Blood Pressure (BP) taken (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	8.5	6.1	17.4	54.9	53.2	60.4	68.6	63.2	88.0
Ajmer	8.5	7.1	11.2	49.1	46.6	53.9	95.1	93.7	97.8
Alwar	8.0	7.1	18.3	40.1	39.7	44.5	87.4	86.7	94.7
Banswara	5.7	5.7	-	50.4	50.2	-	58.6	57.3	-
Baran	6.4	6.8	3.6	55.2	55.5	53.2	62.9	61.0	75.5
Barmer	3.9	2.7	22.0	69.5	70.4	61.2	25.2	22.5	67.5
Bharatpur	4.7	3.3	11.6	47.4	44.1	63.3	88.7	87.7	93.5
Bhilwara	14.1	11.6	24.9	47.9	44.8	60.3	61.7	56.5	83.7
Bikaner	10.4	6.0	20.4	57.5	51.3	69.5	82.7	77.5	94.4
Bundi	7.7	7.0	10.5	59.7	58.0	65.6	69.8	67.0	80.6
Chittaurgarh	5.6	4.5	12.1	54.1	52.7	61.8	60.9	58.6	73.8
Churu	6.1	6.1	6.1	45.9	36.1	65.2	71.6	69.7	75.5
Dausa	5.9	5.4	11.4	56.0	55.0	67.0	80.6	79.9	87.8
Dhaulpur	4.8	4.9	4.5	52.8	46.9	71.4	44.9	41.9	55.7
Dungarpur	3.2	2.6	15.2	42.5	40.7	74.7	63.5	62.4	86.7
Ganganagar	10.0	7.0	16.5	61.4	69.7	45.1	84.5	81.7	90.5
Hanumangarh	17.2	15.5	22.0	56.9	61.4	44.7	65.0	63.9	68.1
Jaipur	19.5	8.0	29.2	64.1	70.4	58.9	94.6	91.0	97.7
Jaisalmer	3.5	2.1	12.1	84.9	84.1	88.2	64.8	60.3	92.3
Jalor	8.0	6.9	27.0	55.1	55.4	50.8	38.3	36.7	66.7
Jhalawar	6.6	5.6	12.7	52.7	50.9	63.8	53.1	48.7	80.9
Jhunjhunun	11.8	9.6	19.2	39.1	35.4	50.8	91.3	89.9	95.9
Jodhpur	8.3	4.2	15.3	74.0	74.4	73.5	72.4	61.5	91.3
Karauli	1.7	1.7	1.5	47.7	42.2	76.0	50.7	44.9	83.5
Kota	14.1	9.7	18.3	48.0	50.8	45.4	80.5	69.0	91.6
Nagaur	2.5	2.1	4.0	73.5	71.9	80.6	89.3	89.0	90.7
Pali	11.0	8.7	21.1	62.9	65.4	52.7	71.1	68.4	83.3
Rajsamand	8.6	7.9	15.6	58.1	56.6	72.8	64.9	63.8	77.2
Sawai Madhopur	5.1	2.5	15.0	46.3	46.8	44.5	59.5	53.4	82.2
Sikar	5.6	4.6	8.2	41.4	44.9	32.8	82.1	80.1	87.4
Sirohi	8.6	7.5	16.7	48.8	46.9	60.1	61.0	58.5	79.7
Tonk	7.3	4.6	16.1	72.0	70.8	75.2	64.7	60.9	76.4
Udaipur	10.4	7.8	21.4	55.7	48.8	77.5	57.0	48.1	94.8


Rajasthan: Mothers who received Full Antenatal Check-up (%)



ANTE NATAL CARE

State / District	Mothers whose Blood taken for Hb (%)			Mothers who underwent Ultrasound (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	51.5	43.7	80.1	38.8	30.4	69.7
Ajmer	80.5	75.3	90.8	49.1	38.4	70.3
Alwar	53.6	51.2	79.3	40.8	38.2	69.7
Banswara	38.5	36.7	-	21.8	19.8	-
Baran	55.9	52.7	77.7	44.6	39.8	77.0
Barmer	19.6	17.1	58.1	15.5	12.7	58.1
Bharatpur	47.5	42.8	71.1	27.9	24.4	45.9
Bhilwara	47.6	43.0	67.4	39.8	33.6	66.5
Bikaner	57.0	42.2	90.1	36.0	17.6	76.8
Bundi	59.2	53.8	80.6	44.5	40.2	61.7
Chittaurgarh	42.3	36.7	74.2	35.0	29.5	65.7
Churu	42.3	35.7	55.8	35.6	28.8	49.4
Dausa	42.4	38.9	80.5	36.4	34.7	55.3
Dhaulpur	34.9	28.9	56.2	22.3	17.8	38.1
Dungarpur	35.8	33.3	84.8	28.0	25.4	79.4
Ganganagar	71.1	64.5	85.4	52.1	42.0	73.8
Hanumangarh	58.2	57.9	59.1	53.0	50.8	59.5
Jaipur	87.8	80.7	93.8	71.0	57.9	82.0
Jaisalmer	37.8	29.5	89.0	24.9	16.3	77.5
Jalor	24.5	22.9	51.8	20.3	18.6	48.9
Jhalawar	43.8	38.0	80.2	34.4	29.4	65.7
Jhunjhunun	74.3	69.7	89.9	63.7	60.0	76.5
Jodhpur	58.0	41.4	86.6	50.4	32.8	80.6
Karauli	38.5	32.2	74.3	25.5	21.2	49.5
Kota	66.1	51.0	80.7	63.9	45.5	81.8
Nagaur	62.6	58.1	81.9	36.3	31.7	56.2
Pali	50.7	47.1	66.9	42.3	37.5	63.4
Rajsamand	53.9	51.6	77.8	32.2	30.3	52.1
Sawai Madhopur	42.1	35.3	67.6	30.9	25.1	52.6
Sikar	62.2	55.0	80.9	54.7	46.2	77.0
Sirohi	37.6	33.9	64.6	34.8	31.9	56.3
Tonk	56.1	50.1	74.8	35.2	31.0	48.2
Udaipur	43.4	35.1	78.6	30.3	17.4	84.7


Rajasthan: Mothers who received tests during Ante Natal Check-up (%)



DELIVERY CARE


State / District	Institutional Delivery (%)			Delivery at Government Institution (%)			Delivery at Private Institution (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	70.2	66.2	84.6	55.2	55.2	54.8	14.6	10.5	29.4
Ajmer	69.3	63.4	81.1	45.6	43.7	49.4	20.6	15.3	31.0
Alwar	74.5	73.9	82.2	59.2	61.0	42.3	14.6	11.8	39.9
Banswara	80.4	79.9	-	72.5	72.8	-	7.8	7.0	-
Baran	89.6	89.2	92.3	81.5	82.2	77.0	7.9	6.9	15.3
Barmer	34.5	32.4	66.0	28.2	27.3	42.9	6.2	5.1	23.0
Bharatpur	70.2	68.2	80.3	58.9	58.9	58.8	11.2	9.2	21.4
Bhilwara	62.2	58.2	79.0	50.3	47.8	60.9	11.0	9.6	17.2
Bikaner	54.3	41.3	83.2	42.0	37.0	53.2	12.2	4.3	29.8
Bundi	80.4	77.6	91.6	71.9	71.4	73.5	8.6	6.2	18.1
Chittaurgarh	75.7	74.4	83.1	67.3	67.6	65.3	8.2	6.5	17.3
Churu	53.6	50.7	59.5	42.4	42.2	42.6	11.3	8.5	16.9
Dausa	82.2	81.3	91.9	57.6	57.8	55.3	24.1	22.9	36.6
Dhaulpur	83.6	81.5	91.1	74.3	75.4	70.5	9.0	6.1	19.6
Dungarpur	63.5	62.0	93.3	56.1	54.9	79.4	7.5	7.2	13.9
Ganganagar	76.9	73.9	83.3	48.8	55.8	33.8	28.0	18.1	49.5
Hanumangarh	56.8	57.3	55.2	35.6	39.8	23.7	21.1	17.5	31.5
Jaipur	90.9	88.5	92.9	59.5	67.5	52.8	31.4	21.0	40.1
Jaisalmer	35.8	29.2	76.4	32.5	27.8	61.5	3.3	1.4	14.8
Jalor	46.7	44.7	80.1	29.9	28.9	47.5	15.1	14.0	32.6
Jhalawar	77.8	76.5	86.6	69.6	70.4	65.0	7.9	5.8	21.6
Jhunjhunun	80.2	79.2	83.3	44.0	47.0	33.9	34.9	30.8	48.9
Jodhpur	56.4	41.4	82.2	48.7	38.5	66.2	7.7	2.9	15.9
Karauli	85.3	84.1	92.2	76.1	76.2	75.7	8.5	7.2	16.0
Kota	84.6	80.9	88.1	56.5	66.7	46.7	27.8	14.2	41.0
Nagaur	74.9	73.2	82.3	66.8	66.3	69.0	8.1	6.9	13.3
Pali	63.1	61.1	71.8	53.6	53.3	55.2	9.4	7.8	16.7
Rajsamand	64.8	63.1	82.6	53.5	53.2	56.3	10.4	9.4	21.0
Sawai Madhopur	80.8	79.1	87.5	67.5	71.1	54.0	13.1	7.8	33.1
Sikar	81.2	78.1	89.3	39.6	46.3	22.1	39.3	30.0	63.7
Sirohi	77.4	75.7	90.2	54.7	54.8	53.6	22.7	20.8	36.6
Tonk	76.3	75.1	80.2	65.1	66.7	60.1	11.2	8.4	20.0
Udaipur	57.6	49.3	92.9	50.1	43.4	78.2	6.8	5.0	14.3

Rajasthan: Institutional Delivery (%)



DELIVERY CARE


State / District	Delivery at Home (%)			Delivery at home conducted by skilled health personnel (%)			Safe Delivery (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	29.5	33.4	15.1	32.3	30.5	46.8	76.2	72.8	88.6
Ajmer	30.6	36.5	18.9	38.9	39.4	36.9	74.0	68.6	84.6
Alwar	25.2	25.9	17.8	36.0	33.9	70.3	78.8	77.9	88.9
Banswara	19.1	19.5	-	19.0	18.8	-	83.8	83.4	-
Baran	9.2	9.5	6.6	37.4	37.8	33.3	91.1	90.7	93.4
Barmer	65.4	67.4	34.0	34.7	34.8	29.2	53.9	52.6	74.3
Bharatpur	29.7	31.7	19.7	15.6	14.3	25.9	72.8	70.3	85.0
Bhilwara	37.5	41.3	21.0	31.8	29.3	53.1	70.4	66.5	87.1
Bikaner	45.6	58.5	16.8	32.4	31.1	42.4	64.0	52.9	88.8
Bundi	18.8	21.8	7.1	45.7	45.6	46.4	84.6	82.4	93.5
Chittaurgarh	23.6	25.1	15.7	29.0	23.9	74.4	80.6	79.1	88.7
Churu	46.2	49.0	40.5	31.5	29.5	36.4	65.2	63.4	69.0
Dausa	17.3	18.2	8.1	27.0	26.1	50.0	83.7	83.0	91.9
Dhaulpur	16.1	18.2	8.7	35.8	32.5	60.0	84.8	82.2	94.1
Dungarpur	35.8	37.4	4.2	12.7	12.6	28.6	67.4	66.0	93.9
Ganganagar	23.1	26.1	16.7	60.8	58.1	69.6	79.7	76.3	86.9
Hanumangarh	43.2	42.7	44.8	52.3	49.0	61.5	67.4	66.9	69.0
Jaipur	9.0	11.5	6.9	28.8	20.1	40.9	92.2	89.0	94.8
Jaisalmer	64.2	70.8	23.6	28.3	27.6	41.9	48.6	42.7	85.2
Jalor	52.7	54.7	19.9	45.6	45.2	64.3	68.2	67.0	89.4
Jhalawar	21.5	23.0	12.4	34.5	32.3	60.0	82.0	80.9	89.0
Jhunjhunun	19.8	20.7	16.7	33.7	31.9	40.9	84.9	83.8	88.9
Jodhpur	43.2	58.3	17.2	28.2	25.3	45.5	63.4	50.8	85.0
Karauli	13.9	15.2	6.3	35.7	33.2	69.2	85.7	84.5	92.2
Kota	14.7	18.5	10.9	58.7	49.7	73.4	86.8	82.2	91.2
Nagaur	25.0	26.7	17.7	41.9	42.5	37.5	80.9	79.9	85.0
Pali	36.8	38.8	27.9	42.4	41.4	48.7	72.5	71.3	77.5
Rajsamand	34.8	36.5	16.8	36.5	35.4	60.7	74.4	72.8	91.6
Sawai Madhopur	18.8	20.6	12.1	20.3	18.2	33.3	82.8	81.3	88.3
Sikar	18.6	21.7	10.7	45.2	43.6	53.8	86.8	83.9	94.3
Sirohi	22.3	24.0	9.3	28.6	28.1	38.9	81.8	80.3	92.8
Tonk	23.3	24.5	19.8	36.3	34.8	42.0	81.3	79.6	86.5
Udaipur	42.1	50.4	6.8	13.6	13.1	28.6	62.0	54.4	94.3



DELIVERY CARE

State / District	Caesarean out of total delivery taken place in Government Institutions (%)			Caesarean out of total delivery taken place in Private Institutions (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	4.9	3.3	10.9	20.3	18.5	22.6
Ajmer	11.7	7.5	19.0	22.1	14.3	29.6
Alwar	4.8	4.5	9.1	20.5	18.1	28.9
Banswara	3.2	2.5	-	14.4	11.2	-
Baran	2.4	1.5	9.0	35.1	33.3	40.5
Barmer	4.0	3.5	9.8	35.8	34.7	39.5
Bharatpur	5.4	4.7	8.7	25.6	23.5	30.2
Bhilwara	4.4	3.0	9.2	31.1	32.6	27.5
Bikaner	8.8	5.0	14.8	27.4	22.1	29.1
Bundi	3.4	2.1	8.3	40.8	33.5	50.7
Chittaurgarh	3.5	2.3	10.5	24.0	23.2	25.6
Churu	3.3	2.5	5.0	14.9	10.0	20.0
Dausa	2.3	2.2	4.4	8.3	7.9	11.1
Dhaulpur	1.5	1.0	3.5	25.3	26.4	24.1
Dungarpur	4.3	4.1	7.6	34.0	34.8	26.1
Ganganagar	9.7	9.3	11.3	17.8	23.7	13.2
Hanumangarh	9.2	8.8	10.9	19.0	18.8	19.2
Jaipur	8.4	4.7	12.4	21.3	18.3	22.6
Jaisalmer	9.6	6.7	17.9	33.4	14.9	44.4
Jalor	2.6	2.1	7.5	14.5	15.0	10.9
Jhalawar	3.7	2.8	9.8	26.5	22.8	32.8
Jhunjhunun	3.5	3.8	2.2	11.1	12.0	9.3
Jodhpur	10.5	6.3	14.6	23.8	18.3	25.5
Karauli	1.1	0.9	2.6	18.6	18.8	18.2
Kota	7.1	3.7	11.7	25.7	28.7	24.7
Nagaur	3.2	2.9	4.5	17.4	20.7	10.0
Pali	6.1	4.3	14.0	27.8	20.9	42.3
Rajsamand	3.6	2.5	14.9	22.8	23.3	20.0
Sawai Madhopur	2.5	1.7	6.7	12.2	14.9	9.8
Sikar	6.5	5.4	12.3	11.7	12.1	11.2
Sirohi	3.2	3.0	4.8	12.1	11.3	15.5
Tonk	5.9	4.7	9.9	16.7	10.7	24.8
Udaipur	5.3	1.9	13.3	23.4	19.2	29.5

Rajasthan: Caesarean out of total delivery taken place in Government/Private Institutions (%)




POST NATAL CARE

State / District	Less than 24 hrs. stay in institution after delivery (%)			Mothers who received Post-natal Check-up within 48 hrs. of delivery (%)			Mothers who received Post-natal Check-up within 1 week of delivery (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	38.0	40.5	30.9	73.3	70.0	85.4	76.1	73.0	87.5
Ajmer	25.2	29.6	18.4	71.0	65.5	81.8	73.9	68.9	83.7
Alwar	49.2	49.6	45.9	78.6	77.8	88.5	80.1	79.1	90.9
Banswara	42.6	42.8	-	82.8	82.3	-	84.8	84.4	-
Baran	42.8	43.2	40.3	91.0	90.9	92.0	92.2	92.0	93.4
Barmer	57.0	60.9	28.1	52.5	51.3	71.7	54.7	53.4	74.9
Bharatpur	42.8	39.9	55.1	74.2	71.9	85.7	76.4	74.4	86.7
Bhilwara	34.2	35.6	30.5	68.9	64.8	86.3	72.9	68.7	91.0
Bikaner	18.5	24.1	12.2	60.6	49.2	86.0	64.6	54.6	86.8
Bundi	33.7	35.4	28.2	80.2	77.8	89.6	83.5	81.1	93.1
Chittaurgarh	41.1	41.6	38.7	76.3	76.3	76.6	81.4	81.3	81.9
Churu	31.1	34.9	24.4	62.8	60.5	67.5	65.2	63.2	69.3
Dausa	23.5	23.3	25.7	82.5	81.7	91.2	82.9	82.0	91.9
Dhaulpur	44.6	43.1	49.2	78.9	76.9	86.1	81.4	79.2	89.1
Dungarpur	40.0	39.3	49.0	66.5	65.1	93.9	68.6	67.3	93.9
Ganganagar	26.3	23.6	31.3	76.9	73.9	83.7	78.7	75.7	85.2
Hanumangarh	25.5	26.2	23.4	65.9	64.1	71.1	68.0	66.1	73.7
Jaipur	28.2	31.2	25.8	87.3	84.2	89.8	88.9	86.2	91.3
Jaisalmer	37.5	38.5	35.3	39.0	32.5	78.6	40.4	33.9	80.2
Jalor	64.0	62.5	78.7	63.1	61.7	85.8	65.7	64.3	88.7
Jhalawar	40.0	42.7	24.9	84.9	84.0	90.5	85.4	84.4	91.2
Jhunjhunun	41.3	42.0	38.9	83.2	81.7	88.4	84.9	83.5	89.9
Jodhpur	38.8	48.0	30.8	57.4	43.2	81.9	61.2	47.7	84.4
Karauli	43.3	45.7	30.8	85.1	83.9	91.7	87.4	86.3	93.2
Kota	30.8	36.8	25.5	82.7	78.9	86.4	86.8	82.5	90.9
Nagaur	53.2	54.5	48.1	74.3	72.5	81.9	77.2	76.0	82.7
Pali	38.6	41.9	27.5	68.3	66.6	75.6	70.8	69.6	76.1
Rajsamand	42.9	40.3	63.8	72.2	70.7	88.0	75.8	74.6	88.6
Sawai Madhopur	39.3	41.0	33.6	82.4	80.7	88.7	85.1	83.8	89.9
Sikar	42.7	36.6	56.4	81.4	78.7	89.5	82.8	79.7	90.7
Sirohi	41.8	42.8	35.4	78.7	76.9	91.8	80.2	78.6	91.8
Tonk	32.9	37.0	20.6	71.5	68.9	79.6	78.5	76.9	83.5
Udaipur	34.6	39.7	23.0	60.4	52.4	94.5	65.5	58.4	95.5

POST NATAL CARE

State / District	Mothers who did not receive any Post-natal Check-up (%)			New borns who were checked up within 24 hrs. of birth (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	23.0	26.0	12.1	70.0	66.1	83.4
Ajmer	23.1	27.6	14.1	67.9	61.4	80.8
Alwar	19.9	20.9	9.1	77.2	76.5	84.1
Banswara	15.0	15.5	-	80.4	79.9	-
Baran	7.0	7.2	5.8	88.5	88.7	87.3
Barmer	44.7	46.0	24.6	49.8	48.3	73.2
Bharatpur	23.2	25.2	12.9	71.7	69.1	84.6
Bhilwara	25.3	29.1	9.0	64.1	59.4	82.7
Bikaner	35.1	45.2	12.7	57.2	48.1	77.5
Bundi	15.3	17.6	6.4	75.5	73.7	82.3
Chittaurgarh	16.8	16.5	18.1	72.1	71.3	76.7
Churu	34.4	36.2	30.7	61.5	59.9	64.8
Dausa	16.8	17.7	7.3	80.3	79.5	89.4
Dhaulpur	18.3	20.5	10.6	68.9	65.7	78.8
Dungarpur	30.2	31.4	6.1	61.2	59.5	94.9
Ganganagar	21.0	24.0	14.6	76.9	74.1	82.9
Hanumangarh	31.8	33.7	26.3	66.3	64.2	72.4
Jaipur	11.0	13.8	8.6	89.9	87.4	92.0
Jaisalmer	59.3	65.8	19.2	37.9	31.6	75.8
Jalor	34.1	35.5	11.3	61.2	59.9	83.0
Jhalawar	14.1	14.9	8.8	81.1	79.5	90.1
Jhunjhun	14.9	16.5	9.4	82.7	81.9	85.5
Jodhpur	37.8	50.8	15.3	56.3	41.7	80.9
Karauli	12.5	13.6	6.8	79.5	77.3	90.6
Kota	12.6	16.4	8.8	77.1	69.0	84.2
Nagaur	19.9	20.9	15.9	69.8	68.7	74.3
Pali	28.6	29.8	23.5	57.8	54.5	71.6
Rajsamand	22.7	24.0	9.0	70.4	68.6	89.5
Sawai Madhopur	14.4	15.5	10.1	74.0	71.1	83.5
Sikar	16.4	19.4	8.7	80.6	77.3	89.3
Sirohi	19.7	21.2	8.2	75.5	73.5	90.0
Tonk	20.0	21.3	15.9	62.9	62.7	63.6
Udaipur	32.8	39.5	4.2	55.7	46.7	94.5


Rajasthan: Mothers by status of receipt of Post-natal Check-up (%)



JANANI SURAKSHA YOJANA (JSY)

State / District	Mothers who availed financial assistance for delivery under JSY (%)			Mothers who availed financial assistance for institutional delivery under JSY (%)			Mothers who availed financial assistance for Government Institutional delivery under JSY (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	53.9	54.1	53.1	76.5	81.2	62.9	93.5	93.8	92.2
Ajmer	42.7	41.4	45.3	64.2	69.7	56.2	90.9	92.7	87.7
Alwar	60.0	61.7	41.3	80.3	83.3	50.3	97.8	97.9	95.5
Banswara	68.4	68.7	-	84.7	85.5	-	93.0	92.9	-
Baran	78.6	80.0	69.3	87.0	88.8	75.1	94.6	95.3	89.6
Barmer	27.2	26.5	38.2	74.9	77.3	57.1	88.2	88.9	81.7
Bharatpur	58.3	58.5	57.5	82.8	85.4	71.6	97.4	97.6	96.0
Bhilwara	48.2	46.0	57.5	77.8	79.3	73.1	91.4	91.1	92.3
Bikaner	41.6	36.9	52.2	76.2	88.2	62.9	96.7	96.8	96.7
Bundi	70.3	70.8	68.4	85.3	88.6	74.4	93.9	95.2	89.3
Chittaurgarh	62.9	63.4	60.5	83.1	85.2	72.7	92.7	93.0	90.7
Churu	43.1	42.4	44.5	79.5	82.6	74.2	95.5	95.8	95.0
Dausa	61.0	60.9	62.6	73.8	74.4	68.1	98.0	98.0	98.5
Dhaulpur	70.1	71.3	66.1	83.8	87.2	73.1	92.4	93.0	90.2
Dungarpur	51.5	50.7	68.5	80.9	81.5	73.4	91.2	91.6	85.5
Ganganagar	47.0	54.3	31.3	60.6	72.7	37.6	94.3	94.9	91.9
Hanumangarh	34.9	39.1	23.0	60.8	67.5	40.8	92.5	94.3	83.9
Jaipur	62.3	72.7	53.5	68.1	81.2	57.5	96.4	96.6	96.2
Jaisalmer	30.6	26.2	57.7	84.9	88.9	75.5	93.1	93.2	92.9
Jalor	30.8	30.1	42.6	62.1	63.1	53.1	84.8	85.4	79.1
Jhalawar	67.9	68.4	64.7	86.8	89.0	74.3	93.4	93.3	94.0
Jhunjhun	40.3	44.3	26.6	50.8	56.7	32.1	86.4	89.1	73.9
Jodhpur	46.6	38.0	61.2	81.4	89.1	74.8	93.1	94.2	92.1
Karauli	75.6	75.1	78.6	88.8	89.4	85.7	96.4	96.0	98.7
Kota	55.5	68.0	43.4	65.1	83.0	49.0	93.1	97.5	87.0
Nagaur	67.1	66.3	70.4	89.4	90.5	85.5	97.9	97.8	98.1
Pali	53.3	53.2	53.8	83.2	85.5	74.5	94.6	94.5	94.9
Rajsamand	49.8	49.3	54.5	76.6	77.4	69.8	90.1	89.8	92.6
Sawai Madhopur	65.6	67.6	58.5	81.3	85.4	67.1	92.1	92.6	89.6
Sikar	39.5	46.5	21.3	49.5	60.3	24.2	92.9	93.2	91.4
Sirohi	55.7	55.8	55.2	71.2	72.8	61.1	90.4	90.7	88.5
Tonk	65.6	65.3	66.7	85.1	86.0	82.4	92.4	91.4	96.0
Udaipur	47.2	41.7	70.8	82.3	85.1	76.1	91.9	93.5	88.0

Rajasthan: Mothers who availed financial assistance for delivery under JSY (%)




IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children aged 12-23 months having Immunization Card (%)			Children aged 12-23 months who have received BCG (%)			Children aged 12-23 months who have received 3 doses of Polio vaccine (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	71.5	66.4	90.0	90.6	89.3	95.1	78.1	76.4	84.0
Ajmer	93.0	91.7	95.4	95.4	94.4	97.1	91.0	91.2	90.8
Alwar	68.0	66.2	85.0	93.3	92.7	98.8	90.6	90.4	92.5
Banswara	50.6	48.1	-	91.1	90.8	-	88.5	88.0	-
Baran	58.3	55.7	77.0	94.0	93.4	98.9	80.5	79.9	85.1
Barmer	24.5	21.9	61.3	82.1	81.3	93.3	69.0	68.8	72.0
Bharatpur	79.0	76.4	88.7	91.2	90.5	93.9	78.9	78.4	80.9
Bhilwara	70.9	66.4	89.9	88.9	86.6	98.7	77.3	74.9	87.3
Bikaner	80.0	74.1	92.5	82.0	76.0	95.0	79.3	76.6	85.0
Bundi	82.3	79.8	90.8	90.9	88.9	97.7	69.8	67.0	79.2
Chittaurgarh	76.4	71.7	98.6	90.0	89.1	94.2	79.4	76.6	92.8
Churu	86.8	84.9	91.1	88.3	86.6	92.4	85.7	83.4	91.1
Dausa	74.1	73.4	80.9	90.5	90.4	91.5	75.1	74.7	78.7
Dhaulpur	81.4	81.1	82.5	87.9	87.8	88.3	57.1	56.5	59.1
Dungarpur	53.4	51.6	83.1	88.5	87.9	98.3	86.9	86.5	93.2
Ganganagar	96.3	94.9	98.9	96.9	95.4	99.5	91.3	87.6	97.8
Hanumangarh	96.0	96.2	95.5	98.2	98.1	98.5	96.5	97.4	94.0
Jaipur	89.2	81.2	96.9	95.1	92.8	97.2	83.7	76.8	90.3
Jaisalmer	67.0	62.4	91.4	85.9	84.5	93.1	80.9	80.2	84.5
Jalor	33.3	31.1	75.0	83.4	83.5	81.8	67.9	67.4	77.3
Jhalawar	70.7	67.2	90.6	89.9	88.8	96.2	66.4	63.6	82.1
Jhunjhunun	84.1	84.4	83.1	95.3	95.6	94.1	86.7	87.5	83.8
Jodhpur	80.9	74.4	88.1	83.3	76.3	91.1	79.3	75.0	84.2
Karauli	79.1	77.7	90.0	92.0	92.2	90.0	68.8	67.6	78.0
Kota	90.1	87.9	92.3	94.7	93.9	95.5	78.6	81.6	75.6
Nagaur	83.9	82.5	89.3	90.0	89.7	91.1	83.1	83.4	82.1
Pali	75.7	74.3	82.4	89.1	88.7	90.8	75.2	75.2	74.8
Rajsamand	71.8	69.9	90.7	91.5	91.4	92.6	71.0	69.5	85.2
Sawai Madhopur	67.3	65.4	73.9	86.6	86.2	88.0	48.1	43.7	63.0
Sikar	93.3	92.2	96.3	96.2	95.5	98.2	87.9	90.4	80.7
Sirohi	64.0	61.6	84.2	85.9	84.9	94.7	67.9	67.2	73.7
Tonk	77.3	75.9	81.3	93.2	93.2	93.3	60.2	58.0	66.3
Udaipur	62.8	57.0	87.4	93.9	92.9	97.9	86.9	85.1	94.7

IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children aged 12-23 months who have received 3 doses of DPT vaccine (%)			Children aged 12-23 months who have received Measles vaccine (%)			Children aged 12-23 months Fully Immunized (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	77.0	75.1	83.7	81.8	80.3	87.3	70.8	69.0	77.3
Ajmer	90.7	90.3	91.3	89.1	88.9	89.6	82.2	82.3	82.1
Alwar	91.8	91.3	97.5	87.9	87.2	95.0	82.5	81.7	90.0
Banswara	88.5	88.1	-	90.5	90.1	-	87.9	87.6	-
Baran	73.2	71.6	85.1	80.7	80.6	81.6	67.9	66.7	77.0
Barmer	68.2	68.0	70.7	71.3	70.8	77.3	68.1	68.0	69.3
Bharatpur	86.5	85.9	88.7	83.9	84.9	80.0	72.4	71.8	74.8
Bhilwara	77.2	74.8	87.3	83.3	82.0	88.6	74.6	71.6	87.3
Bikaner	78.1	74.8	85.0	78.5	73.9	88.3	71.0	66.9	80.0
Bundi	56.3	54.9	60.8	74.0	71.2	83.8	49.9	47.9	56.9
Chittaurgarh	79.1	76.9	89.9	82.7	80.8	91.3	73.4	72.4	78.3
Churu	85.4	82.5	92.4	85.1	83.6	88.6	76.5	74.6	81.0
Dausa	82.0	82.3	78.7	81.3	82.0	74.5	69.6	69.1	74.5
Dhaulpur	50.2	46.7	62.0	67.4	67.9	65.7	37.4	34.2	48.2
Dungarpur	86.5	86.1	93.2	87.1	86.7	94.9	86.5	86.1	93.2
Ganganagar	90.5	87.0	96.7	92.1	90.5	95.1	83.0	78.4	91.2
Hanumangarh	94.2	96.9	86.6	94.8	94.5	95.5	91.4	93.6	85.1
Jaipur	88.1	84.4	91.7	86.2	79.1	93.1	74.9	62.8	86.6
Jaisalmer	81.8	79.6	93.1	81.6	81.4	82.8	75.1	75.0	75.9
Jalor	64.7	64.2	75.0	70.5	69.9	81.8	62.8	62.2	75.0
Jhalawar	64.5	62.2	77.4	71.0	69.4	80.2	56.1	53.7	69.8
Jhunjhunun	84.8	85.5	82.4	88.6	89.3	86.0	77.6	78.3	75.0
Jodhpur	79.1	73.6	85.1	77.7	71.8	84.2	67.9	61.2	75.2
Karauli	42.5	41.3	52.0	75.3	74.7	80.0	38.0	36.4	50.0
Kota	77.7	80.6	75.0	89.9	89.8	90.1	73.0	77.6	68.6
Nagaur	84.8	83.1	91.1	82.7	81.9	85.7	74.7	72.7	82.1
Pali	76.7	76.9	75.6	74.9	74.2	77.9	69.2	69.3	68.7
Rajsamand	70.0	68.2	87.0	82.4	81.9	87.0	67.1	66.2	75.9
Sawai Madhopur	47.8	43.4	63.0	67.3	65.6	72.8	41.1	36.0	58.7
Sikar	87.6	88.1	86.2	93.0	92.1	95.4	81.2	83.4	75.2
Sirohi	72.1	70.8	82.5	75.8	75.0	82.5	66.6	66.0	71.9
Tonk	54.2	52.0	60.6	72.9	72.5	74.1	50.3	48.3	56.0
Udaipur	85.8	83.9	93.7	90.1	88.5	96.8	85.7	83.8	93.7

Rajasthan: Children aged 12-23 months having Immunization Card vs. Fully Immunized (%)





IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children who have received Polio dose at birth (%)			Children who did not receive any vaccination (%)			Children (aged 6-35 months) who received at least one Vitamin A dose during last six months (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	74.9	71.5	86.9	5.9	6.6	3.1	59.4	59.5	59.1
Ajmer	81.7	78.7	87.3	3.6	4.3	2.3	57.5	54.5	63.1
Alwar	77.7	76.5	88.8	5.1	5.5	1.3	32.9	30.5	54.4
Banswara	76.4	75.4	-	6.4	6.7	-	90.7	90.9	-
Baran	87.3	86.4	94.3	1.6	1.7	1.1	70.1	70.0	70.9
Barmer	42.0	40.4	64.0	11.9	12.7	1.3	62.0	62.1	60.7
Bharatpur	76.5	75.8	79.1	7.7	8.1	6.1	48.3	49.8	41.2
Bhilwara	79.8	77.4	89.9	6.9	8.5	0.0	67.8	66.8	72.6
Bikaner	60.6	50.0	83.3	15.5	20.4	5.0	31.4	29.3	35.9
Bundi	85.8	83.4	93.8	2.8	3.4	0.8	65.3	62.6	75.5
Chittaurgarh	78.3	74.9	94.2	4.4	5.3	0.0	69.0	69.1	68.7
Churu	68.5	65.4	75.9	9.2	11.0	5.1	54.2	60.6	41.2
Dausa	79.0	77.9	89.4	8.3	8.2	8.5	31.6	30.5	42.6
Dhaulpur	81.2	80.8	82.5	4.5	4.0	6.6	45.4	46.4	41.5
Dungarpur	67.9	66.4	91.5	8.1	8.5	0.0	88.3	88.0	94.3
Ganganagar	84.4	83.1	86.8	2.0	3.1	0.0	44.9	43.0	48.9
Hanumangarh	68.4	66.2	74.6	1.8	1.9	1.5	67.9	67.6	69.0
Jaipur	91.8	90.9	92.8	2.6	3.1	2.1	54.1	46.0	61.3
Jaisalmer	41.0	34.4	75.9	11.1	12.2	5.2	18.1	15.3	32.5
Jalor	48.6	48.1	59.1	9.2	9.2	9.1	70.2	69.3	83.3
Jhalawar	77.2	74.7	91.5	6.5	7.5	0.9	53.1	48.9	77.4
Jhunjhunun	85.6	84.9	88.2	3.6	2.9	5.9	47.9	49.3	43.2
Jodhpur	64.7	51.5	79.2	12.6	18.7	5.9	34.7	35.0	34.4
Karauli	81.5	80.4	90.0	0.8	0.9	0.0	44.0	43.7	45.6
Kota	89.3	86.8	91.7	3.2	2.5	3.8	69.8	72.0	67.6
Nagaur	73.3	72.4	76.8	8.0	7.7	8.9	72.0	70.6	77.5
Pali	79.8	78.0	88.5	8.6	8.8	7.6	54.2	53.7	56.7
Rajsamand	78.2	76.9	90.7	4.5	5.0	0.0	80.9	81.1	78.7
Sawai Madhopur	75.7	76.3	73.9	3.2	3.2	3.3	42.2	38.5	55.6
Sikar	84.6	82.0	91.7	3.1	3.6	1.8	57.5	56.1	61.2
Sirohi	76.2	74.8	87.7	13.1	14.2	3.5	59.8	59.6	60.9
Tonk	82.7	81.2	87.0	4.7	4.3	5.7	50.2	50.9	47.9
Udaipur	63.2	57.0	89.5	1.4	1.8	0.0	88.8	90.1	83.8

IMMUNIZATION, VITAMIN A & IRON SUPPLEMENT AND BIRTH WEIGHT

State / District	Children (aged 6-35 months) who received IFA tablets/syrup during last 3 months (%)			Children whose birth weight was taken (%)			Children with birth weight less than 2.5 Kg. (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	9.4	8.9	11.3	54.4	48.7	75.9	38.7	41.8	31.0
Ajmer	16.8	13.9	22.3	68.6	62.1	81.3	30.0	29.0	31.4
Alwar	9.4	9.0	13.2	69.9	69.3	76.5	28.6	28.7	27.3
Banswara	3.7	3.5	-	40.2	38.7	-	47.2	48.1	-
Baran	4.4	3.9	7.6	51.3	49.1	67.8	60.5	63.4	42.9
Barmer	3.0	3.0	3.4	14.1	11.8	50.2	40.0	42.1	31.3
Bharatpur	11.9	11.1	15.6	65.9	63.7	76.1	20.1	20.4	19.0
Bhilwara	7.4	6.4	11.6	44.8	40.5	64.2	48.8	56.6	26.5
Bikaner	5.8	4.5	8.7	54.0	41.5	80.9	31.7	30.5	32.8
Bundi	13.0	13.3	12.0	63.8	59.8	80.0	50.6	53.7	40.5
Chittaurgarh	7.2	7.4	6.6	52.7	49.9	68.6	44.7	47.8	32.0
Churu	8.1	8.6	7.2	52.2	50.0	56.8	21.8	18.2	27.8
Dausa	9.1	8.3	16.4	66.5	64.4	88.5	41.8	41.3	45.6
Dhaulpur	12.1	11.6	13.6	48.6	47.3	53.6	59.8	62.9	49.3
Dungarpur	7.7	7.8	6.6	47.3	45.8	77.5	49.8	51.5	28.4
Ganganagar	8.3	7.7	9.5	77.0	74.3	83.0	17.8	17.4	18.6
Hanumangarh	7.8	8.3	6.0	60.3	61.4	57.0	34.9	36.6	28.7
Jaipur	7.4	7.8	7.1	86.0	80.9	90.4	31.7	33.9	30.0
Jaisalmer	9.2	6.5	22.5	33.3	25.8	79.1	30.5	37.8	14.3
Jalor	3.9	3.9	4.2	25.7	23.7	59.4	40.2	40.8	36.5
Jhalawar	6.7	7.0	5.2	51.3	48.7	68.1	63.3	67.7	40.5
Jhunjhunun	8.7	9.1	7.5	78.1	77.7	79.5	23.2	23.5	22.1
Jodhpur	16.5	18.9	13.4	56.2	41.2	80.5	23.0	18.8	27.1
Karauli	8.1	8.4	6.4	38.5	38.8	37.0	62.1	63.7	50.8
Kota	15.0	17.2	12.8	66.5	53.6	79.4	50.1	64.6	39.5
Nagaur	46.2	47.4	41.3	72.8	70.3	83.3	13.7	15.0	8.5
Pali	11.8	11.4	13.7	54.5	52.0	66.0	47.5	52.0	30.7
Rajsamand	6.1	6.1	5.7	46.7	45.2	63.6	54.6	56.5	37.0
Sawai Madhopur	5.6	4.7	9.2	50.0	44.7	70.5	53.0	61.2	31.3
Sikar	4.5	5.1	2.9	78.3	76.3	83.5	19.6	21.2	15.6
Sirohi	5.6	5.1	9.5	51.5	48.6	73.4	36.4	37.8	29.4
Tonk	18.9	16.1	27.2	59.1	56.0	69.1	50.8	54.3	40.7
Udaipur	3.9	3.4	5.7	38.6	29.9	76.2	48.9	53.9	40.3




CHILDHOOD DISEASES

State / District	Children suffering from Diarrhoea (%)			Children suffering from Diarrhoea who received HAF/ORS/ORT (%)			Children suffering from Acute Respiratory Infection (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	13.5	13.9	12.0	77.3	75.7	84.5	6.5	6.4	6.6
Ajmer	12.0	12.6	10.8	91.6	89.3	96.8	5.8	5.5	6.2
Alwar	19.3	20.2	8.3	84.5	84.2	94.4	10.6	10.0	16.6
Banswara	5.6	5.0	-	81.8	82.6	-	3.3	2.2	-
Baran	12.3	11.6	17.8	78.8	79.9	73.6	17.6	16.2	27.3
Barmer	17.8	20.1	8.5	75.4	75.5	75.0	6.3	6.3	6.4
Bharatpur	16.3	17.9	8.4	96.3	95.9	100.0	4.9	5.1	3.9
Bhilwara	9.8	9.6	10.6	63.0	59.7	76.0	3.2	3.0	3.7
Bikaner	13.0	14.4	10.0	97.4	96.5	100.0	5.3	6.4	3.0
Bundi	10.8	10.0	14.2	87.1	86.1	90.0	7.6	8.4	4.5
Chittaurgarh	15.5	15.1	17.2	78.5	80.1	70.5	7.1	6.5	10.2
Churu	5.5	6.2	3.9	92.6	92.6	92.3	3.4	4.0	2.1
Dausa	18.7	18.9	15.8	96.0	95.7	100.0	12.3	12.5	10.8
Dhaulpur	29.4	29.6	28.4	69.7	70.3	67.4	13.7	13.3	15.0
Dungarpur	8.6	8.9	2.3	83.1	83.2	66.7	4.2	4.1	6.3
Ganganagar	10.1	9.4	11.6	94.7	92.6	98.2	5.2	5.9	3.9
Hanumangarh	9.1	8.0	12.0	99.5	99.2	100.0	3.6	3.8	2.8
Jaipur	7.3	8.4	6.3	88.0	89.9	85.7	3.8	2.8	4.8
Jaisalmer	14.2	14.7	11.0	99.4	99.3	100.0	6.9	6.3	9.9
Jalor	18.1	18.3	16.3	57.9	58.2	52.0	3.8	3.3	11.8
Jhalawar	18.4	17.6	22.9	64.9	60.9	84.3	8.0	8.5	4.6
Jhunjhunun	7.2	7.9	4.9	94.2	93.2	100.0	4.3	4.8	2.7
Jodhpur	17.2	15.7	19.8	94.2	94.3	94.1	8.3	6.9	10.5
Karauli	17.0	18.1	10.5	72.9	72.8	73.9	5.4	5.0	8.2
Kota	18.2	17.0	19.4	73.5	63.4	82.2	6.4	8.2	4.6
Nagaur	8.3	9.2	4.3	92.5	93.9	80.0	3.5	3.7	2.6
Pali	14.5	13.6	18.5	66.9	63.9	77.0	5.6	5.6	5.5
Rajsamand	32.0	33.0	24.5	72.2	70.4	91.7	16.2	16.5	14.3
Sawai Madhopur	8.5	7.9	10.7	78.7	77.1	83.3	3.1	3.4	2.1
Sikar	9.7	10.6	7.1	95.7	97.4	88.9	3.2	3.8	1.6
Sirohi	16.7	16.1	20.8	59.4	59.0	61.9	2.6	2.7	2.0
Tonk	13.1	14.0	10.1	77.6	76.1	83.9	8.1	8.7	6.2
Udaipur	17.7	19.0	12.0	63.6	60.5	84.6	11.4	10.5	15.4

CHILDHOOD DISEASES

State / District	Children suffering from Acute Respiratory Infection who sought treatment (%)			Children suffering from Fever (%)			Children suffering from Fever who sought treatment (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	94.2	94.3	94.1	19.2	20.1	15.9	92.4	92.6	91.8
Ajmer	97.8	98.2	97.2	14.2	14.0	14.6	92.6	92.4	92.9
Alwar	97.2	96.8	100.0	26.8	27.7	16.1	94.4	94.2	97.1
Banswara	91.8	95.8	-	11.1	11.0	-	91.4	91.8	-
Baran	95.7	94.9	98.8	39.0	37.5	49.8	93.3	94.0	89.9
Barmer	92.6	100.0	66.7	24.4	24.6	23.4	95.9	97.1	90.9
Bharatpur	99.1	99.0	100.0	21.2	21.8	18.2	94.6	95.3	90.2
Bhilwara	88.7	88.7	88.9	16.0	16.9	12.2	93.1	92.5	96.7
Bikaner	99.2	99.0	100.0	16.8	17.6	15.2	94.8	94.6	95.4
Bundi	95.1	96.6	84.2	16.0	17.2	11.3	89.8	88.8	95.8
Chittaurgarh	95.6	95.4	96.2	17.8	17.3	21.1	94.5	93.7	98.1
Churu	95.4	94.3	100.0	7.6	7.9	7.1	90.9	88.8	95.8
Dausa	93.6	94.2	86.7	27.4	27.7	24.5	92.8	93.4	85.3
Dhaulpur	93.1	95.0	86.8	29.2	29.4	28.2	91.9	92.9	88.2
Dungarpur	86.5	87.5	72.7	15.1	15.4	9.7	92.8	92.9	87.5
Ganganagar	97.2	96.3	100.0	11.5	10.8	13.0	95.5	93.9	98.4
Hanumangarh	100.0	100.0	100.0	11.2	10.8	12.4	89.3	88.8	90.3
Jaipur	100.0	100.0	100.0	9.9	12.4	7.8	92.7	91.9	93.7
Jaisalmer	99.3	99.2	100.0	28.2	31.1	10.5	95.8	96.4	85.0
Jalor	87.1	89.0	77.8	27.5	27.3	30.7	95.3	95.0	100.0
Jhalawar	94.3	95.0	85.7	35.5	37.1	25.2	91.9	92.2	88.3
Jhunjhunun	94.2	93.3	100.0	11.0	11.3	10.3	89.1	86.8	97.6
Jodhpur	93.4	95.1	91.7	18.9	16.9	22.1	89.9	91.3	88.2
Karauli	93.1	92.7	94.4	20.2	21.3	13.2	95.0	95.1	93.1
Kota	96.1	96.5	95.3	24.9	26.6	23.3	92.0	93.0	90.8
Nagaur	87.1	90.4	66.7	8.3	8.9	5.6	94.5	93.7	100.0
Pali	93.4	92.8	96.2	16.7	16.1	19.6	91.8	90.4	96.7
Rajsamand	91.9	92.7	77.8	33.8	35.8	18.4	93.0	94.4	72.9
Sawai Madhopur	87.4	88.0	83.3	12.8	12.8	13.1	94.5	94.5	94.6
Sikar	99.0	98.8	100.0	13.1	14.3	9.9	90.3	91.2	86.8
Sirohi	91.6	93.3	75.0	18.3	18.0	20.3	91.1	89.8	100.0
Tonk	92.5	93.4	88.2	17.7	18.4	15.4	91.8	91.1	94.1
Udaipur	93.3	91.0	100.0	30.5	31.7	25.2	89.3	89.6	87.8


Rajasthan: Childhood Diseases (%)




BREASTFEEDING AND SUPPLEMENTATION

State / District	Children breastfed within one hour of birth (%)			Children (aged 6-35 months) exclusively breastfed for at least six months (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	48.6	46.4	56.5	24.7	24.9	24.1
Ajmer	47.8	42.3	58.2	24.0	23.0	25.9
Alwar	40.0	41.2	26.9	11.0	11.1	10.1
Banswara	27.7	27.9	-	31.9	31.6	-
Baran	49.5	48.7	54.7	33.0	30.8	48.8
Barmer	50.7	48.4	59.6	22.0	21.7	23.3
Bharatpur	42.6	42.6	42.8	8.7	9.3	5.6
Bhilwara	39.5	37.9	47.0	33.9	34.3	32.4
Bikaner	38.7	31.0	55.4	13.9	11.5	18.9
Bundi	53.1	54.0	49.6	32.7	34.1	27.4
Chittaurgarh	59.6	58.0	67.3	34.1	34.0	34.4
Churu	58.5	58.8	57.9	16.6	17.8	14.2
Dausa	78.0	77.4	83.9	6.2	6.2	5.7
Dhaulpur	45.9	46.4	44.0	38.3	37.5	41.3
Dungarpur	43.3	43.6	37.7	33.2	33.6	22.8
Ganganagar	56.9	56.9	56.9	6.6	5.2	9.5
Hanumangarh	45.3	48.7	35.1	5.5	5.6	5.4
Jaipur	62.9	54.8	70.0	11.8	5.7	17.2
Jaisalmer	35.7	32.7	50.6	11.6	10.1	18.8
Jalor	42.4	43.4	27.5	29.8	29.4	35.4
Jhalawar	71.1	71.4	69.4	35.6	36.0	33.2
Jhunjhunun	57.0	55.2	63.0	5.4	5.0	6.9
Jodhpur	53.6	47.4	61.7	9.8	10.0	9.6
Karauli	48.2	48.8	44.6	34.2	34.7	31.4
Kota	54.1	51.9	56.4	41.7	44.5	39.0
Nagaur	74.4	74.9	72.5	13.7	12.8	17.2
Pali	37.6	36.2	44.4	41.3	40.9	42.9
Rajsamand	50.5	51.3	44.9	31.1	33.1	15.6
Sawai Madhopur	50.0	48.4	55.6	61.8	63.1	57.1
Sikar	39.5	41.2	34.9	14.9	14.2	16.9
Sirohi	29.3	27.8	39.4	38.3	36.6	51.7
Tonk	49.6	49.4	50.4	29.8	28.6	33.6
Udaipur	44.7	39.5	63.6	34.2	34.0	34.9

Rajasthan: Children breastfed within one hour of birth (%)



Rajasthan: Children (aged 6-35 months) exclusively breastfed for at least six months (%)



CHILDREN WHO RECEIVED FOODS OTHER THAN BREAST MILK DURING FIRST 6 MONTHS

State / District	Water (%)			Animal/Formula Milk (%)			Semi-Solid mashed food (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	75.2	73.8	80.1	65.7	64.3	70.4	15.7	15.6	16.2
Ajmer	88.8	88.6	89.2	78.7	79.7	76.7	9.3	10.6	6.8
Alwar	94.7	94.5	96.7	87.2	87.1	87.4	17.8	18.1	15.4
Banswara	69.4	69.7	-	61.1	61.2	-	19.7	19.8	-
Baran	49.4	51.2	37.2	38.4	39.6	30.5	11.0	12.3	2.7
Barmer	79.6	79.9	74.5	60.9	61.0	59.3	14.9	15.3	8.3
Bharatpur	96.8	96.4	98.8	87.6	86.9	91.2	19.1	16.5	31.6
Bhilwara	63.2	63.1	63.6	53.6	54.2	51.0	18.5	18.8	17.2
Bikaner	94.9	94.8	95.2	86.1	85.6	87.1	11.8	11.3	12.9
Bundi	66.0	64.5	71.8	58.6	56.8	65.1	19.1	17.7	24.3
Chittaurgarh	66.6	66.9	65.3	58.2	59.2	53.3	3.2	3.6	1.5
Churu	95.4	95.3	95.7	87.5	85.0	92.5	12.1	14.8	6.7
Dausa	99.4	99.4	99.2	96.1	96.2	95.2	12.9	11.0	31.5
Dhaulpur	62.0	62.4	60.6	48.4	49.0	46.1	24.6	25.5	21.2
Dungarpur	53.1	52.4	66.4	43.9	43.7	47.5	10.4	10.7	4.9
Ganganagar	97.4	98.1	96.0	90.6	92.5	86.6	12.6	11.5	15.1
Hanumangarh	96.3	95.9	97.7	85.5	83.4	91.8	10.0	10.6	8.2
Jaipur	96.7	98.9	94.8	89.8	92.9	87.0	15.2	11.8	18.1
Jaisalmer	92.9	92.9	92.9	75.0	74.2	79.2	17.8	19.8	7.8
Jalor	64.1	64.2	63.3	60.0	59.9	60.8	15.4	15.5	14.2
Jhalawar	61.8	62.1	59.9	53.7	54.7	47.6	16.7	17.6	11.9
Jhunjhunun	96.5	97.1	94.1	84.7	87.1	76.9	14.8	16.4	9.3
Jodhpur	93.5	93.6	93.4	77.5	75.9	79.7	17.9	19.0	16.4
Karauli	47.7	45.6	60.8	40.2	37.6	56.8	3.6	3.2	6.3
Kota	59.9	56.5	63.3	53.0	49.6	56.4	13.9	14.7	13.1
Nagaur	94.4	94.7	93.1	75.8	79.0	63.1	12.6	14.3	5.6
Pali	52.3	50.8	59.2	45.9	44.6	51.8	12.1	11.5	14.8
Rajsamand	69.1	67.4	85.1	54.1	52.1	73.0	19.2	18.3	27.7
Sawai Madhopur	44.6	42.8	51.0	40.6	39.1	46.1	19.9	19.9	19.8
Sikar	92.8	93.8	90.2	81.0	83.1	75.3	18.4	17.6	20.4
Sirohi	61.7	62.6	55.3	54.0	54.4	51.8	20.2	20.4	18.8
Tonk	70.6	71.4	68.2	67.7	68.8	64.3	26.5	24.2	33.5
Udaipur	61.7	61.5	62.3	48.3	47.9	49.8	15.4	12.9	24.7

CHILDREN WHO RECEIVED FOODS OTHER THAN BREAST MILK DURING FIRST 6 MONTHS

State / District	Solid (Adult) Food (%)			Vegetables/Fruits (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	8.0	7.8	8.9	7.9	7.4	9.8
Ajmer	5.7	7.3	2.7	5.6	7.1	2.7
Alwar	14.6	14.3	17.0	14.8	14.7	15.9
Banswara	9.1	9.3	-	5.3	5.5	-
Baran	4.3	5.0	0.0	1.2	1.3	0.0
Barmer	4.9	4.9	4.8	3.5	3.5	3.4
Bharatpur	13.5	11.4	23.6	14.0	11.6	25.6
Bhilwara	7.2	7.1	7.6	8.3	7.5	12.1
Bikaner	8.1	7.2	9.9	8.3	7.5	9.9
Bundi	8.1	8.4	7.0	7.6	6.5	11.5
Chittaurgarh	9.5	10.4	5.5	8.3	9.1	4.5
Churu	7.1	8.5	4.3	7.5	8.9	4.7
Dausa	7.3	5.9	20.2	7.0	6.0	16.9
Dhaulpur	14.8	15.5	12.1	15.4	16.7	10.5
Dungarpur	1.4	1.5	0.8	1.7	1.7	0.8
Ganganagar	7.9	7.1	9.7	9.1	8.5	10.4
Hanumangarh	3.2	2.7	4.7	3.2	2.9	4.1
Jaipur	9.5	6.0	12.6	10.1	5.8	13.9
Jaisalmer	14.6	16.1	7.1	14.9	16.4	7.1
Jalor	1.9	1.5	7.5	3.1	2.7	10.0
Jhalawar	11.2	12.1	6.0	8.6	9.0	6.3
Jhunjhunun	8.2	9.4	4.0	8.4	9.8	3.7
Jodhpur	14.6	15.0	14.1	14.2	14.7	13.7
Karauli	4.1	4.4	1.7	4.3	4.7	1.7
Kota	4.4	3.4	5.5	5.5	3.1	7.9
Nagaur	8.7	10.3	2.5	8.7	10.2	2.5
Pali	3.9	2.7	9.2	4.5	3.5	8.9
Rajsamand	6.5	6.6	5.0	2.9	2.9	2.1
Sawai Madhopur	13.2	14.2	9.5	10.8	11.4	8.6
Sikar	13.3	13.5	12.7	13.9	13.7	14.2
Sirohi	4.1	4.1	4.1	3.8	3.8	3.5
Tonk	12.1	12.1	12.0	16.4	14.1	23.2
Udaipur	6.4	5.9	8.5	7.4	7.6	6.5

AVERAGE MONTH BY WHICH CHILDREN RECEIVED FOODS OTHER THAN BREAST MILK

State / District	Water			Animal/Formula Milk			Semi-Solid mashed food		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	3.3	3.4	3.0	4.1	4.2	3.6	7.9	8.0	7.6
Ajmer	1.8	1.7	1.9	2.4	2.4	2.3	7.7	7.5	8.1
Alwar	1.4	1.5	1.1	2.0	2.0	1.6	6.6	6.6	6.5
Banswara	4.1	4.0	-	5.1	5.1	-	8.2	8.2	-
Baran	5.1	5.0	5.7	5.1	5.1	5.1	8.5	8.5	8.5
Barmer	3.8	3.8	3.8	5.4	5.4	5.4	8.3	8.4	8.2
Bharatpur	2.1	2.2	1.4	3.0	3.2	2.2	6.6	6.9	5.5
Bhilwara	4.6	4.6	4.5	5.3	5.3	5.3	8.1	8.1	8.2
Bikaner	1.6	1.7	1.4	2.2	2.4	1.8	7.4	7.6	7.0
Bundi	4.5	4.7	4.0	5.2	5.4	4.5	8.5	8.5	8.3
Chittaurgarh	4.1	4.1	4.4	5.1	5.0	5.6	7.9	7.9	8.0
Churu	1.3	1.5	0.8	1.6	1.9	0.8	7.2	6.8	7.8
Dausa	0.6	0.6	0.9	1.1	1.1	1.3	7.3	7.5	5.7
Dhaulpur	4.6	4.6	4.7	5.6	5.5	5.8	7.6	7.5	8.0
Dungarpur	4.3	4.3	3.9	5.5	5.6	4.9	8.4	8.4	8.7
Ganganagar	1.7	1.6	2.0	2.5	2.3	2.9	6.9	7.1	6.7
Hanumangarh	2.3	2.5	1.7	3.2	3.5	2.5	7.4	7.5	7.1
Jaipur	1.3	1.1	1.5	1.8	1.8	1.9	7.0	7.7	6.3
Jaisalmer	2.5	2.5	2.4	3.5	3.5	3.1	6.8	6.7	7.4
Jalor	4.1	4.1	4.2	5.2	5.2	5.0	8.6	8.7	8.6
Jhalawar	4.6	4.5	5.3	5.1	5.0	5.4	8.0	8.0	8.3
Jhunjhunun	2.3	2.1	3.0	3.4	3.1	4.3	7.2	7.0	7.8
Jodhpur	2.6	2.3	2.9	3.6	3.3	3.9	6.7	6.6	6.9
Karauli	4.0	4.1	3.7	5.4	5.5	5.0	9.0	9.0	8.7
Kota	4.8	5.0	4.5	4.7	5.1	4.4	8.5	8.2	8.8
Nagaur	2.2	2.0	3.0	3.1	2.8	4.4	7.5	7.2	8.4
Pali	4.6	4.7	4.4	5.1	5.2	4.9	8.5	8.5	8.4
Rajsamand	4.5	4.7	2.9	5.2	5.4	3.6	8.4	8.4	8.1
Sawai Madhopur	4.9	5.1	4.4	6.0	6.1	5.8	8.0	8.0	7.9
Sikar	2.6	2.6	2.6	3.5	3.5	3.5	6.7	6.6	6.9
Sirohi	4.1	4.1	4.0	4.9	4.9	4.7	8.0	8.0	8.0
Tonk	4.2	4.0	4.7	4.4	4.3	4.8	8.4	8.5	8.0
Udaipur	4.8	4.8	5.0	5.7	5.8	5.6	8.4	8.5	8.0


AVERAGE MONTH BY WHICH CHILDREN RECEIVED FOODS OTHER THAN BREAST MILK

State / District	Solid (Adult) Food			Vegetables/Fruits		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	10.2	10.2	10.2	9.9	9.9	9.6
Ajmer	11.2	10.8	11.8	9.7	9.4	10.3
Alwar	9.5	9.6	8.6	8.1	8.1	7.7
Banswara	10.0	10.0	-	10.4	10.4	-
Baran	10.5	10.4	11.2	10.7	10.5	11.8
Barmer	10.5	10.5	10.2	10.7	10.7	10.8
Bharatpur	10.0	10.3	8.8	8.4	8.7	7.2
Bhilwara	10.0	9.9	10.3	9.7	9.6	10.1
Bikaner	10.9	11.1	10.2	9.0	9.2	8.3
Bundi	10.5	10.4	10.8	10.5	10.5	10.5
Chittaurgarh	9.8	9.8	10.1	10.1	9.9	10.9
Churu	10.5	10.1	11.3	9.1	8.7	9.8
Dausa	11.2	11.4	10.1	9.5	9.8	7.6
Dhaulpur	9.0	8.8	9.6	9.7	9.5	10.3
Dungarpur	10.5	10.5	10.7	10.8	10.8	11.5
Ganganagar	10.6	10.8	10.3	8.8	8.9	8.6
Hanumangarh	11.3	11.5	10.8	9.7	9.8	9.4
Jaipur	10.0	11.0	9.2	8.8	9.8	8.0
Jaisalmer	9.7	9.5	10.5	8.2	8.0	9.2
Jalor	11.0	11.0	10.4	10.8	10.8	10.4
Jhalawar	9.7	9.5	10.6	10.1	10.0	10.4
Jhunjhunun	10.7	10.4	11.6	9.4	9.0	10.4
Jodhpur	9.6	9.5	9.7	8.2	8.1	8.4
Karauli	10.6	10.6	10.3	11.8	11.8	11.8
Kota	10.3	10.0	10.6	10.2	10.2	10.3
Nagaur	10.7	10.2	12.1	9.0	8.7	9.9
Pali	10.4	10.4	10.3	10.5	10.5	10.6
Rajsamand	10.1	10.0	10.6	10.6	10.5	11.7
Sawai Madhopur	9.4	9.3	9.6	9.7	9.6	9.9
Sikar	9.6	9.6	9.7	8.5	8.4	8.7
Sirohi	10.6	10.7	10.2	10.6	10.6	10.6
Tonk	10.1	10.2	9.8	10.3	10.5	9.9
Udaipur	10.2	10.3	9.7	10.0	10.0	10.0

BIRTH REGISTRATION

State / District	Birth Registered (%)			Children whose birth was registered and received Birth Certificate (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	75.4	72.6	85.9	43.4	39.1	59.5
Ajmer	61.9	52.3	80.8	52.6	42.6	72.1
Alwar	68.4	67.5	78.3	30.0	27.4	59.4
Banswara	86.9	86.6	-	41.2	40.9	-
Baran	93.9	93.3	98.0	40.2	38.7	51.2
Barmer	77.3	72.4	97.8	46.4	37.7	82.2
Bharatpur	63.0	61.7	69.6	32.4	30.3	42.1
Bhilwara	73.8	71.4	84.5	53.5	56.2	41.2
Bikaner	51.8	40.4	76.2	26.5	21.1	38.2
Bundi	87.3	85.1	96.0	55.6	55.6	55.8
Chittaurgarh	85.0	82.9	97.3	54.6	52.6	65.8
Churu	56.5	52.7	64.3	29.6	24.7	39.9
Dausa	70.9	69.4	86.3	27.3	27.1	29.5
Dhaulpur	89.9	88.9	93.4	51.2	52.9	44.9
Dungarpur	77.3	76.3	97.2	33.7	32.7	52.8
Ganganagar	73.2	71.4	77.1	60.7	57.9	66.7
Hanumangarh	66.0	62.9	74.7	55.1	52.4	62.7
Jaipur	83.8	77.7	89.1	54.9	33.1	73.7
Jaisalmer	35.1	28.8	73.3	21.3	14.0	65.4
Jalor	66.4	65.0	90.8	37.4	36.6	51.6
Jhalawar	85.9	84.7	93.8	51.7	51.6	52.1
Jhunjhunun	75.5	74.8	78.0	45.0	40.1	61.9
Jodhpur	51.8	39.2	72.4	40.2	26.5	62.5
Karauli	91.8	91.2	95.0	55.8	62.0	17.3
Kota	90.9	86.6	95.3	48.4	26.0	70.7
Nagaur	72.9	71.2	80.3	56.5	52.7	73.0
Pali	84.0	83.4	86.6	54.5	51.6	67.3
Rajsamand	86.9	85.7	95.9	45.0	42.9	61.2
Sawai Madhopur	89.6	88.2	94.9	48.9	52.0	37.0
Sikar	75.5	72.4	83.8	30.1	27.2	37.7
Sirohi	86.6	85.3	96.1	52.4	51.5	58.6
Tonk	84.1	82.7	88.4	39.8	33.1	61.4
Udaipur	69.6	63.4	96.0	35.5	28.6	64.9

Rajasthan: Birth Registration (%)






AWARENESS ON HIV/AIDS, RTI/STI, HAF/ORS/ORT AND ARI/PNEUMONIA

State / District	Women who are aware of HIV/AIDS (%)			Women who are aware of RTI/STI (%)			Women who are aware of HAF/ORS/ORT (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	80.5	77.2	90.4	81.1	78.8	88.0	91.5	89.6	97.0
Ajmer	91.9	88.9	96.6	96.6	95.9	97.7	97.8	97.0	99.2
Alwar	84.8	84.0	92.2	90.0	89.6	93.0	98.8	98.7	99.3
Banswara	72.5	71.8	-	71.9	71.8	-	75.5	74.7	-
Baran	47.1	46.1	53.1	62.8	63.3	59.8	74.2	72.2	85.8
Barmer	63.8	61.5	88.6	71.7	70.4	86.5	84.0	82.6	99.5
Bharatpur	92.8	93.6	89.8	92.5	92.0	94.5	99.3	99.3	99.3
Bhilwara	80.7	82.3	74.0	73.6	73.4	74.2	82.2	79.7	92.7
Bikaner	89.0	88.0	90.5	92.2	91.8	92.9	98.8	99.2	98.3
Bundi	52.9	45.6	77.0	76.3	78.1	70.3	92.4	91.0	96.7
Chittaurgarh	81.5	79.0	93.4	75.5	72.1	91.4	87.4	86.3	92.8
Churu	91.5	91.4	91.7	97.0	96.4	98.3	99.6	99.7	99.5
Dausa	76.2	74.5	94.7	68.6	68.0	74.6	99.0	98.9	99.6
Dhaulpur	70.7	68.9	76.0	41.5	40.6	43.9	81.7	79.6	87.8
Dungarpur	83.9	84.2	80.4	72.1	73.3	57.4	79.4	78.4	91.3
Ganganagar	96.6	95.7	98.7	95.2	93.9	98.1	99.4	99.3	99.7
Hanumangarh	98.7	98.7	98.5	96.6	97.7	92.7	99.7	99.6	99.8
Jaipur	92.6	87.0	98.0	96.9	96.0	97.7	99.4	99.3	99.4
Jaisalmer	90.0	87.7	98.6	93.9	92.9	97.5	99.7	99.7	99.6
Jalor	57.0	54.6	82.9	60.5	59.0	77.4	81.7	80.2	97.7
Jhalawar	40.7	34.3	75.3	61.9	58.3	80.9	81.1	78.3	96.3
Jhunjhunun	97.4	97.5	97.3	97.8	97.5	99.1	99.6	99.7	99.3
Jodhpur	96.3	96.0	96.7	97.0	96.8	97.3	99.2	99.2	99.4
Karauli	56.1	48.2	87.2	63.4	63.0	65.1	92.1	91.6	93.8
Kota	78.6	66.4	88.3	84.5	89.0	81.0	84.5	71.0	95.0
Nagaur	95.0	95.7	91.1	90.0	88.9	96.2	99.1	99.0	99.7
Pali	59.3	53.3	79.3	54.8	52.0	64.0	79.4	79.0	80.8
Rajsamand	78.2	78.6	75.6	68.8	67.6	75.3	88.8	87.6	95.3
Sawai Madhopur	57.0	50.5	77.3	70.3	63.4	91.8	89.6	88.2	94.2
Sikar	98.4	98.4	98.2	97.8	98.0	97.3	99.4	99.5	99.1
Sirohi	60.7	56.3	83.6	72.4	69.0	90.0	84.3	82.7	92.5
Tonk	53.1	46.1	77.7	51.1	50.1	54.5	87.5	84.9	97.0
Udaipur	78.3	76.2	84.1	65.2	61.8	75.1	77.5	71.0	95.9



AWARENESS ON HIV/AIDS, RTI/STI, HAF/ORS/ORT AND ARI/PNEUMONIA

State / District	Women who are aware of danger signs of ARI/Pneumonia (%)		
	Total	Rural	Urban
1	2	3	4
Rajasthan	91.7	90.3	95.8
Ajmer	96.1	94.9	98.0
Alwar	98.3	98.3	98.7
Banswara	65.1	63.7	-
Baran	76.7	77.1	74.9
Barmer	90.9	90.4	95.5
Bharatpur	98.6	98.8	97.7
Bhilwara	76.7	75.7	80.7
Bikaner	98.3	98.8	97.7
Bundi	92.1	93.8	86.6
Chittaurgarh	82.0	80.7	88.0
Churu	99.0	99.1	98.7
Dausa	96.8	96.7	97.1
Dhaulpur	91.3	90.1	95.0
Dungarpur	56.1	54.2	78.3
Ganganagar	98.8	98.5	99.5
Hanumangarh	98.7	98.7	98.6
Jaipur	98.4	98.2	98.7
Jaisalmer	98.2	98.2	98.5
Jalor	91.0	90.2	99.1
Jhalawar	80.7	78.7	91.3
Jhunjhunun	98.7	98.7	98.6
Jodhpur	98.4	98.3	98.5
Karauli	90.0	88.1	97.5
Kota	91.0	90.9	91.0
Nagaur	98.3	98.2	99.2
Pali	91.2	91.0	91.9
Rajsamand	94.1	93.5	98.0
Sawai Madhopur	89.5	87.3	96.4
Sikar	98.3	98.4	97.8
Sirohi	93.8	93.0	98.2
Tonk	89.8	89.1	92.7
Udaipur	88.9	86.2	96.4





MORTALITY

State / District	Crude Death Rate (CDR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
Rajasthan	6.6	7.1	5.9	6.9	7.5	6.2	5.6	6.1	5.0
Ajmer	6.4	7.0	5.7	6.6	7.3	5.9	6.0	6.6	5.3
Alwar	5.9	6.5	5.3	6.0	6.5	5.4	5.6	6.2	4.9
Banswara	7.7	8.4	7.0	7.9	8.5	7.3	5.1	6.9	3.2
Baran	6.8	7.5	6.0	7.2	8.0	6.4	4.2	4.7	3.7
Barmer	6.4	6.9	5.8	6.4	7.0	5.8	5.5	5.5	5.4
Bharatpur	6.0	6.4	5.5	6.1	6.4	5.7	5.5	6.3	4.6
Bhilwara	7.5	8.3	6.7	8.0	8.7	7.2	5.6	6.5	4.7
Bikaner	6.4	6.9	5.8	6.9	7.7	6.1	5.6	5.7	5.4
Bundi	7.8	8.3	7.4	8.2	8.8	7.5	6.8	6.7	7.0
Chittaurgarh	5.7	6.9	4.5	6.1	7.4	4.7	4.1	4.8	3.2
Churu	6.3	7.2	5.3	6.4	7.4	5.3	6.1	6.8	5.3
Dausa	6.6	6.9	6.2	6.6	7.0	6.1	6.8	6.5	7.0
Dhaulpur	5.9	6.2	5.6	6.5	6.7	6.4	4.3	4.9	3.5
Dungarpur	6.5	7.3	5.7	6.6	7.3	5.8	5.5	6.8	4.1
Ganganagar	6.3	6.6	6.1	6.4	6.5	6.4	6.1	6.7	5.4
Hanumangarh	6.3	6.8	5.7	6.4	6.9	5.7	5.9	6.1	5.6
Jaipur	5.9	6.3	5.5	6.0	6.4	5.5	5.8	6.1	5.4
Jaisalmer	6.7	7.3	6.1	7.0	7.5	6.4	5.8	6.5	5.0
Jalor	7.4	8.4	6.4	7.5	8.5	6.4	6.2	7.0	5.4
Jhalawar	7.8	8.5	7.0	8.2	9.1	7.3	5.7	5.9	5.5
Jhunjhunun	5.9	6.2	5.5	6.0	6.3	5.6	5.5	5.7	5.2
Jodhpur	6.3	6.9	5.7	6.4	6.8	6.0	6.1	7.0	5.3
Karauli	6.2	6.5	5.7	6.5	6.6	6.3	4.9	6.1	3.5
Kota	5.7	6.2	5.1	7.3	7.5	7.2	4.3	5.1	3.4
Nagaur	6.5	7.0	6.0	6.6	7.2	6.1	5.9	6.3	5.4
Pali	6.8	7.6	5.9	7.3	8.4	6.2	4.8	5.1	4.6
Rajsamand	8.7	9.7	7.8	9.4	10.5	8.4	4.7	5.2	4.2
Sawai Madhopur	7.4	7.9	6.8	8.3	8.7	7.8	4.6	5.4	3.7
Sikar	6.1	6.4	5.7	6.3	6.6	5.9	5.5	5.9	5.1
Sirohi	6.9	7.6	6.2	7.2	8.0	6.5	5.3	5.5	5.0
Tonk	7.6	8.0	7.1	8.4	9.0	7.8	4.8	4.7	4.9
Udaipur	8.2	9.1	7.3	9.1	10.2	8.0	5.9	6.3	5.4



MORTALITY


State / District	Infant Mortality Rate (IMR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
Rajasthan	60	55	65	64	59	69	43	38	49
Ajmer	57	46	69	64	51	78	43	35	52
Alwar	59	54	65	61	55	67	44	36	53
Banswara	62	58	66	62	59	66	-	-	-
Baran	62	60	64	61	61	61	71	57	88
Barmer	72	68	76	73	69	77	57	55	60
Bharatpur	55	49	62	57	52	62	47	36	60
Bhilwara	68	71	65	75	75	74	-	-	-
Bikaner	54	49	61	62	55	69	40	35	46
Bundi	65	63	67	72	70	74	36	33	38
Chittaurgarh	62	61	64	66	66	67	41	34	47
Churu	55	50	62	60	54	68	43	39	48
Dausa	57	50	65	58	51	66	47	41	52
Dhaulpur	63	56	71	66	59	75	51	46	58
Dungarpur	67	63	70	66	62	71	75	96	56
Ganganagar	60	54	66	67	62	72	40	33	48
Hanumangarh	54	48	61	58	52	64	41	33	50
Jaipur	55	47	65	68	59	78	44	36	54
Jaisalmer	58	48	69	60	50	72	45	39	51
Jalor	79	75	83	81	76	86	-	-	-
Jhalawar	65	62	68	69	67	71	-	-	-
Jhunjhunun	54	48	61	58	52	64	42	36	47
Jodhpur	54	48	61	60	54	66	44	37	52
Karauli	68	66	71	66	62	72	78	88	65
Kota	36	35	36	44	42	46	27	28	26
Nagaur	59	52	67	61	55	68	46	34	60
Pali	55	55	56	60	60	59	34	30	39
Rajsamand	65	63	68	70	66	75	-	-	-
Sawai Madhopur	67	64	70	70	67	73	54	50	59
Sikar	56	50	63	59	54	66	48	40	56
Sirohi	62	59	66	66	63	69	34	28	40
Tonk	51	52	51	59	59	59	-	-	-
Udaipur	62	62	62	65	64	66	47	50	42



MORTALITY



State / District	Neo-natal Mortality Rate			Post Neo-natal Mortality Rate		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	40	43	30	20	21	14
Ajmer	34	42	20	22	22	23
Alwar	35	36	23	24	24	21
Banswara	41	41	-	21	21	-
Baran	41	40	49	21	21	22
Barmer	54	55	33	18	17	24
Bharatpur	42	43	33	13	13	14
Bhilwara	48	52	-	20	22	-
Bikaner	37	42	27	18	20	13
Bundi	45	49	27	20	22	9
Chittaurgarh	45	48	32	17	19	9
Churu	36	39	30	19	22	13
Dausa	33	34	25	24	24	21
Dhaulpur	36	37	34	26	29	18
Dungarpur	43	42	59	23	24	17
Ganganagar	39	45	21	21	22	18
Hanumangarh	35	38	24	20	20	16
Jaipur	39	41	38	16	27	6
Jaisalmer	30	32	22	28	28	22
Jalor	58	60	-	21	21	-
Jhalawar	47	50	-	18	19	-
Jhunjhunun	39	41	31	16	17	11
Jodhpur	35	41	23	20	19	21
Karauli	44	43	53	24	24	25
Kota	25	29	22	10	15	5
Nagaur	42	44	30	17	17	16
Pali	39	42	24	17	18	10
Rajsamand	41	43	-	24	27	-
Sawai Madhopur	46	47	41	21	22	13
Sikar	32	35	22	23	22	26
Sirohi	41	44	19	21	22	15
Tonk	33	37	-	18	22	-
Udaipur	40	41	35	22	24	12

Rajasthan: Infant Mortality Rate (IMR) with it's component



MORTALITY

State / District	Under Five Mortality Rate (U5MR)								
	Total			Rural			Urban		
	Person	Male	Female	Person	Male	Female	Person	Male	Female
1	2	3	4	5	6	7	8	9	10
Rajasthan	79	72	87	85	79	92	57	50	65
Ajmer	77	66	89	85	71	101	61	55	68
Alwar	82	74	91	83	75	91	68	52	84
Banswara	99	94	104	102	97	107	-	-	-
Baran	79	75	83	80	78	83	71	57	88
Barmer	86	81	92	87	82	93	74	65	82
Bharatpur	75	64	88	78	67	90	64	52	77
Bhilwara	85	84	86	95	91	100	-	-	-
Bikaner	72	63	82	79	69	91	59	51	67
Bundi	81	79	85	90	88	93	46	40	52
Chittaurgarh	75	72	78	79	75	84	50	53	47
Churu	69	61	77	74	69	80	55	42	69
Dausa	87	78	97	89	80	100	66	64	69
Dhaulpur	77	68	88	83	73	95	58	52	65
Dungarpur	87	82	94	88	81	95	84	102	68
Ganganagar	79	70	89	81	75	89	70	55	86
Hanumangarh	73	65	81	78	70	87	52	46	59
Jaipur	74	63	87	88	81	96	61	46	78
Jaisalmer	78	67	91	81	70	94	63	50	77
Jalor	99	94	104	101	97	106	-	-	-
Jhalawar	82	77	87	88	83	93	-	-	-
Jhunjhunun	74	69	79	77	70	84	63	64	61
Jodhpur	71	65	78	78	72	85	58	51	65
Karauli	80	78	83	80	76	85	83	92	70
Kota	45	44	46	62	60	63	30	30	30
Nagaur	75	64	88	78	68	90	58	42	77
Pali	78	73	83	85	81	90	50	43	57
Rajsamand	89	83	95	97	89	105	-	-	-
Sawai Madhopur	78	77	80	85	85	85	56	50	64
Sikar	82	75	91	82	76	90	82	71	94
Sirohi	85	78	93	92	84	99	45	39	51
Tonk	73	71	75	86	83	88	-	-	-
Udaipur	88	86	89	98	97	99	54	54	54




MORTALITY

State / Commissionrait	Maternal Mortality Ratio (MMR), Maternal Mortality Rate and Life Time Risk							
	Sample Female Population	Sample Live Births	Maternal Deaths	MMR	95% Confidence Interval		Maternal Mortality Rate	Life Time Risk
					Lower Limit	Upper Limit		
1	2	3	4	5	6	7	8	9
Rajasthan	434673	129984	430	331	300	362	33	1.15%
BIKANER (Ganganagar, Hanumangarh, Bikaner, Churu)	53055	14854	51	343	249	437	32	1.12%
JAIPUR (Jhunjhunun, Alwar, Dausa, Jaipur, Sikar)	90722	25099	80	319	249	388	29	1.02%
BHARATPUR (Bharatpur, Dhaulpur, Karauli, Sawai Madhopur)	42892	14726	43	292	205	379	33	1.16%
AJMER (Nagaur, Ajmer, Tonk Bhilwara)	57230	15976	54	338	248	428	31	1.09%
JODHPUR (Jodhpur, Jaisalmer, Barmer, Jalor, Sirohi, Pali)	81627	26117	84	322	253	390	34	1.19%
KOTA (Bundi, Kota, Baran, Jhalawar)	46845	13134	45	343	243	443	32	1.11%
UDAIPUR (Rajsamand, Udaipur, Dungarpur, Banswara, Chittaurgarh)	62302	20078	73	364	280	447	39	1.36%

DISTRIBUTION OF MATERNAL AND NON-MATERNAL DEATHS BY BROAD AGE GROUP

Age Group	Sample Female Deaths	Maternal Deaths	Proportion	95% Confidence Interval		Non Maternal Deaths	Proportion	95% Confidence Interval	
				Lower Limit	Upper Limit			Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10
15-19	275	58	13	10	17	217	14	12	15
20-24	346	117	27	23	31	229	14	13	16
25-29	301	118	27	23	32	183	11	10	13
30-34	272	74	17	14	21	198	12	11	14
35-39	268	46	11	8	14	222	14	12	16
40-44	254	11	3	1	4	243	15	13	17
45-49	312	6	1	0	3	306	19	17	21
Total	2028	430	100			1598	100		

Rajasthan: Maternal Mortality Ratio (MMR) at Commissionrait level



CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Crude Birth Rate						Crude Death Rate					
	Total		Rural		Urban		Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10	11	12	13
Rajasthan	24.4	25.0	25.4	26.1	21.0	22.0	6.4	6.7	6.7	7.0	5.3	5.8
Ajmer	22.4	25.2	23.6	27.6	19.0	23.0	5.9	6.9	5.9	7.3	5.4	6.6
Alwar	21.5	24.4	21.9	25.0	15.6	21.8	5.3	6.5	5.3	6.6	4.7	6.5
Banswara	27.8	33.8	28.4	34.7	12.8	24.4	7.1	8.4	7.2	8.6	2.4	7.7
Baran	24.3	27.1	25.3	28.3	17.1	21.2	6.1	7.4	6.5	7.9	2.8	5.6
Barmer	30.2	34.8	30.6	35.5	18.4	34.4	5.8	6.9	5.9	7.0	4.5	6.5
Bharatpur	22.6	25.0	23.0	25.8	19.0	23.7	5.5	6.4	5.6	6.5	4.4	6.6
Bhilwara	21.6	23.2	22.3	23.9	16.8	22.7	6.3	8.7	6.6	9.3	2.6	8.7
Bikaner	23.3	26.5	24.7	28.3	19.8	24.9	5.4	7.4	5.7	8.2	4.1	7.0
Bundi	22.3	25.2	23.1	26.6	17.7	22.2	7.1	8.6	7.3	9.0	5.5	8.2
Chittaurgarh	20.2	22.6	20.9	23.6	15.3	19.7	5.1	6.3	5.4	6.8	3.1	5.0
Churu	22.0	24.8	22.6	25.8	18.5	24.6	5.9	6.6	6.0	6.8	5.2	6.9
Dausa	21.4	23.4	21.5	23.6	18.4	24.8	6.1	7.1	6.1	7.1	4.8	8.7
Dhaulpur	27.7	30.4	29.0	31.9	21.4	28.6	5.3	6.6	5.9	7.2	2.5	6.0
Dungarpur	26.5	29.5	27.2	30.3	15.5	22.2	6.0	6.9	6.1	7.0	4.0	7.1
Ganganagar	21.2	24.2	21.9	25.8	18.4	21.7	5.8	6.8	5.8	7.1	5.4	6.8
Hanumangarh	22.7	24.5	22.9	25.0	20.8	24.3	5.8	6.8	5.9	6.8	4.3	7.5
Jaipur	22.2	24.0	21.9	24.5	21.7	24.2	5.5	6.2	5.4	6.6	5.4	6.2
Jaisalmer	23.0	25.5	23.5	26.2	18.8	23.5	5.9	7.6	6.0	7.9	3.8	7.8
Jalor	26.4	29.5	27.1	30.3	14.5	23.8	6.5	8.2	6.6	8.4	4.3	8.1
Jhalawar	23.7	26.2	24.5	27.3	17.8	22.7	7.0	8.6	7.3	9.1	4.4	7.0
Jhunjhunun	21.8	24.8	22.2	25.9	18.4	23.2	5.3	6.4	5.3	6.6	4.6	6.4
Jodhpur	23.1	24.8	23.7	25.0	21.1	25.3	5.7	6.9	5.7	7.2	5.3	7.0
Karauli	25.1	29.8	27.5	31.5	12.7	25.9	5.6	6.8	5.9	7.1	3.5	6.2
Kota	20.9	23.1	23.0	26.0	18.3	21.5	4.9	6.5	5.9	8.7	3.5	5.1
Nagaur	22.5	24.4	22.9	24.3	18.1	27.2	5.9	7.1	5.9	7.3	4.5	7.2
Pali	22.2	24.7	23.3	26.1	16.4	21.6	6.0	7.5	6.5	8.1	3.6	6.1
Rajsamand	26.4	29.9	27.7	31.6	17.3	22.4	8.0	9.4	8.7	10.2	3.8	5.7
Sawai Madhopur	25.1	29.6	26.6	32.0	18.3	24.9	6.5	8.3	7.3	9.3	3.5	5.7
Sikar	23.3	24.7	23.8	24.9	20.7	25.1	5.5	6.7	5.5	7.0	4.5	6.6
Sirohi	22.7	25.6	23.8	27.2	15.2	19.1	6.3	7.5	6.5	8.0	4.0	6.5
Tonk	21.7	24.8	21.8	25.5	19.6	24.4	6.8	8.4	7.4	9.4	3.6	5.9
Udaipur	28.4	31.3	30.9	34.5	19.7	23.5	7.4	9.1	8.1	10.1	4.3	7.4

CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Infant Mortality Rate						U5MR					
	Total		Rural		Urban		Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7	8	9	10	11	12	13
Rajasthan	58	61	62	66	40	46	78	81	84	87	54	61
Ajmer	49	64	54	74	33	53	69	85	76	95	47	75
Alwar	53	66	54	68	29	59	73	90	74	92	42	93
Banswara	54	69	55	70	-	-	90	108	93	111	-	-
Baran	53	72	51	71	34	109	70	88	71	90	45	98
Barmer	61	82	62	84	35	79	78	94	79	95	46	102
Bharatpur	50	60	51	62	33	61	68	82	70	85	45	83
Bhilwara	55	82	59	90	-	-	74	96	82	108	-	-
Bikaner	47	62	52	71	29	52	63	81	68	90	43	75
Bundi	57	73	63	81	17	55	72	90	80	101	29	64
Chittaurgarh	52	73	54	79	17	64	65	84	69	90	27	73
Churu	49	62	53	67	30	57	60	77	64	84	37	74
Dausa	52	62	52	64	37	56	78	96	79	99	35	98
Dhaulpur	58	68	62	70	33	70	68	86	73	93	40	77
Dungarpur	60	73	59	73	39	111	80	94	81	95	49	119
Ganganagar	51	68	55	78	32	47	71	87	72	91	54	85
Hanumangarh	49	60	52	64	30	52	64	81	69	87	32	71
Jaipur	49	62	58	77	35	53	66	82	76	99	51	72
Jaisalmer	53	62	55	65	32	57	68	88	70	92	39	87
Jalor	67	90	69	93	-	-	91	107	93	109	-	-
Jhalawar	53	77	56	83	-	-	72	91	77	98	-	-
Jhunjhunun	48	60	51	64	32	51	68	80	70	84	47	78
Jodhpur	49	59	55	65	35	53	64	79	69	87	43	73
Karauli	62	74	60	73	60	96	70	90	70	91	51	115
Kota	26	45	30	58	15	39	37	53	50	73	20	39
Nagaur	51	66	52	69	30	61	68	82	70	86	38	79
Pali	46	64	50	70	23	46	71	86	77	94	32	67
Rajsamand	58	73	62	78	-	-	80	99	86	107	-	-
Sawai Madhopur	59	75	62	78	33	75	68	89	73	96	33	79
Sikar	51	62	55	63	30	66	75	89	75	90	64	101
Sirohi	55	70	58	74	15	53	77	94	82	101	20	70
Tonk	43	60	50	69	-	-	65	81	77	95	-	-
Udaipur	50	73	52	78	29	65	78	98	86	109	33	76

CONFIDENCE INTERVAL (95%) FOR SOME IMPORTANT INDICATORS

State / District	Sex Ratio at Birth					
	Total		Rural		Urban	
	Lower Limit	Upper Limit	Lower Limit	Upper Limit	Lower Limit	Upper Limit
1	2	3	4	5	6	7
Rajasthan	869	888	866	886	862	913
Ajmer	836	942	799	918	842	1066
Alwar	830	938	821	933	789	1178
Banswara	874	984	883	996	465	970
Baran	863	987	864	996	720	1089
Barmer	872	976	864	971	821	1263
Bharatpur	820	912	811	909	766	1046
Bhilwara	893	1050	907	1080	698	1088
Bikaner	845	970	800	939	857	1123
Bundi	837	956	798	923	900	1256
Chittaurgarh	848	981	834	974	786	1200
Churu	836	955	810	938	813	1120
Dausa	787	900	775	891	735	1227
Dhaulpur	768	875	745	860	763	1046
Dungarpur	829	916	818	906	844	1405
Ganganagar	836	944	836	961	766	979
Hanumangarh	821	930	832	952	678	969
Jaipur	797	898	756	886	798	954
Jaisalmer	778	908	754	891	789	1169
Jalor	836	930	828	922	790	1372
Jhalawar	808	925	808	934	689	1014
Jhunjhunun	872	957	852	942	867	1120
Jodhpur	857	965	873	997	760	987
Karauli	771	893	777	906	608	976
Kota	786	910	788	955	734	924
Nagaur	798	892	791	889	728	1036
Pali	835	934	841	949	714	981
Rajsamand	781	893	779	897	664	1032
Sawai Madhopur	725	843	723	851	629	941
Sikar	813	900	792	883	801	1055
Sirohi	833	944	832	947	690	1119
Tonk	871	983	894	1020	712	958
Udaipur	811	933	822	956	658	965

HOUSING CHARACTERISTICS

State / District	Structure of House					
	Households living in a Pucca House (%)			Households living in a Kachcha House (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	64.5	55.4	91.8	20.3	26.4	2.2
Ajmer	89.3	83.3	98.4	7.2	11.7	0.2
Alwar	88.2	87.0	97.6	5.5	6.1	0.5
Banswara	18.5	14.0	84.4	70.3	74.3	12.3
Baran	30.0	21.3	79.1	54.4	61.5	14.2
Barmer	39.9	35.2	96.0	39.2	42.3	2.5
Bharatpur	71.2	66.6	90.2	5.3	6.3	1.2
Bhilwara	56.3	49.0	89.1	30.7	36.8	3.0
Bikaner	63.2	39.8	96.0	23.3	39.2	0.8
Bundi	42.5	29.2	87.5	41.3	51.4	7.0
Chittaurgarh	49.4	39.1	94.7	38.9	47.3	2.2
Churu	85.5	81.4	95.2	3.6	4.8	0.8
Dausa	67.9	65.4	92.6	12.9	14.1	0.9
Dhaulpur	73.9	66.9	94.3	11.6	14.9	1.7
Dungarpur	28.6	23.7	84.7	55.7	60.0	6.3
Ganganagar	54.0	37.9	90.7	32.4	45.0	3.4
Hanumangarh	53.5	47.5	75.3	26.0	30.4	10.0
Jaipur	77.7	62.3	89.9	5.5	11.4	0.8
Jaisalmer	45.0	31.9	92.1	27.2	34.4	1.3
Jalor	48.6	45.8	81.5	25.6	27.4	4.3
Jhalawar	40.0	30.7	87.3	45.8	53.4	7.3
Jhunjhunun	83.6	80.6	94.2	1.6	2.0	0.3
Jodhpur	66.3	49.5	94.3	10.6	16.9	0.1
Karauli	58.8	52.7	82.1	11.0	11.7	8.1
Kota	70.6	40.5	93.4	19.8	41.9	3.0
Nagaur	76.8	73.9	92.9	5.7	6.6	0.9
Pali	66.8	62.1	84.4	15.5	18.4	4.5
Rajsamand	71.4	67.0	97.1	12.3	14.2	1.0
Sawai Madhopur	68.3	60.0	92.7	16.3	20.8	3.4
Sikar	93.0	90.9	99.2	2.4	3.1	0.2
Sirohi	53.9	48.9	79.5	21.7	25.0	4.7
Tonk	51.0	42.4	82.7	34.3	42.1	5.6
Udaipur	42.1	24.1	95.6	44.8	59.2	2.0

HOUSING CHARACTERISTICS

State / District	Ownership of House					
	Households living in Owned House (%)			Households living in Rented House (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	93.3	97.3	81.2	5.6	2.0	16.6
Ajmer	89.6	97.3	78.1	8.1	2.3	16.9
Alwar	94.1	95.4	82.9	5.5	4.2	16.2
Banswara	96.2	97.6	75.4	3.5	2.0	24.6
Baran	94.8	97.8	77.9	4.4	1.4	21.3
Barmer	97.6	98.4	88.1	1.9	1.2	11.2
Bharatpur	97.3	98.9	90.4	2.4	0.7	9.2
Bhilwara	93.9	95.9	84.7	5.2	3.1	14.9
Bikaner	90.3	95.7	82.6	7.1	2.4	13.6
Bundi	92.1	95.6	80.2	6.0	2.8	16.9
Chittaurgarh	92.5	97.4	71.5	7.1	2.3	27.9
Churu	96.9	98.7	92.9	2.4	1.1	5.5
Dausa	97.6	98.4	89.4	1.7	0.9	10.3
Dhaulpur	96.4	98.4	90.3	3.2	1.2	9.0
Dungarpur	97.7	98.3	89.9	2.0	1.4	9.2
Ganganagar	91.9	95.3	84.3	5.7	1.5	15.1
Hanumangarh	96.4	98.3	89.4	2.7	0.9	9.2
Jaipur	86.9	97.8	78.3	10.7	1.6	17.9
Jaisalmer	91.1	96.9	69.9	7.0	1.2	28.0
Jalor	94.7	95.9	81.4	4.1	2.9	18.1
Jhalawar	94.7	97.4	81.3	4.4	1.9	17.6
Jhunjhun	95.2	98.6	83.6	4.0	0.8	15.1
Jodhpur	91.3	97.6	80.9	7.4	1.8	16.8
Karauli	95.7	99.2	82.0	4.1	0.6	17.8
Kota	81.5	94.5	71.7	15.6	3.7	24.8
Nagaur	96.7	98.3	87.7	2.7	1.2	11.1
Pali	92.4	96.4	77.2	7.2	3.1	22.4
Rajsamand	93.9	96.8	77.1	5.2	2.6	20.3
Sawai Madhopur	95.4	97.9	88.0	3.9	1.4	11.2
Sikar	96.1	99.1	87.0	3.5	0.5	12.4
Sirohi	92.3	95.4	76.2	6.5	3.9	20.2
Tonk	95.8	97.6	89.2	3.1	1.2	10.2
Udaipur	90.9	96.5	74.3	7.5	2.1	23.7

HOUSING CHARACTERISTICS

State / District	Source of Drinking Water					
	Households having Improved Source of Drinking Water (%)			Households treating water to make it Safer for Drinking (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	88.6	85.4	98.1	54.4	50.4	66.6
Ajmer	88.6	81.3	99.5	79.7	72.7	90.4
Alwar	91.2	88.8	94.9	12.1	9.7	32.3
Banswara	80.7	79.4	99.4	61.6	59.1	98.2
Baran	94.0	92.9	99.9	25.5	18.7	64.1
Barmer	54.3	51.8	83.3	87.6	87.1	92.7
Bharatpur	83.0	81.8	87.9	17.2	17.1	17.7
Bhilwara	86.2	83.6	97.6	51.9	47.0	74.4
Bikaner	93.8	90.3	98.8	90.3	88.6	92.6
Bundi	93.9	92.3	99.3	35.4	24.3	73.0
Chittaurgarh	88.7	86.2	99.4	53.7	47.3	81.9
Churu	93.4	93.2	95.1	53.2	46.9	68.3
Dausa	88.2	86.2	94.1	10.2	7.5	37.3
Dhaulpur	85.2	80.5	99.3	4.3	2.4	9.8
Dungarpur	86.4	85.2	99.6	72.3	70.5	93.4
Ganganagar	92.8	89.7	99.9	93.0	92.7	93.7
Hanumangarh	90.9	89.2	97.0	78.3	79.5	73.9
Jaipur	98.3	96.5	99.7	49.3	38.8	57.6
Jaisalmer	84.1	82.6	97.8	95.8	95.4	97.2
Jalor	67.3	65.8	84.3	80.0	80.4	75.2
Jhalawar	70.3	65.9	92.5	62.2	60.2	72.2
Jhunjhunun	89.6	89.4	90.6	22.8	23.5	20.4
Jodhpur	96.1	94.3	99.1	90.3	88.9	92.7
Karauli	89.6	88.0	96.0	6.9	3.4	20.4
Kota	97.6	94.6	99.9	50.0	32.9	63.0
Nagaur	81.2	80.8	89.9	84.1	83.7	86.4
Pali	79.7	74.8	98.2	88.4	88.7	87.3
Rajsamand	82.2	79.3	99.1	79.4	77.7	89.0
Sawai Madhopur	83.6	78.2	99.5	17.8	12.4	33.7
Sikar	95.7	94.4	99.6	8.3	5.6	16.5
Sirohi	85.3	82.9	98.1	81.3	79.3	91.9
Tonk	90.0	88.1	97.1	40.1	35.1	58.7
Udaipur	79.6	72.9	99.3	78.1	72.2	95.5

HOUSING CHARACTERISTICS

State / District	Access to Toilet Facility						Availability of Electricity		
	Households having Access to Toilet Facility (%)			Households Sharing Toilet Facility (%)			Households having Access to Electricity (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	38.7	23.1	85.0	10.4	5.1	26.1	80.2	74.5	97.1
Ajmer	51.9	26.9	89.8	9.6	4.1	18.0	89.9	84.2	98.5
Alwar	30.3	23.3	87.8	10.8	9.3	23.1	91.0	90.1	99.0
Banswara	12.1	7.3	82.5	2.3	1.4	15.6	41.9	38.0	99.0
Baran	14.9	6.1	64.9	7.0	1.5	38.1	88.4	86.6	98.6
Barmer	13.9	7.0	94.8	3.2	2.5	10.9	34.2	28.8	97.5
Bharatpur	19.8	8.7	65.4	11.1	4.3	39.5	89.9	88.0	97.9
Bhilwara	25.2	13.5	78.1	5.6	1.3	25.3	88.6	87.2	94.8
Bikaner	58.8	32.6	95.8	8.5	4.1	14.6	71.6	53.9	96.6
Bundi	22.6	8.2	71.3	4.7	1.7	14.7	76.1	70.9	93.4
Chittaurgarh	21.2	8.0	78.7	10.7	4.3	38.8	84.4	81.1	98.7
Churu	60.4	53.0	78.0	7.3	5.6	11.3	77.6	72.9	88.9
Dausa	16.9	11.5	71.1	10.8	6.9	50.3	81.2	79.4	98.9
Dhaulpur	19.8	3.3	68.5	12.2	1.7	43.0	59.3	50.3	86.0
Dungarpur	17.5	12.2	78.1	4.4	3.2	17.5	61.8	59.0	93.8
Ganganagar	92.8	90.8	97.2	14.7	17.4	8.6	86.9	82.2	97.6
Hanumangarh	95.3	95.2	95.7	20.1	20.9	16.9	89.8	88.8	93.5
Jaipur	60.3	24.3	88.8	17.3	7.1	25.4	93.2	86.3	98.7
Jaisalmer	35.6	19.8	92.5	6.5	4.5	13.5	53.8	41.5	98.2
Jalor	17.1	13.0	64.0	1.6	1.3	4.7	66.4	64.2	91.0
Jhalawar	16.2	7.0	63.0	6.5	3.2	23.2	96.0	96.4	94.2
Jhunjhunun	58.8	51.5	84.6	13.9	10.5	26.0	91.2	89.5	97.3
Jodhpur	47.7	20.5	93.0	22.6	2.3	56.6	74.8	60.5	98.7
Karauli	18.6	3.4	77.3	2.7	1.6	7.2	61.3	52.5	95.0
Kota	52.4	7.2	86.7	21.5	2.2	36.1	94.9	88.8	99.6
Nagaur	41.1	32.5	88.6	6.8	3.8	23.2	77.4	73.9	96.4
Pali	29.4	18.9	68.8	4.7	2.1	14.2	84.0	81.1	94.7
Rajsamand	22.7	12.8	81.1	3.9	2.5	12.2	90.6	89.5	96.8
Sawai Madhopur	27.8	11.5	75.0	14.7	3.8	46.6	75.1	67.3	97.8
Sikar	54.7	43.4	88.5	14.4	11.5	23.0	92.3	90.4	97.8
Sirohi	27.1	19.1	68.2	3.9	2.1	13.6	82.1	79.7	94.7
Tonk	21.5	8.7	68.6	4.5	1.4	15.9	70.5	63.6	95.9
Udaipur	30.1	8.4	94.5	7.9	1.2	27.7	67.0	56.2	99.0

HOUSING CHARACTERISTICS

State / District	Main Source of Lighting						Availability of Kitchen		
	Households using Electricity (%)			Households using Kerosene (%)			Households having Separate Kitchen (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	76.0	69.3	96.0	23.0	29.7	3.0	50.4	41.9	75.8
Ajmer	89.4	83.6	98.1	10.2	15.9	1.7	52.9	39.3	73.5
Alwar	89.9	88.9	98.0	9.4	10.4	1.0	44.3	40.7	74.8
Banswara	33.7	29.3	97.1	66.1	70.5	1.6	21.2	17.2	79.9
Baran	68.6	63.5	97.4	31.0	36.2	1.8	20.8	15.8	49.4
Barmer	26.6	20.7	95.6	63.7	68.9	2.5	70.0	68.8	83.2
Bharatpur	89.0	87.0	97.3	10.8	12.8	2.4	31.4	25.8	54.3
Bhilwara	78.9	75.9	92.3	20.5	23.9	5.1	38.1	29.6	76.4
Bikaner	70.7	52.7	96.0	27.9	45.4	3.3	87.7	83.9	92.9
Bundi	62.9	54.9	89.8	35.9	44.8	5.8	25.6	14.7	62.1
Chittaurgarh	78.8	75.5	93.3	20.2	24.2	2.9	33.1	24.1	72.6
Churu	76.8	71.9	88.3	22.4	28.0	9.1	75.5	71.3	85.4
Dausa	74.5	72.1	98.0	25.3	27.6	1.7	60.7	60.1	66.8
Dhaulpur	51.0	40.3	82.7	47.9	59.1	14.9	22.1	12.4	50.7
Dungarpur	55.9	52.7	92.3	43.6	46.9	6.2	24.7	21.2	65.0
Ganganagar	85.7	80.9	96.6	13.8	18.6	2.9	38.8	25.3	69.7
Hanumangarh	88.6	87.5	92.6	10.8	12.0	6.5	44.2	40.7	56.9
Jaipur	91.9	84.1	98.0	7.7	15.4	1.6	70.3	44.3	90.9
Jaisalmer	51.8	39.5	96.4	43.3	54.6	2.4	83.9	83.9	84.1
Jalor	55.0	52.0	88.5	43.6	46.5	10.4	48.8	47.2	67.0
Jhalawar	84.9	83.4	92.3	14.6	16.2	6.0	23.5	17.1	55.7
Jhunjhunun	89.7	87.7	96.8	10.0	12.0	2.8	69.6	69.1	71.1
Jodhpur	73.7	59.3	97.6	24.2	37.8	1.5	72.2	63.7	86.3
Karauli	55.3	45.3	93.6	44.3	54.5	4.9	26.9	18.8	58.1
Kota	94.2	87.6	99.2	5.3	11.7	0.5	40.6	19.7	56.6
Nagaur	74.2	70.2	96.0	25.5	29.4	3.8	64.4	63.1	71.7
Pali	83.4	80.5	93.9	16.1	18.9	5.5	55.9	52.4	69.3
Rajsamand	82.1	80.1	93.9	17.0	19.4	3.1	44.8	39.5	75.5
Sawai Madhopur	65.4	54.7	96.4	34.1	45.1	2.4	35.8	26.5	63.0
Sikar	90.8	88.9	96.5	8.7	10.8	2.4	69.8	65.2	83.3
Sirohi	67.0	62.1	92.4	32.2	37.3	5.6	39.2	34.6	63.3
Tonk	63.0	54.4	94.6	35.5	44.1	3.8	40.5	36.2	56.2
Udaipur	66.2	55.6	97.5	32.9	43.6	1.4	40.1	27.6	77.5

HOUSING CHARACTERISTICS

State / District	Main Source of Fuel Used for Cooking								
	Households using Firewood/Crop residues/Cow Dung Cake (%)			Households using Kerosene (%)			Households using LPG/PNG (%)		
	Total	Rural	Urban	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7	8	9	10
Rajasthan	77.4	93.5	29.6	0.5	0.2	1.6	21.6	6.0	68.0
Ajmer	62.2	86.9	24.9	0.6	0.2	1.2	36.6	12.5	73.0
Alwar	85.6	91.9	33.4	0.6	0.2	3.8	13.6	7.7	62.7
Banswara	90.8	95.4	24.0	0.4	0.3	2.1	8.7	4.3	73.3
Baran	88.5	96.5	43.4	1.0	0.3	5.3	10.2	3.0	50.7
Barmer	89.9	96.1	17.2	0.2	0.2	1.1	9.6	3.5	80.5
Bharatpur	91.3	99.0	59.5	0.1	0.1	0.0	8.5	0.8	40.4
Bhilwara	83.1	94.7	30.5	0.2	0.0	1.0	16.2	5.2	66.3
Bikaner	64.0	92.8	23.4	0.8	0.1	1.9	34.6	6.7	73.9
Bundi	84.2	96.5	42.6	0.4	0.1	1.3	15.1	3.3	54.8
Chittaurgarh	82.0	94.6	27.4	0.5	0.2	1.8	16.8	5.0	68.2
Churu	81.1	92.9	52.9	0.2	0.1	0.3	18.6	6.8	46.6
Dausa	91.4	95.1	54.8	0.2	0.1	1.7	8.1	4.7	42.0
Dhaulpur	86.8	98.0	53.7	0.2	0.0	0.7	12.5	1.7	44.6
Dungarpur	88.9	93.7	32.9	0.4	0.1	3.4	10.3	5.7	63.4
Ganganagar	75.4	94.6	31.6	0.5	0.1	1.2	23.6	4.8	66.6
Hanumangarh	85.3	95.8	47.4	0.1	0.0	0.4	13.8	3.8	50.0
Jaipur	53.3	94.4	20.7	1.0	0.2	1.6	44.8	4.7	76.6
Jaisalmer	79.2	96.0	18.3	0.9	0.3	2.7	19.0	3.1	76.5
Jalor	88.2	92.4	39.8	0.6	0.5	1.9	10.8	6.7	57.7
Jhalawar	86.1	95.7	37.9	0.6	0.2	2.8	12.9	4.0	58.2
Jhunjhunun	68.6	79.3	31.2	0.2	0.1	0.2	31.0	20.3	68.2
Jodhpur	67.8	95.2	22.1	0.3	0.1	0.7	31.4	4.4	76.6
Karauli	88.3	98.9	47.8	0.0	0.0	0.2	11.5	1.1	51.7
Kota	50.5	95.9	16.0	1.7	0.3	2.7	47.2	2.7	81.0
Nagaur	86.3	93.3	47.5	0.2	0.1	0.7	13.2	6.3	51.3
Pali	78.1	90.2	32.9	0.6	0.2	2.2	20.7	9.2	63.8
Rajsamand	84.2	92.9	32.7	0.8	0.4	3.2	14.4	6.4	61.8
Sawai Madhopur	78.9	92.6	38.8	0.2	0.1	0.5	20.8	7.2	60.5
Sikar	72.8	91.8	15.8	0.2	0.1	0.4	26.7	7.8	83.4
Sirohi	79.5	89.0	30.2	1.4	1.0	3.4	18.3	9.6	63.5
Tonk	88.0	97.4	53.6	0.3	0.1	1.0	11.3	2.2	44.8
Udaipur	74.7	94.2	16.7	1.3	0.5	3.6	23.6	5.0	78.9

HOUSING CHARACTERISTICS

State / District	Possession of Computer/Telephone/Mobile					
	Households having Computer/laptop with or without Internet Connectivity (%)			Households having Telephone/Mobile (%)		
	Total	Rural	Urban	Total	Rural	Urban
1	2	3	4	5	6	7
Rajasthan	6.7	3.9	15.2	75.6	71.0	89.2
Ajmer	8.9	4.2	16.1	83.7	79.2	90.4
Alwar	5.8	4.6	16.0	83.3	82.0	93.9
Banswara	3.7	2.4	23.0	32.7	28.8	90.3
Baran	3.2	2.6	6.9	66.5	65.3	73.1
Barmer	10.9	9.9	22.8	70.8	69.2	88.9
Bharatpur	4.0	3.4	6.4	83.3	82.4	87.2
Bhilwara	4.8	3.8	9.1	63.9	58.4	88.8
Bikaner	8.8	3.5	16.3	84.7	81.7	88.8
Bundi	4.7	3.2	9.7	69.0	65.6	80.5
Chittaurgarh	4.8	2.9	13.1	64.1	59.6	83.8
Churu	5.2	4.3	7.5	77.5	73.7	86.4
Dausa	2.8	2.2	8.7	72.0	70.4	88.2
Dhaulpur	4.8	2.7	10.8	61.0	55.9	75.8
Dungarpur	4.2	1.9	31.0	43.5	40.1	82.6
Ganganagar	7.3	3.5	16.0	79.3	75.1	89.1
Hanumangarh	5.2	2.9	13.4	73.5	72.3	78.1
Jaipur	13.8	5.8	20.2	87.9	83.1	91.8
Jaisalmer	6.1	5.3	9.2	80.7	76.4	96.4
Jalor	3.7	2.7	15.3	75.2	73.9	90.1
Jhalawar	3.4	2.3	8.6	62.6	60.0	75.7
Jhunjhunun	7.0	6.6	8.6	87.9	88.3	86.3
Jodhpur	8.3	3.1	17.0	84.5	80.6	91.0
Karauli	5.0	2.7	13.8	63.4	58.1	83.5
Kota	9.9	3.9	14.5	81.1	68.9	90.3
Nagaur	2.9	2.9	3.1	87.8	86.3	95.9
Pali	4.3	2.9	9.5	75.4	71.8	89.1
Rajsamand	4.6	3.4	11.8	73.2	70.6	88.4
Sawai Madhopur	7.4	3.5	18.5	70.0	65.3	83.5
Sikar	6.6	6.1	8.3	95.5	95.1	96.9
Sirohi	4.2	3.2	9.2	67.5	64.0	86.0
Tonk	7.2	3.7	19.9	73.8	70.0	88.2
Udaipur	9.3	2.9	28.2	60.9	49.4	95.0

SIDE - 'B'

Confidential when filled

ANNUAL HEALTH SURVEY

HOUSELISTING SCHEDULE

Serial No.	House No. (3 digits)	Household No. (2 digits)	Assets possessed by the Household																			32					
			19	20	21	22	23	24	25	26	27	28	29	30	31												
	Radio / Transistor (Yes-1, No-2)	Television (Yes-1, No-2)	Computer / Laptop (Code)	Telephone / Mobile phone (Code)	Washing Machine (Yes-1, No-2)	Refrigerator (Yes-1, No-2)	Sewing Machine (Yes-1, No-2)	Bicycle (Yes-1, No-2)	Motorcycle / Scooter / Moped (Yes-1, No-2)	Car / Jeep / Van (Yes-1, No-2)	Tractor (Yes-1, No-2)	Water pump / Tube well (Yes-1, No-2)	Cart (Code)	Land Possessed (Code)													
1	3	5																									

Code for Col. (21)		Code for Col. (22)		Code for Col. (31)		Code for Col. (32)		Name and Signature of the Enumerator			
Item	Code	Item	Code	Item	Code	Item (In Hectares)	Code	Sl. No.	Name	Signature	Date
With Internet Connection	1	Telephone only	1	Driven by Animal	1	Less than 0.02	1	Enumerator-1.			
Without Internet connection	2	Mobile phone only	2	Driven by Machine	2	0.02 to less than 1.00	2				
No	3	Both	3	Other	3	1.00 to less than 4.00	3				
		No	4	Doesn't Have	4	4.00 to less than 10.00	4				
						10.00 or More	5				
						No land	6				
								Enumerator-2.			

ANNUAL HEALTH SURVEY

HOUSEHOLD SCHEDULE

State District Zone Rural-1, Urban-2 Sample Unit House No. * Household No. *

Serial No. Name (Start with Head of the Household)

Sex (Male-1, Female-2) Whether usual resident as on 01.01.2010? (Yes-1, No-2)

Relationship to head (Code)

Identification code of members of the Household

Serial No. of Father Serial No. of Mother

To be copied from Col. 1

Date of birth

D	M	M	Y	Y	Y
---	---	---	---	---	---

Age as on 01.01.2010 (in completed years)

Religion (Code)

Social Group (Code)

Marital Status as on 01.01.2010 (code)

Date of first marriage

D	D	M	M	Y	Y	Y
---	---	---	---	---	---	---

Whether currently attending school (Yes-1, No: attended-3) before-2, Never attended-3)

If code 2 or 3 in Col. 14, main reason thereof (code)

Highest educational qualification attained (for age 7 years and above) (code)

Occupation/Activity Status during last 365 days (for age 5 yrs. and above) (Code)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

Code for Col. (5)		Code for Col. (10)		Code for Col. (12)		Code for Col. (15)		Code for Col. (16)		Code for Col. (17)	
Item	Code	Item	Code	Item	Code	Item	Code	Item	Code	Item	Code
Head	01	Hindu	1	Never married	1	School too far	1	Illiterate	0	Cultivator	01
Wife or Husband	02	Muslim	2	Married but, Gauna not performed	2	Further education not considered necessary	2	Literate without Formal education	1	Agricultural Wage Labourer	02
Son or Daughter	03	Christian	3	Married and, Gauna performed	3	Required for work in Household activities / Farm / Family business	3	Literate with Formal education	1	Non-agricultural Wage Labourer	03
Son-in-law or Daughter-in-law	04	Sikh	4	Remarried	4	Required for outside work	4	Below Primary	2	Self Employed (excluding Cultivators) :	04
Grandchild	05	Buddhist	5	Widow /Widower	5	Not interested in studies	5	Primary	3	Own Account Worker	05
Parent	06	Jain	6	Divorced	6	Cost too much	6	Middle	4	Employer	06
Parent-in-law	07	Others	7	Separated	7	Repeated failures	7	Secondary / Matric Class-X	5	Unpaid Family Labourer	07
Brother or Sister	08	No religion	8	Not stated	8	Got married	8	Hr. Secondary / Sr. Secondary/Pre-University / Class XII	6	Regular Salaried / Wage Employee available for work	08
Brother-in-law or Sister-in-law	09	SC	1	**#	8	Others	9	Graduate / B. Tech / MBA / MBBS / Equivalent	7	Did not work but was seeking and / or Attending educational institution	09
Niece or Nephew	10	ST	2	***	8	Others	9	Post Graduate / M.Tech / MBA / MD / Equivalent or higher	8	Attending routine domestic chores, etc.	10
Other relatives	11	Others	3	****	8	Others	9	Non-Technical / Technical diploma or certificate not equivalent to degree	9	Beggar	11
Adopted / foster child	12									Prostitute / Sex Worker	12
Not related	13									Rentier, pensioner, other remittance recipient	13
										Not able to work due to disability	14
										Too old to work	15
										Others	16

Confidential when filled

ANNUAL HEALTH SURVEY WOMAN SCHEDULE

State	<input type="text"/>	<input type="text"/>	<input type="text"/>	Zone	<input type="text"/>
District	<input type="text"/>	<input type="text"/>	<input type="text"/>	Rural - 1/Urban - 2	<input type="text"/>
Stratum	<input type="text"/>				
Sample Unit	<input type="text"/>				
House No.	<input type="text"/>	<input type="text"/>	<input type="text"/>	Household No.	<input type="text"/>
Result of Interview	CODE	Name & Signature of the Enumerator	Name & Signature/Thumb Impression of the Respondent		
Completed	1	<input type="text"/>	<input type="text"/>		
Not completed :					
Refused	2				
Incapacitated	3				
Partly completed	4				
Not at Home	5				
Others (please specify)	6	Date of Interview D D M M Y Y Y Y <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>			

Section I – Ever Married Woman (Aged 15–49 years)

SI.No., Name, Identification Code, Age and Marital Status to be copied from Col. 1, 2, 6, 9 & 12 respectively of Household Schedule

SI.No.	Name	Identification Code	Age	Marital Status (Code) *

*** If Code 2 (Married but, Gauna not Performed), Go to Section II of the Schedule.

Q. No.	Questions and Codes	Responses												
Q.1	Have you delivered a live baby before 01.01.2010?	Yes-1, No-2 <input type="checkbox"/>												
Q.2	How many children have been born alive ever before 01.01.2010 and out of them how many are surviving as on 01.01.2010?	Record the number <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>Male</td> <td>Female</td> <td>Total</td> </tr> <tr> <td>Born Alive</td> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Surviving</td> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Male	Female	Total	Born Alive	<input type="text"/>	<input type="text"/>	<input type="text"/>	Surviving	<input type="text"/>	<input type="text"/>	<input type="text"/>
	Male	Female	Total											
Born Alive	<input type="text"/>	<input type="text"/>	<input type="text"/>											
Surviving	<input type="text"/>	<input type="text"/>	<input type="text"/>											
Q.3	What was your age at first live birth ? (in completed years)	<input type="text"/> <input type="text"/>												
Q.4	Has the outcome of any pregnancy(s) resulted in live birth/still birth/abortion during 01.01.2007 to 31.12.2009?	Yes-1, No-2 <input type="checkbox"/>												

Q.5 If code 1 in Q.4, record the history of outcome(s) of pregnancy(s). Start with the last pregnancy excluding the current one. Use separate lines for twins/triplets. Same pregnancy no. to be recorded for twins/triplets.

Pregnancy Number (to be recorded)	Outcome of Pregnancy		To be filled for Induced or Spontaneous abortions (Code '3' or '4' in Col. 2)							
			In which month & year, you had abortion?	At what month of pregnancy did abortion happen?	Did you receive any ANC? (Yes-1, No-2)	Did you go for ultrasound before this abortion? (Yes-1, No-2)	Where was the abortion performed/completed? (Code)	Who performed/completed the abortion? (Code)	For induced abortion only	
									Why did you abort the pregnancy? (Code)	
1	2		3	4	5	6	7	8	9	
(.....) Last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month Year	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>
(.....) Previous to last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month Year	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>
(.....) Second from last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month Year	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>
(.....) Third from last pregnancy	Live Birth-1 Still Birth-2 Induced Abr.-3 Spont Abr.-4	<input type="checkbox"/>	Month Year	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="text"/> <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>

Note: If outcome(s) of pregnancy(s) resulted in 'only' Abortion(s), go to Section-II of Schedule after filling Columns 3 to 9 of Q.5.

Code for Col.7 (Q.5)		
Item	Code	
GOVERNMENT		
Sub - Center	01	
PHC	02	
CHC	03	
UHC/UHP/UFWC	04	
Dispensary/Clinic	05	
Hospital	06	
AYUSH Hospital/Clinic	07	
PRIVATE		
Dispensary/Clinic	08	
Hospital	09	
AYUSH Hospital/Clinic	10	
NGO or Trust Hosp./Clinic		
At Home	Self	12
	Elsewhere	13
Others	99	

Code for Col.8 (Q.5)	
Item	Code
Doctor	1
Nurse/ANM/LHV	2
Trained dai	3
Untrained dai	4
Family members/Relatives/Friends	5
None/Self	6
Others	7

Code for Col.9 (Q.5)	
Item	Code
Unplanned pregnancy	1
Due to contraceptive failure	2
Complication(s) in pregnancy	3
Health did not permit	4
Female foetus	5
Economic reason(s)	6
Last child too young	7
Foetus had congenital abnormality	8
Others	9

Q.6 Details about the last two outcome of pregnancies which resulted in live birth (surviving/not surviving)/still birth during 1.1.2007 to 31.12.2009. Begin with last birth. Survival status to be assessed as on 01.01.2010.																																											
Questions 6 (1) to 6 (26) are to be probed for live births (surviving/not surviving) as well as still births unless otherwise specified .																																											
Q. No.	Questions and Codes	Responses																																									
Q.6 (1)	Pregnancy number of last two live/ still birth(s) in Chronological order (Copy from Col. 1 of Q.5)	<table border="1"> <tr> <td rowspan="2">Pregnancy Number</td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>	Pregnancy Number	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																																				
Pregnancy Number	Last birth	Previous to last birth																																									
	<input type="text"/>	<input type="text"/>																																									
Q.6 (2)	What kind of birth is/was it? <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Live birth surviving</td> <td>1</td> </tr> <tr> <td>Live birth not surviving</td> <td>2</td> </tr> <tr> <td>Still birth</td> <td>3</td> </tr> </tbody> </table> (If code '3' is recorded for any of the births, go to Q.6 (6) for that particular birth)	Item	Code	Live birth surviving	1	Live birth not surviving	2	Still birth	3	<table border="1"> <tr> <td rowspan="2"></td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																												
Item	Code																																										
Live birth surviving	1																																										
Live birth not surviving	2																																										
Still birth	3																																										
	Last birth	Previous to last birth																																									
	<input type="text"/>	<input type="text"/>																																									
Q.6 (3)	What is the order of live birth?	<table border="1"> <tr> <td rowspan="2">Order of live birth</td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>	Order of live birth	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																																				
Order of live birth	Last birth	Previous to last birth																																									
	<input type="text"/>	<input type="text"/>																																									
Q.6 (4)	Only if birth order >= 2 What is the interval between the previous and the current live birth? (If more than 99 months, record '99' only)	<table border="1"> <tr> <td rowspan="2">Interval (in completed months)</td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/><input type="text"/></td> <td><input type="text"/><input type="text"/></td> </tr> </table>	Interval (in completed months)	Last birth	Previous to last birth	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																				
Interval (in completed months)	Last birth	Previous to last birth																																									
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																									
Q.6 (5)	Identification code (only for live birth surviving) – To be copied from Col. 6 of the Household Schedule	<table border="1"> <tr> <td rowspan="2">Identification code</td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/><input type="text"/><input type="text"/><input type="text"/></td> <td><input type="text"/><input type="text"/><input type="text"/><input type="text"/></td> </tr> </table>	Identification code	Last birth	Previous to last birth	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																																				
Identification code	Last birth	Previous to last birth																																									
	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>																																									
Q.6 (6)	What is/was the date of birth of the baby? (In case of still birth, record only month and year)	<table border="1"> <tr> <td rowspan="3">Date of Birth</td> <td colspan="4">Last birth</td> <td colspan="4">Previous to last birth</td> </tr> <tr> <td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td><td>D</td><td>D</td><td>M</td><td>M</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td><td><input type="text"/></td> </tr> </table>	Date of Birth	Last birth				Previous to last birth				D	D	M	M	Y	Y	Y	Y	D	D	M	M	Y	Y	Y	Y	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Date of Birth	Last birth				Previous to last birth																																						
	D	D		M	M	Y	Y	Y	Y	D	D	M	M	Y	Y	Y	Y																										
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																											
Q.6 (7)	What is/was the sex of the baby/ still birth? <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Male</td> <td>1</td> </tr> <tr> <td>Female</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Male	1	Female	2	<table border="1"> <tr> <td rowspan="2"></td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																														
Item	Code																																										
Male	1																																										
Female	2																																										
	Last birth	Previous to last birth																																									
	<input type="text"/>	<input type="text"/>																																									
Q.6 (8)	What type of birth was it? <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Single</td> <td>1</td> </tr> <tr> <td>Multiple</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Single	1	Multiple	2	<table border="1"> <tr> <td rowspan="2"></td> <td>Last birth</td> <td>Previous to last birth</td> </tr> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </table>		Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																														
Item	Code																																										
Single	1																																										
Multiple	2																																										
	Last birth	Previous to last birth																																									
	<input type="text"/>	<input type="text"/>																																									

Ante Natal Care

<p>Q.6 (9)</p>	<p>How many ANC's did you receive during pregnancy associated with each birth? (If '0' is recorded for any of the births, go to Q.6 (15) for that particular birth. If more than 9 ANC's, record '9' only.)</p>	<table border="1"> <tr> <th data-bbox="746 248 970 394">Number of ANC's</th> <th data-bbox="970 248 1189 309">Last birth</th> <th data-bbox="1189 248 1453 309">Previous to last birth</th> </tr> <tr> <td></td> <td data-bbox="970 309 1189 394" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 309 1453 394" style="text-align: center;"><input type="text"/></td> </tr> </table>	Number of ANC's	Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>																														
Number of ANC's	Last birth	Previous to last birth																																				
	<input type="text"/>	<input type="text"/>																																				
<p>Q.6 (10)</p>	<p>How many months were you pregnant at the time of first ANC ?</p>	<table border="1"> <tr> <th data-bbox="746 432 970 577">Number of completed months</th> <th data-bbox="970 432 1189 492">Last birth</th> <th data-bbox="1189 432 1453 492">Previous to last birth</th> </tr> <tr> <td></td> <td data-bbox="970 492 1189 577" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 492 1453 577" style="text-align: center;"><input type="text"/></td> </tr> </table>	Number of completed months	Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>																														
Number of completed months	Last birth	Previous to last birth																																				
	<input type="text"/>	<input type="text"/>																																				
<p>Q.6 (11)</p>	<p>What was the main source of ANC ?</p> <table border="1"> <thead> <tr> <th data-bbox="256 663 616 696">Item</th> <th data-bbox="616 663 708 696">Code</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="256 696 708 730">GOVERNMENT</td> </tr> <tr> <td data-bbox="256 730 616 775">Anganwadi</td> <td data-bbox="616 730 708 775">00</td> </tr> <tr> <td data-bbox="256 775 616 808">Sub - Center</td> <td data-bbox="616 775 708 808">01</td> </tr> <tr> <td data-bbox="256 808 616 842">PHC</td> <td data-bbox="616 808 708 842">02</td> </tr> <tr> <td data-bbox="256 842 616 875">CHC</td> <td data-bbox="616 842 708 875">03</td> </tr> <tr> <td data-bbox="256 875 616 909">UHC/UHP/UFWC</td> <td data-bbox="616 875 708 909">04</td> </tr> <tr> <td data-bbox="256 909 616 943">Dispensary/Clinic</td> <td data-bbox="616 909 708 943">05</td> </tr> <tr> <td data-bbox="256 943 616 976">Hospital</td> <td data-bbox="616 943 708 976">06</td> </tr> <tr> <td data-bbox="256 976 616 1010">AYUSH Hospital/Clinic</td> <td data-bbox="616 976 708 1010">07</td> </tr> <tr> <td colspan="2" data-bbox="256 1010 708 1043">PRIVATE</td> </tr> <tr> <td data-bbox="256 1043 616 1077">Dispensary/Clinic</td> <td data-bbox="616 1043 708 1077">08</td> </tr> <tr> <td data-bbox="256 1077 616 1111">Hospital</td> <td data-bbox="616 1077 708 1111">09</td> </tr> <tr> <td data-bbox="256 1111 616 1144">AYUSH Hospital/Clinic</td> <td data-bbox="616 1111 708 1144">10</td> </tr> <tr> <td data-bbox="256 1144 616 1178">NGO or Trust Hosp/Clinic</td> <td data-bbox="616 1144 708 1178">11</td> </tr> <tr> <td data-bbox="256 1178 616 1211">Others</td> <td data-bbox="616 1178 708 1211">99</td> </tr> </tbody> </table>	Item	Code	GOVERNMENT		Anganwadi	00	Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	PRIVATE		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp/Clinic	11	Others	99	<table border="1"> <tr> <th data-bbox="970 842 1189 902">Last birth</th> <th data-bbox="1189 842 1453 902">Previous to last birth</th> </tr> <tr> <td data-bbox="970 902 1189 981" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 902 1453 981" style="text-align: center;"><input type="text"/></td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>
Item	Code																																					
GOVERNMENT																																						
Anganwadi	00																																					
Sub - Center	01																																					
PHC	02																																					
CHC	03																																					
UHC/UHP/UFWC	04																																					
Dispensary/Clinic	05																																					
Hospital	06																																					
AYUSH Hospital/Clinic	07																																					
PRIVATE																																						
Dispensary/Clinic	08																																					
Hospital	09																																					
AYUSH Hospital/Clinic	10																																					
NGO or Trust Hosp/Clinic	11																																					
Others	99																																					
Last birth	Previous to last birth																																					
<input type="text"/>	<input type="text"/>																																					
<p>Q.6 (12)</p>	<p>What were the type of tests performed during the ANC?</p> <p>(Record the total number of tests performed across all ANC's. If any of the tests were performed more than 9 times, record 9 only.)</p>	<table border="1"> <thead> <tr> <th data-bbox="746 1350 970 1440">Type of tests performed</th> <th data-bbox="970 1350 1189 1440">Last birth (in numbers)</th> <th data-bbox="1189 1350 1453 1440">Previous to last birth (in numbers)</th> </tr> </thead> <tbody> <tr> <td data-bbox="746 1440 970 1518">Abdominal Examination</td> <td data-bbox="970 1440 1189 1518" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1440 1453 1518" style="text-align: center;"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1518 970 1597">Blood Pressure</td> <td data-bbox="970 1518 1189 1597" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1518 1453 1597" style="text-align: center;"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1597 970 1675">Weight</td> <td data-bbox="970 1597 1189 1675" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1597 1453 1675" style="text-align: center;"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1675 970 1753">Urine</td> <td data-bbox="970 1675 1189 1753" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1675 1453 1753" style="text-align: center;"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1753 970 1832">Blood (for Hb)</td> <td data-bbox="970 1753 1189 1832" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1753 1453 1832" style="text-align: center;"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1832 970 1910">Blood (for other tests)</td> <td data-bbox="970 1832 1189 1910" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1832 1453 1910" style="text-align: center;"><input type="text"/></td> </tr> <tr> <td data-bbox="746 1910 970 1989">Ultrasound</td> <td data-bbox="970 1910 1189 1989" style="text-align: center;"><input type="text"/></td> <td data-bbox="1189 1910 1453 1989" style="text-align: center;"><input type="text"/></td> </tr> </tbody> </table>	Type of tests performed	Last birth (in numbers)	Previous to last birth (in numbers)	Abdominal Examination	<input type="text"/>	<input type="text"/>	Blood Pressure	<input type="text"/>	<input type="text"/>	Weight	<input type="text"/>	<input type="text"/>	Urine	<input type="text"/>	<input type="text"/>	Blood (for Hb)	<input type="text"/>	<input type="text"/>	Blood (for other tests)	<input type="text"/>	<input type="text"/>	Ultrasound	<input type="text"/>	<input type="text"/>												
Type of tests performed	Last birth (in numbers)	Previous to last birth (in numbers)																																				
Abdominal Examination	<input type="text"/>	<input type="text"/>																																				
Blood Pressure	<input type="text"/>	<input type="text"/>																																				
Weight	<input type="text"/>	<input type="text"/>																																				
Urine	<input type="text"/>	<input type="text"/>																																				
Blood (for Hb)	<input type="text"/>	<input type="text"/>																																				
Blood (for other tests)	<input type="text"/>	<input type="text"/>																																				
Ultrasound	<input type="text"/>	<input type="text"/>																																				

Q.6 (13)	(i) How many TT injections did you receive?	Number of TT injections	Last birth	Previous to last birth
			<input type="text"/>	<input type="text"/>
	(ii) How many months were you pregnant at the time of 2nd TT injection?	Number of completed months	Last birth	Previous to last birth
			<input type="text"/>	<input type="text"/>

Q.6 (14)	For how many days did you consume Iron & Folic Acid (IFA) tablets/tablespoons of IFA syrup during pregnancy?										
		Last birth	Previous to last birth								
		<input type="text"/>	<input type="text"/>								
	<table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Less than 100 days</td> <td>1</td> </tr> <tr> <td>100 days or more</td> <td>2</td> </tr> <tr> <td>Not at all</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Less than 100 days	1	100 days or more	2	Not at all	3		
Item	Code										
Less than 100 days	1										
100 days or more	2										
Not at all	3										

Q.6 (15)	If '0' is recorded for any of the births in Q.6 (9), what was the main reason of not going for any ANC for that particular birth?																						
		Last birth	Previous to last birth																				
		<input type="text"/>	<input type="text"/>																				
	<table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Not needed</td> <td>1</td> </tr> <tr> <td>Not customary</td> <td>2</td> </tr> <tr> <td>Cost too much</td> <td>3</td> </tr> <tr> <td>Too far/no transport</td> <td>4</td> </tr> <tr> <td>Poor quality service</td> <td>5</td> </tr> <tr> <td>Family did not allow</td> <td>6</td> </tr> <tr> <td>No time to go</td> <td>7</td> </tr> <tr> <td>Lack of knowledge</td> <td>8</td> </tr> <tr> <td>Others</td> <td>9</td> </tr> </tbody> </table>	Item	Code	Not needed	1	Not customary	2	Cost too much	3	Too far/no transport	4	Poor quality service	5	Family did not allow	6	No time to go	7	Lack of knowledge	8	Others	9		
Item	Code																						
Not needed	1																						
Not customary	2																						
Cost too much	3																						
Too far/no transport	4																						
Poor quality service	5																						
Family did not allow	6																						
No time to go	7																						
Lack of knowledge	8																						
Others	9																						

Natal Care

Q.6 (16)	Where did your delivery take place?																																		
		Last birth	Previous to last birth																																
		<input type="text"/>	<input type="text"/>																																
	<table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td colspan="2">GOVERNMENT</td> </tr> <tr> <td>Sub - Center</td> <td>01</td> </tr> <tr> <td>PHC</td> <td>02</td> </tr> <tr> <td>CHC</td> <td>03</td> </tr> <tr> <td>UHC/UHP/UFWC</td> <td>04</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>05</td> </tr> <tr> <td>Hospital</td> <td>06</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>07</td> </tr> <tr> <td colspan="2">PRIVATE</td> </tr> <tr> <td>Dispensary/Clinic</td> <td>08</td> </tr> <tr> <td>Hospital</td> <td>09</td> </tr> <tr> <td>AYUSH Hospital/Clinic</td> <td>10</td> </tr> <tr> <td>NGO or Trust Hosp./Clinic</td> <td>11</td> </tr> <tr> <td>At Home</td> <td>12</td> </tr> <tr> <td>Others</td> <td>99</td> </tr> </tbody> </table>	Item	Code	GOVERNMENT		Sub - Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	PRIVATE		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp./Clinic	11	At Home	12	Others	99		
Item	Code																																		
GOVERNMENT																																			
Sub - Center	01																																		
PHC	02																																		
CHC	03																																		
UHC/UHP/UFWC	04																																		
Dispensary/Clinic	05																																		
Hospital	06																																		
AYUSH Hospital/Clinic	07																																		
PRIVATE																																			
Dispensary/Clinic	08																																		
Hospital	09																																		
AYUSH Hospital/Clinic	10																																		
NGO or Trust Hosp./Clinic	11																																		
At Home	12																																		
Others	99																																		

<p>Q.6 (17)</p>	<p>In case of institutional delivery [for code 1-11 in Q.6 (16)], what was the source of transport provided/availed by you for reaching the institution?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Item</th> <th style="width: 30%;">Code</th> </tr> </thead> <tbody> <tr> <td>Arranged by family</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Arranged by ASHA</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Provided by Panchayat/ Other Govt. sources</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Provided by Others</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Not Required (< 1 km)</td> <td style="text-align: center;">5</td> </tr> <tr> <td>Not Provided</td> <td style="text-align: center;">6</td> </tr> </tbody> </table>	Item	Code	Arranged by family	1	Arranged by ASHA	2	Provided by Panchayat/ Other Govt. sources	3	Provided by Others	4	Not Required (< 1 km)	5	Not Provided	6	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Last birth</th> <th style="width: 50%;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>
Item	Code																			
Arranged by family	1																			
Arranged by ASHA	2																			
Provided by Panchayat/ Other Govt. sources	3																			
Provided by Others	4																			
Not Required (< 1 km)	5																			
Not Provided	6																			
Last birth	Previous to last birth																			
<input type="checkbox"/>	<input type="checkbox"/>																			
<p>Q.6 (18)</p>	<p>In case of institutional delivery [for code 1-11 in Q.6 (16)], how long did you stay in the institution after delivery?</p> <p>(Record in Hours, if stay <= 48 hrs, in Days otherwise)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Unit</th> <th style="width: 30%;">Code</th> </tr> </thead> <tbody> <tr> <td>Hours</td> <td style="text-align: center;">H</td> </tr> <tr> <td>Days</td> <td style="text-align: center;">D</td> </tr> </tbody> </table>	Unit	Code	Hours	H	Days	D	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="width: 50%;">Last birth</th> <th colspan="2" style="width: 50%;">Previous to last birth</th> </tr> <tr> <th style="width: 25%;">H/D</th> <th style="width: 25%;">No.</th> <th style="width: 25%;">H/D</th> <th style="width: 25%;">No.</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth		Previous to last birth		H/D	No.	H/D	No.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Unit	Code																			
Hours	H																			
Days	D																			
Last birth		Previous to last birth																		
H/D	No.	H/D	No.																	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																	
<p>Q.6 (19)</p>	<p>Was the delivery normal, caesarean or assisted?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Item</th> <th style="width: 30%;">Code</th> </tr> </thead> <tbody> <tr> <td>Normal</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Caesarean</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Assisted</td> <td style="text-align: center;">3</td> </tr> </tbody> </table>	Item	Code	Normal	1	Caesarean	2	Assisted	3	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Last birth</th> <th style="width: 50%;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>						
Item	Code																			
Normal	1																			
Caesarean	2																			
Assisted	3																			
Last birth	Previous to last birth																			
<input type="checkbox"/>	<input type="checkbox"/>																			
<p>Q.6 (20)</p>	<p>In case of delivery at home, (Code 12 in Q. 6(16) who conducted your delivery?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Item</th> <th style="width: 30%;">Code</th> </tr> </thead> <tbody> <tr> <td>Doctor</td> <td style="text-align: center;">1</td> </tr> <tr> <td>Nurse/ANM/LHV</td> <td style="text-align: center;">2</td> </tr> <tr> <td>Trained dai</td> <td style="text-align: center;">3</td> </tr> <tr> <td>Untrained dai</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Family members/ Relatives/Friends</td> <td style="text-align: center;">5</td> </tr> <tr> <td>None</td> <td style="text-align: center;">6</td> </tr> </tbody> </table>	Item	Code	Doctor	1	Nurse/ANM/LHV	2	Trained dai	3	Untrained dai	4	Family members/ Relatives/Friends	5	None	6	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Last birth</th> <th style="width: 50%;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>
Item	Code																			
Doctor	1																			
Nurse/ANM/LHV	2																			
Trained dai	3																			
Untrained dai	4																			
Family members/ Relatives/Friends	5																			
None	6																			
Last birth	Previous to last birth																			
<input type="checkbox"/>	<input type="checkbox"/>																			
<p>Post Natal Care</p>																				
<p>Q.6 (21)</p>	<p>Did you have any check- up within 48 hours of delivery?</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 70%;">Item</th> <th style="width: 30%;">Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td style="text-align: center;">1</td> </tr> <tr> <td>No</td> <td style="text-align: center;">2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%;">Last birth</th> <th style="width: 50%;">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="checkbox"/></td> <td style="text-align: center;"><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>								
Item	Code																			
Yes	1																			
No	2																			
Last birth	Previous to last birth																			
<input type="checkbox"/>	<input type="checkbox"/>																			

<p>Q.6 (22)</p>	<p>If code 2 in Q.6 (21), after how many days of delivery, the first check up took place?</p> <p>(If no check up was done at all for any of the births, record '00' for that particular birth.)</p>	<table border="1"> <tr> <th data-bbox="730 237 956 309">Number of Days</th> <th data-bbox="956 237 1171 309">Last birth</th> <th data-bbox="1171 237 1437 309">Previous to last birth</th> </tr> <tr> <td></td> <td data-bbox="987 315 1115 376"> <input type="text"/> <input type="text"/> </td> <td data-bbox="1240 315 1367 376"> <input type="text"/> <input type="text"/> </td> </tr> </table>	Number of Days	Last birth	Previous to last birth		<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																
Number of Days	Last birth	Previous to last birth																																						
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																						
<p>Q.6 (23)</p>	<p>When was the new born baby checked up after birth?</p> <p>(To be asked only in respect of live births surviving or not surviving.)</p> <table border="1"> <thead> <tr> <th data-bbox="240 584 395 622">Item</th> <th data-bbox="395 584 616 622">Code</th> </tr> </thead> <tbody> <tr> <td data-bbox="240 622 395 660">Checked Up</td> <td data-bbox="395 622 616 660">Within 24 hrs 1</td> </tr> <tr> <td data-bbox="240 660 395 698"></td> <td data-bbox="395 660 616 698">24 hrs to 72 hrs 2</td> </tr> <tr> <td data-bbox="240 698 395 736"></td> <td data-bbox="395 698 616 736">4th day to 7th day 3</td> </tr> <tr> <td data-bbox="240 736 395 775"></td> <td data-bbox="395 736 616 775">After the 7th day 4</td> </tr> <tr> <td data-bbox="240 775 395 813">Not checked up</td> <td data-bbox="395 775 616 813">5</td> </tr> </tbody> </table>	Item	Code	Checked Up	Within 24 hrs 1		24 hrs to 72 hrs 2		4th day to 7th day 3		After the 7th day 4	Not checked up	5	<table border="1"> <tr> <th data-bbox="959 573 1171 645">Last birth</th> <th data-bbox="1171 573 1437 645">Previous to last birth</th> </tr> <tr> <td data-bbox="1034 651 1099 712"> <input type="text"/> </td> <td data-bbox="1273 651 1339 712"> <input type="text"/> </td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																						
Item	Code																																							
Checked Up	Within 24 hrs 1																																							
	24 hrs to 72 hrs 2																																							
	4th day to 7th day 3																																							
	After the 7th day 4																																							
Not checked up	5																																							
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							
<p>Q.6 (24)</p>	<p>If code 1 – 4 in Q.6 (23), where was the baby's first check up done?</p> <table border="1"> <thead> <tr> <th data-bbox="240 943 616 981">Item</th> <th data-bbox="616 943 692 981">Code</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="240 981 692 1019">GOVERNMENT</td> </tr> <tr> <td data-bbox="240 1019 616 1057">Anganwadi</td> <td data-bbox="616 1019 692 1057">00</td> </tr> <tr> <td data-bbox="240 1057 616 1095">Sub-Center</td> <td data-bbox="616 1057 692 1095">01</td> </tr> <tr> <td data-bbox="240 1095 616 1133">PHC</td> <td data-bbox="616 1095 692 1133">02</td> </tr> <tr> <td data-bbox="240 1133 616 1171">CHC</td> <td data-bbox="616 1133 692 1171">03</td> </tr> <tr> <td data-bbox="240 1171 616 1209">UHC/UHP/UFWC</td> <td data-bbox="616 1171 692 1209">04</td> </tr> <tr> <td data-bbox="240 1209 616 1247">Dispensary/Clinic</td> <td data-bbox="616 1209 692 1247">05</td> </tr> <tr> <td data-bbox="240 1247 616 1285">Hospital</td> <td data-bbox="616 1247 692 1285">06</td> </tr> <tr> <td data-bbox="240 1285 616 1323">AYUSH Hospital/Clinic</td> <td data-bbox="616 1285 692 1323">07</td> </tr> <tr> <td colspan="2" data-bbox="240 1323 692 1361">PRIVATE</td> </tr> <tr> <td data-bbox="240 1361 616 1400">Dispensary/Clinic</td> <td data-bbox="616 1361 692 1400">08</td> </tr> <tr> <td data-bbox="240 1400 616 1438">Hospital</td> <td data-bbox="616 1400 692 1438">09</td> </tr> <tr> <td data-bbox="240 1438 616 1476">AYUSH Hospital/Clinic</td> <td data-bbox="616 1438 692 1476">10</td> </tr> <tr> <td data-bbox="240 1476 616 1514">NGO or Trust Hosp/Clinic</td> <td data-bbox="616 1476 692 1514">11</td> </tr> <tr> <td data-bbox="240 1514 616 1552">At Home</td> <td data-bbox="616 1514 692 1552">12</td> </tr> <tr> <td data-bbox="240 1552 616 1590">Others</td> <td data-bbox="616 1552 692 1590">99</td> </tr> </tbody> </table>	Item	Code	GOVERNMENT		Anganwadi	00	Sub-Center	01	PHC	02	CHC	03	UHC/UHP/UFWC	04	Dispensary/Clinic	05	Hospital	06	AYUSH Hospital/Clinic	07	PRIVATE		Dispensary/Clinic	08	Hospital	09	AYUSH Hospital/Clinic	10	NGO or Trust Hosp/Clinic	11	At Home	12	Others	99	<table border="1"> <tr> <th data-bbox="959 1093 1171 1164">Last birth</th> <th data-bbox="1171 1093 1437 1164">Previous to last birth</th> </tr> <tr> <td data-bbox="1002 1171 1129 1232"> <input type="text"/> <input type="text"/> </td> <td data-bbox="1240 1171 1367 1232"> <input type="text"/> <input type="text"/> </td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>
Item	Code																																							
GOVERNMENT																																								
Anganwadi	00																																							
Sub-Center	01																																							
PHC	02																																							
CHC	03																																							
UHC/UHP/UFWC	04																																							
Dispensary/Clinic	05																																							
Hospital	06																																							
AYUSH Hospital/Clinic	07																																							
PRIVATE																																								
Dispensary/Clinic	08																																							
Hospital	09																																							
AYUSH Hospital/Clinic	10																																							
NGO or Trust Hosp/Clinic	11																																							
At Home	12																																							
Others	99																																							
Last birth	Previous to last birth																																							
<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																																							
<p>Q.6 (25)</p>	<p>Did you avail any maternity financial assistance?</p> <table border="1"> <thead> <tr> <th data-bbox="240 1727 363 1765">Item</th> <th data-bbox="363 1727 616 1765">Code</th> </tr> </thead> <tbody> <tr> <td data-bbox="240 1765 363 1843">Availed</td> <td data-bbox="363 1765 616 1843">Janani Suraksha Yojana (JSY) 1</td> </tr> <tr> <td data-bbox="240 1843 363 1921"></td> <td data-bbox="363 1843 616 1921">Other Govt schemes (Other than JSY) 2</td> </tr> <tr> <td data-bbox="240 1921 363 1960"></td> <td data-bbox="363 1921 616 1960">Any Other 3</td> </tr> <tr> <td data-bbox="240 1960 363 1998">Not Availed</td> <td data-bbox="363 1960 616 1998">4</td> </tr> </tbody> </table>	Item	Code	Availed	Janani Suraksha Yojana (JSY) 1		Other Govt schemes (Other than JSY) 2		Any Other 3	Not Availed	4	<table border="1"> <tr> <th data-bbox="959 1771 1171 1843">Last birth</th> <th data-bbox="1171 1771 1437 1843">Previous to last birth</th> </tr> <tr> <td data-bbox="1034 1850 1099 1910"> <input type="text"/> </td> <td data-bbox="1273 1850 1339 1910"> <input type="text"/> </td> </tr> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>																								
Item	Code																																							
Availed	Janani Suraksha Yojana (JSY) 1																																							
	Other Govt schemes (Other than JSY) 2																																							
	Any Other 3																																							
Not Availed	4																																							
Last birth	Previous to last birth																																							
<input type="text"/>	<input type="text"/>																																							

Q.6 (26)	If code 1 in Q.6 (25), then (i) How many days after the delivery, did you receive financial assistance? (ii) What was the total amount received by you during pregnancy and/or after delivery?		Last birth	Previous to last birth
			<input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/>
			Last birth (Amount in Rs.)	Previous to last birth (Amount in Rs.)

The following questions are to be filled only for live births and surviving.

Q.6 (27)	Was birth weight of the baby taken? <table border="1" style="width: 100%;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> <tr> <td>Don't Know</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	Don't Know	3	Baby's Name		
		Item	Code									
		Yes	1									
No	2											
Don't Know	3											
		Last birth	Previous to last birth									
		<input type="text"/>	<input type="text"/>									

Q.6 (28)	If code 1 in Q.6 (27), what was the birth weight of the baby?	Birth weight	Last birth	Previous to last birth
			Kg gms	Kg gms
			<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>

Immunization

Q.6 (29)	Do you have an Immunization/MCH card for your baby? <table border="1" style="width: 100%;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	Last birth	Previous to last birth
		Item	Code						
		Yes	1						
No	2								
		<input type="text"/>	<input type="text"/>						

Q.6 (30)	Has the baby ever received any vaccination? <table border="1" style="width: 100%;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table> (If code 2 for any birth, go to Q.6 (33) for that particular birth.)	Item	Code	Yes	1	No	2	Last birth	Previous to last birth
		Item	Code						
		Yes	1						
No	2								
		<input type="text"/>	<input type="text"/>						

Q.6 (31)	Was the baby given BCG vaccine? <table border="1" style="width: 100%;"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Yes</td> <td>At birth</td> <td>1</td> </tr> <tr> <td>Within 6 weeks</td> <td>2</td> </tr> <tr> <td>Thereafter</td> <td>3</td> </tr> <tr> <td>No</td> <td>4</td> </tr> </tbody> </table>	Item	Code	Yes	At birth	1	Within 6 weeks	2	Thereafter	3	No	4	Last birth	Previous to last birth
		Item	Code											
		Yes	At birth		1									
			Within 6 weeks	2										
			Thereafter	3										
No	4													
		<input type="text"/>	<input type="text"/>											

<p>Q.6 (32) Were the following vaccines administered to your baby?</p> <p># If more than 9 doses, record '9' only for that particular birth. * If no vaccination received, record '0' for that particular birth.</p>	<table border="1"> <thead> <tr> <th>Type of Vaccine</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td>Polio birth dose? (Yes-1, No-2, Don't know-3)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>* No. of Polio doses in Routine Immunization (RI) other than the birth dose</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td># No. of polio doses in PP (Pulse Polio) immunization during last 1 year</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>* No. of DPT injections</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>Measles (Yes-1, No-2)</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> <tr> <td>* No. of doses of Hepatitis B during last one year</td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Type of Vaccine	Last birth	Previous to last birth	Polio birth dose? (Yes-1, No-2, Don't know-3)	<input type="text"/>	<input type="text"/>	* No. of Polio doses in Routine Immunization (RI) other than the birth dose	<input type="text"/>	<input type="text"/>	# No. of polio doses in PP (Pulse Polio) immunization during last 1 year	<input type="text"/>	<input type="text"/>	* No. of DPT injections	<input type="text"/>	<input type="text"/>	Measles (Yes-1, No-2)	<input type="text"/>	<input type="text"/>	* No. of doses of Hepatitis B during last one year	<input type="text"/>	<input type="text"/>			
	Type of Vaccine	Last birth	Previous to last birth																						
	Polio birth dose? (Yes-1, No-2, Don't know-3)	<input type="text"/>	<input type="text"/>																						
	* No. of Polio doses in Routine Immunization (RI) other than the birth dose	<input type="text"/>	<input type="text"/>																						
	# No. of polio doses in PP (Pulse Polio) immunization during last 1 year	<input type="text"/>	<input type="text"/>																						
	* No. of DPT injections	<input type="text"/>	<input type="text"/>																						
	Measles (Yes-1, No-2)	<input type="text"/>	<input type="text"/>																						
* No. of doses of Hepatitis B during last one year	<input type="text"/>	<input type="text"/>																							
<p>Q.6 (33) If no vaccination was received by your baby, what was the main reason thereof?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Child is weak/sick</td> <td>1</td> </tr> <tr> <td>Not aware of the need</td> <td>2</td> </tr> <tr> <td>Place of immunization not known</td> <td>3</td> </tr> <tr> <td>Session site too far</td> <td>4</td> </tr> <tr> <td>Fear of side effects</td> <td>5</td> </tr> <tr> <td>Nobody to take child to session site</td> <td>6</td> </tr> <tr> <td>Not customary</td> <td>7</td> </tr> <tr> <td>Child too young</td> <td>8</td> </tr> <tr> <td>Others</td> <td>9</td> </tr> </tbody> </table>	Item	Code	Child is weak/sick	1	Not aware of the need	2	Place of immunization not known	3	Session site too far	4	Fear of side effects	5	Nobody to take child to session site	6	Not customary	7	Child too young	8	Others	9	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>
Item	Code																								
Child is weak/sick	1																								
Not aware of the need	2																								
Place of immunization not known	3																								
Session site too far	4																								
Fear of side effects	5																								
Nobody to take child to session site	6																								
Not customary	7																								
Child too young	8																								
Others	9																								
Last birth	Previous to last birth																								
<input type="text"/>	<input type="text"/>																								
<p>Q.6 (34) Was at least one dose of "Vitamin A" received by your baby during the last six months?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>														
Item	Code																								
Yes	1																								
No	2																								
Last birth	Previous to last birth																								
<input type="text"/>	<input type="text"/>																								
<p>Q.6 (35) Was IFA tablet/syrup administered to your baby in the last 3 months? (To be asked for babies older than 6 months)</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>Tablet 1 Syrup 2</td> </tr> <tr> <td>No</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	Tablet 1 Syrup 2	No	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="text"/>	<input type="text"/>														
Item	Code																								
Yes	Tablet 1 Syrup 2																								
No	3																								
Last birth	Previous to last birth																								
<input type="text"/>	<input type="text"/>																								
<p>Q.6 (36) If code 1 or 2 in Q.6 (35), then for how many days was it given in the last 3 months?</p>	<table border="1"> <thead> <tr> <th>No. of Days</th> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td></td> <td><input type="text"/> <input type="text"/></td> <td><input type="text"/> <input type="text"/></td> </tr> </tbody> </table>	No. of Days	Last birth	Previous to last birth		<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																		
No. of Days	Last birth	Previous to last birth																							
	<input type="text"/> <input type="text"/>	<input type="text"/> <input type="text"/>																							

<p>Q.6 (37) When did you first breast-feed your baby?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Immediately within 1 hour of birth</td> <td>1</td> </tr> <tr> <td>1 hour to 24 hours of birth</td> <td>2</td> </tr> <tr> <td>2-3 days</td> <td>3</td> </tr> <tr> <td>After 3 days</td> <td>4</td> </tr> <tr> <td>Never Breast-fed</td> <td>5</td> </tr> </tbody> </table>	Item	Code	Immediately within 1 hour of birth	1	1 hour to 24 hours of birth	2	2-3 days	3	After 3 days	4	Never Breast-fed	5	<table border="1"> <thead> <tr> <th>Last birth</th> <th colspan="2">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>			Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>	<input type="text"/>
	Item	Code																			
	Immediately within 1 hour of birth	1																			
	1 hour to 24 hours of birth	2																			
	2-3 days	3																			
	After 3 days	4																			
Never Breast-fed	5																				
Last birth	Previous to last birth																				
<input type="text"/>	<input type="text"/>	<input type="text"/>																			
<p>Q.6 (38) Are you currently breast-feeding your baby?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th colspan="2">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>			Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>	<input type="text"/>						
	Item	Code																			
	Yes	1																			
No	2																				
Last birth	Previous to last birth																				
<input type="text"/>	<input type="text"/>	<input type="text"/>																			
<p>Q.6 (39) How many days/months did you exclusively breast-feed your baby? (If duration of breast-feeding is less than one month, record no. of days and if duration is in months, record no. of months)</p> <table border="1"> <thead> <tr> <th>Unit</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Days</td> <td>D</td> </tr> <tr> <td>Months</td> <td>M</td> </tr> </tbody> </table>	Unit	Code	Days	D	Months	M	<table border="1"> <thead> <tr> <th colspan="2">Last birth</th> <th colspan="2">Previous to last birth</th> </tr> <tr> <th>D/M</th> <th>No.</th> <th>D/M</th> <th>No.</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>			Last birth		Previous to last birth		D/M	No.	D/M	No.	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	Unit	Code																			
	Days	D																			
Months	M																				
Last birth		Previous to last birth																			
D/M	No.	D/M	No.																		
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>																		
<p>Q.6 (40) At what age (in months) did you start feeding the baby, food other than breast milk? (If only breast-feeding, record '00')</p>	Type of food	Last birth (in months)	Previous to last birth (in months)																		
	Water	<input type="text"/>	<input type="text"/>																		
	Animal Milk/ Formula Milk	<input type="text"/>	<input type="text"/>																		
	Semi Solid Mashed	<input type="text"/>	<input type="text"/>																		
	Solid (Adult food)	<input type="text"/>	<input type="text"/>																		
	Vegetables/Fruits	<input type="text"/>	<input type="text"/>																		
<p>Q.6 (41) Did the baby suffer from Acute Respiratory Infection (ARI) during last 15 days?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th colspan="2">Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="text"/></td> <td><input type="text"/></td> <td><input type="text"/></td> </tr> </tbody> </table>			Last birth	Previous to last birth		<input type="text"/>	<input type="text"/>	<input type="text"/>						
	Item	Code																			
	Yes	1																			
No	2																				
Last birth	Previous to last birth																				
<input type="text"/>	<input type="text"/>	<input type="text"/>																			

<p>Q.6 (42)</p>	<p>If code 1 in Q.6 (41), was the baby given any treatment?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Antibiotic</td> <td>1</td> </tr> <tr> <td>Other treatment</td> <td>2</td> </tr> <tr> <td>No treatment</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Antibiotic	1	Other treatment	2	No treatment	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>		
Item	Code															
Antibiotic	1															
Other treatment	2															
No treatment	3															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															
<p>Q.6 (43)</p>	<p>Did the baby suffer from Fever during last 15 days?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															
<p>Q.6 (44)</p>	<p>If code 1 in Q.6 (43), was the baby given any treatment?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															
<p>Q.6 (45)</p>	<p>Did the baby suffer from Diarrhoea during last 15 days?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															
<p>Q.6 (46)</p>	<p>If code 1 in Q.6 (45), did you administer HAF/ORT/ORS to the baby?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td> Home available fluids (HAF)</td> <td>1</td> </tr> <tr> <td> Fluids prepared from ORS packet</td> <td>2</td> </tr> <tr> <td>No</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	1	Home available fluids (HAF)	1	Fluids prepared from ORS packet	2	No	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>
Item	Code															
Yes	1															
Home available fluids (HAF)	1															
Fluids prepared from ORS packet	2															
No	3															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															
<p>Registration of Births</p>																
<p>Q.6 (47)</p>	<p>Is the birth of your baby registered ?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> <tr> <td>Don't know</td> <td>3</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	Don't know	3	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>		
Item	Code															
Yes	1															
No	2															
Don't know	3															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															
<p>Q.6 (48)</p>	<p>If code 1 in Q.6 (47), did you receive Birth Certificate for your baby ?</p> <table border="1"> <thead> <tr> <th>Item</th> <th>Code</th> </tr> </thead> <tbody> <tr> <td>Yes</td> <td>1</td> </tr> <tr> <td>No</td> <td>2</td> </tr> </tbody> </table>	Item	Code	Yes	1	No	2	<table border="1"> <thead> <tr> <th>Last birth</th> <th>Previous to last birth</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>	Last birth	Previous to last birth	<input type="checkbox"/>	<input type="checkbox"/>				
Item	Code															
Yes	1															
No	2															
Last birth	Previous to last birth															
<input type="checkbox"/>	<input type="checkbox"/>															

Section II – Currently Married Woman (Aged 15 – 49 years)

Q.1	Which of the family planning method (s) are you aware of?	Codes	Family Planning Methods	Yes - 1/No - 2
		Modern		
		01	Tubectomy	<input type="checkbox"/>
		02	Vasectomy	<input type="checkbox"/>
		03	Copper-T/IUD	<input type="checkbox"/>
		04	Pills (Daily)	<input type="checkbox"/>
		05	Pills (Weekly)	<input type="checkbox"/>
		06	Emergency Contraceptive Pill	<input type="checkbox"/>
		07	Condom/Nirodh	<input type="checkbox"/>
		08	Other modern method	<input type="checkbox"/>
Traditional				
		09	Contraceptive Herbs	<input type="checkbox"/>
		10	Rhythm/Periodic Abstinence	<input type="checkbox"/>
		11	Withdrawal	<input type="checkbox"/>
		12	Lactational Amenorrhoea Method (LAM)	<input type="checkbox"/>
		13	Other traditional method	<input type="checkbox"/>
Q.2	Are you currently Pregnant?	Yes-1, No-2, Not sure-3		<input type="checkbox"/>
		If code 1, record number of completed months of pregnancy.		<input type="checkbox"/>
If code 2 or 3, go to Q.5				
Q.3	Are you registered for ANC?	Yes-1, No-2		<input type="checkbox"/>
Q.4	When you became pregnant this time (i.e., current pregnancy), did you want to become pregnant now, did you want to wait until later, or did you not want to have any (more) children at all? (After recording the response go to Q.11)	Now		1
		Later	Within 2 years	2
			2 years or more	3
		Did not want any (more) children at all		4
		CODE		<input type="checkbox"/>
Go to Q.11				
Q.5	Are you currently menstruating?	Yes		1
		No	Lactational Amenorrhoea	2
			Secondary Amenorrhoea	3
			In Menopause	4
			Uterus Removed	5
			Never Menstruated	6
		CODE		<input type="checkbox"/>
Go to Q.6				
Go to Q.11				
Go to Q.20				
Q.6	When you became mother last time, did you want this child then, did you want to wait until later or did you not want to have any (more) children at all?	Then		1
		Later	Within 2 years	2
			2 years or more	3
		Did not want any (more) children at all		4
		CODE		<input type="checkbox"/>

<p>Q.7</p> <p>(i) Are you or your husband currently using any method(s) of family planning?</p> <p>(ii) If code 1 in Q.7 (i), specify the most used method</p> <p>(iii) If code 01 or 02 in Q.7 (ii), where did you or your husband got the operation done?</p>	<p>Yes-1, No-2</p> <p style="text-align: right;"><input type="text"/></p>	<p>If code 2, Go to Q.10</p>																																									
	<p>(Use codes from Q.1)</p> <p style="text-align: right;"><input type="text"/><input type="text"/></p>																																										
	<p>GOVERNMENT</p> <table border="1"> <tr><td>Govt./Municipal hospital</td><td>1</td></tr> <tr><td>Govt. Dispensary</td><td>2</td></tr> <tr><td>UHC/UHP/UFWC</td><td>3</td></tr> <tr><td>CHC</td><td>4</td></tr> <tr><td>PHC</td><td>5</td></tr> <tr><td>Camp</td><td>6</td></tr> </table> <p>PRIVATE</p> <table border="1"> <tr><td>Hospital</td><td>7</td></tr> <tr><td>Dispensary/Clinic</td><td>8</td></tr> <tr><td>Others</td><td>9</td></tr> </table>		Govt./Municipal hospital	1	Govt. Dispensary	2	UHC/UHP/UFWC	3	CHC	4	PHC	5	Camp	6	Hospital	7	Dispensary/Clinic	8	Others	9	<p>Go to Q.19</p>																						
	Govt./Municipal hospital	1																																									
Govt. Dispensary	2																																										
UHC/UHP/UFWC	3																																										
CHC	4																																										
PHC	5																																										
Camp	6																																										
Hospital	7																																										
Dispensary/Clinic	8																																										
Others	9																																										
<p style="text-align: right;">CODE</p> <p style="text-align: right;"><input type="text"/></p>																																											
<p>Q.8</p> <p>How long have you or your husband been using this method continuously?</p>	<table border="1"> <tr><td>Less than 6 months</td><td>1</td></tr> <tr><td>6 months to < 1 year</td><td>2</td></tr> <tr><td>1 year to < 2 years</td><td>3</td></tr> <tr><td>2 years or more</td><td>4</td></tr> <tr><td>Not remember</td><td>5</td></tr> </table>	Less than 6 months	1	6 months to < 1 year	2	1 year to < 2 years	3	2 years or more	4	Not remember	5																																
	Less than 6 months	1																																									
	6 months to < 1 year	2																																									
	1 year to < 2 years	3																																									
	2 years or more	4																																									
	Not remember	5																																									
<p style="text-align: right;">CODE</p> <p style="text-align: right;"><input type="text"/></p>																																											
<p>Q.9</p> <p>From where did you obtain this method last time?</p> <p>(Not applicable for code 10 or 11 or 12 if recorded in Q.7 (ii))</p> <p>(After recording the response go to Q.15)</p>	<p>PUBLIC MEDICAL SECTOR</p> <table border="1"> <tr><td>Govt./Municipal hospital</td><td>01</td></tr> <tr><td>Govt. Dispensary</td><td>02</td></tr> <tr><td>UHC/UHP/UFWC</td><td>03</td></tr> <tr><td>CHC</td><td>04</td></tr> <tr><td>PHC</td><td>05</td></tr> <tr><td>Sub-center</td><td>06</td></tr> <tr><td>Govt. AYUSH hospital/clinic</td><td>07</td></tr> <tr><td>Govt. Mobile clinic</td><td>08</td></tr> <tr><td>Camp</td><td>09</td></tr> <tr><td>Anganwadi/ICDS Centre</td><td>10</td></tr> <tr><td>ASHA/ANM</td><td>11</td></tr> <tr><td>Other community based worker</td><td>12</td></tr> <tr><td>Other public sector health facility (NGO)</td><td>13</td></tr> </table> <p>PRIVATE MEDICAL SECTOR</p> <table border="1"> <tr><td>Pvt. Hospital/clinic</td><td>14</td></tr> <tr><td>Pvt. AYUSH Hospital/clinic</td><td>15</td></tr> </table> <p>OTHER SOURCE</p> <table border="1"> <tr><td>Pharmacy/Shop</td><td>16</td></tr> <tr><td>Husband</td><td>17</td></tr> <tr><td>Friends/Relatives</td><td>18</td></tr> <tr><td>Vending machine</td><td>19</td></tr> <tr><td>Others</td><td>20</td></tr> </table>		Govt./Municipal hospital	01	Govt. Dispensary	02	UHC/UHP/UFWC	03	CHC	04	PHC	05	Sub-center	06	Govt. AYUSH hospital/clinic	07	Govt. Mobile clinic	08	Camp	09	Anganwadi/ICDS Centre	10	ASHA/ANM	11	Other community based worker	12	Other public sector health facility (NGO)	13	Pvt. Hospital/clinic	14	Pvt. AYUSH Hospital/clinic	15	Pharmacy/Shop	16	Husband	17	Friends/Relatives	18	Vending machine	19	Others	20	
	Govt./Municipal hospital	01																																									
	Govt. Dispensary	02																																									
	UHC/UHP/UFWC	03																																									
	CHC	04																																									
	PHC	05																																									
	Sub-center	06																																									
	Govt. AYUSH hospital/clinic	07																																									
	Govt. Mobile clinic	08																																									
	Camp	09																																									
	Anganwadi/ICDS Centre	10																																									
	ASHA/ANM	11																																									
	Other community based worker	12																																									
	Other public sector health facility (NGO)	13																																									
	Pvt. Hospital/clinic	14																																									
	Pvt. AYUSH Hospital/clinic	15																																									
	Pharmacy/Shop	16																																									
	Husband	17																																									
	Friends/Relatives	18																																									
	Vending machine	19																																									
Others	20																																										
<p style="text-align: right;">CODE</p> <p style="text-align: right;"><input type="text"/><input type="text"/></p>		<p>Go to Q.15</p>																																									

Q.10	What is the main reason for currently not using any method of family planning?	Wanted child now/soon	01	
		Lack of knowledge about family planning	02	
		Against the religion	03	
		Opposed to family planning	04	
		Husband opposed	05	
		Other family members opposed	06	
		Not liking existing methods	07	
		Afraid of sterilization/operation	08	
		Cannot work after sterilization/operation	09	
		Worry about side effects	10	
		Costs too much	11	
		Health does not permit	12	
		Difficult/inconvenient to get method	13	
		Inconvenient to use method	14	
		Lack of access/Too far	15	
		Not living with husband presently	16	
		Others	17	
CODE		<input type="text"/>		
Q.11*	(i) Have you or your husband used any method in the past (last 5 years) and discontinued? (ii) If code 1 in Q.11(i), specify the most used method?	Yes-1, No-2	<input type="text"/>	If code 2, go to Q.13
		(Use codes from Q.1)	<input type="text"/>	If code 01 or 02, go to Q.19
Q.12*	What was the main reason for discontinuing the use of the method in the past? * For Code '4' or '5' in Q.5, skip and go to Q.19 after recording the response(s) in Q. 11/Q.12	Wanted child	01	
		Method failed/became pregnant	02	
		Supply not available	03	
		Difficult/inconvenient to get method	04	
		Weakness/inability to work	05	
		Body ache/back ache	06	
		Cramps	07	
		Weight gain	08	
		Dizziness	09	
		Nausea/Vomiting	10	
		Breast tenderness	11	
		Irregular periods	12	
		Excessive bleeding	13	
		Spotting	14	
		White discharge	15	
		Lack of pleasure	16	
		Method was inconvenient	17	
		Others	18	
		CODE		
Q.13	Do you intend to use any method of family planning, any time in the future?	Yes-1, No-2	<input type="text"/>	If code 2, go to Q.15
Q.14	If Code 1 in Q.13, then (i) When do you want to use?	Within 6 months	1	
		6 months to < 1 year	2	
		1 year to < 2 years	3	
		2 years or after	4	
		CODE		
(ii) Which method would you prefer to use?	CODE (Use Codes from Q.1)		<input type="text"/>	

Q.15	Would you like to have another child?	Want more children	1	If code 2, go to Q. 18	
		Want no more children	2		
		Not decided	3		
		CODE	<input type="text"/>		
Q.16	What would you prefer as your next child?	Boy	1		
		Girl	2		
		Doesn't matter	3		
		CODE	<input type="text"/>		
Q.17	How long would you like to wait to have another child?	Soon/Now/Less than 1 year	1		
		1 year to < 2 years	2		
		2 years to < 3 years	3		
		3 years or more	4		
		Not decided	5		
		CODE	<input type="text"/>		
Q.18	Did an ANM/ASHA/LHV visit you during the last three months? (Applicable only for Currently pregnant women/lactating mother)	Yes-1, No-2	<input type="text"/>		
Q.19	Have you availed Anganwadi services during the pregnancy and/or lactation for the last surviving child born during 1.1.2007 to 31.12.2009?	During pregnancy (Yes-1, No-2)	<input type="text"/>		
		During Lactation (Yes-1, No-2)	<input type="text"/>		
Q.20	Have you heard of RTI/STI?	Yes-1, No-2	<input type="text"/>		
Q.21	Have you heard of HIV/AIDS?	Yes-1, No-2	<input type="text"/>		
Q.22	Are you aware about the administration of HAF/ORT/ORS during diarrhoea?	Yes	Home available fluids (HAF)	1	
			Fluids prepared from ORS packets	2	
		No	3		
		CODE	<input type="text"/>		
Q.23	Are you aware of the danger signs of Acute Respiratory Infection (ARI)/ Pneumonia?	Yes-1, No-2	<input type="text"/>		

Remarks of Enumerator

--

Name & Signature with Date :

--

Remarks of Supervisor

--

Name & Signature with Date :

--

Confidential when filled

MORTALITY SCHEDULE

ANNUAL HEALTH SURVEY


State District Zone Rural-1, Urban-2 Stratum Sample Unit


Col. 1 to 3 to be filled for all Households & Col. 4 to 23 for deaths occurred to the usual residents of the sample unit during 01.01.2007 to 31.12.2009. Still births not to be included.

Serial No.	House No. (3 digits)*	Household No. (2 digits)*	Name of the deceased	Sex of deceased (Male-1, Female-2)	Date of death				Age at death			Registration of death		For infant death (< 1 year)		For female deceased aged 15-49 years						
					D	M	M	Y	Y	Y	Below 1 month (in days)	1 to 11 months (in completed months)	1 year and above (in completed years)	Source of medical attention before death (Code)	Place of death (Code)	Is the death registered? (Yes-1, No-2, Don't Know-3)	If code 1 in Col. 12, whether Certificate? (Yes-1, No-2)	Serial number of mother as in Household Schedule	Order of birth	Symptoms leading to death (Code)	Was the death associated with pregnancy? (Yes-1, No-2)	Period when the death occurred? (code)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

Code for Col. (10)	Item	Code	Code for Col. (11)		Code for Col. (16) - Contd.		Code for Col. (18)		Code for Col. (20)		Code for Col. (21)		Code for Col. (22)	
			Item	Code	Item	Code	Item	Code	Item	Code	Item	Code	Item	Code
01	At home	1	Respiratory infection	10	During antenatal period	1	Delay in receiving health care at facility	1	Excess bleeding	1	Excess bleeding	1	< 2 hours	1
02	In-transit	2	Diarrhoea / Dysentery	11	During delivery	2	Inadequate care at health facility	2	Sepsis	2	Pregnancy Induced Hypertension (PIH)	2	2 hours to < 24 hours	2
03	In health facility	3	Fever with rash	12	During abortion	3	Lack of transport in shifting to facility	3	Lack of funds	3	Prolonged labour / obstructed labour	3	24 hours to < 2 days	3
04	Other Places	4	Fever with convulsions	13	Within 42 days of delivery	4	Seriousness of the condition not realised	4	Seriousness of the condition realized but decision not made by family members	4	Injury to uterus & other organs	4	2 days to < 7 days	4
05	UHC/UHP/UFWC	04	Fever with Jaundice	14	After 42 days of delivery	5	Seriousness of the condition not realized	5	Others	5	Anaemia	5	7 days to < 14 days	5
06	Dispensary/Clinic	05	Others	15	Neonatal mortality (0-28 days) : Codes 01-09 & 15	6	Seriousness of the condition realized but decision not made by family members	6	Malaria	6	Other medical conditions in pregnancy	6	14 days or more	6
07	Hospital	06	Neonatal mortality (29-365 days): Codes 08-15		Post neonatal mortality (29-365 days): Codes 08-15	7	Others	7	Jaundice	7	Other conditions not related to pregnancy	7		
08	AYUSH Hospital/Clinic	07	Asphyxia											
09	Dispensary/Clinic	08	Hypothermia											
10	AYUSH Hospital/Clinic	09	Infections											
11	Dispensary/Clinic	10	Birth injuries											
12	NGO or Trust Hosp/Clinic	11	Convulsions soon after birth											
13	At Home	12	Jaundice											
99	Others	99	Bleeding from umbilicus & elsewhere											
00	No Medical Attention	00	Congenital / Birth defects											
			Pre-term / Low birth weight baby not thriving											

Rajasthan: Coverage along the continuum of care





The responsibility for the correctness of internal details rests with the publisher.

The territorial waters of India extend into the sea to a distance of twelve nautical miles measured from the appropriate base line.

The external boundaries and coastlines of India agree with the Record/Master Copy certified by Survey of India.

The state boundaries between Uttarakhnad & Uttar Pradesh, Bihar & Jharkhand and Chattisgarh & Madhya Pradesh have not been verified by the Governments concerned.

The administrative headquarters of Chandigarh, Haryana and Punjab are at Chandigarh.

The interstate boundaries amongst Arunachal Pradesh, Assam and Meghalaya shown on the map are as interpreted from the North-Eastern Areas (Reorganisation) Act, 1971, but have yet to be verified.

© Government of India Copyright, 2011

Enquiries should be directed to:
Vital Statistics Division
Office of the Registrar General & Census Commissioner, India
Ministry of Home Affairs
Government of India

Email : bmishra97.rgi@censusindia.gov.in
 Website: www.censusindia.gov.in