



Evaluation Study on Integrated Child Development Schemes (ICDS)

**Volume II
(Appendix)**

PEO Report No.218



**Programme Evaluation Organisation
Planning Commission
Government of India
New Delhi**

March 2011

Evaluation Report on Integrated Child Development Services

**Volume II
(Appendix)**



सत्यमेव जयते

Programme Evaluation Organisation

Planning Commission

Government of India

New Delhi-110001

March 2011

Contents – Volume II

List of Tables

| | | |
|--------------|--|----|
| Table 3.1: | State-wise Status of Filled-in Institutional Level Questionnaires (%)..... | 1 |
| Table 4.1: | State-wise Sample Profile for ICDS- 2009..... | 3 |
| Table 5.1: | Estimated Effective Coverage in Supplementary Nutrition Programme for Children Under ICDS..... | 5 |
| Table 5.2: | Status of Effective Coverage of Supplementary Nutrition Programme for Children..... | 7 |
| Table 5.3: | Status of Effective Coverage of Supplementary Nutrition Programme for Pregnant Women & Lactating Mothers..... | 9 |
| Table 5.4: | Status of Effective Coverage of Supplementary Nutrition Programme for Adolescent Girls..... | 11 |
| Table 5.5: | Projected Shortfall/excess of AWCs by States..... | 13 |
| Table 6.3: | Percentage of AWC Having Type of Housing Facility..... | 15 |
| Table 6.4: | Percentage of AWC Have Adequacy of Space for Different Type of Activities..... | 17 |
| Table 6.5: | Area of the Room Where Beneficiary Sit..... | 19 |
| Table 6.6: | Percentage of AWC Having Source of Drinking Water..... | 21 |
| Table 6.7: | Percentage of AWC Having Source of Drinking Water According to Distance..... | 23 |
| Table 6.8: | Percentage of AWC Having Toilet Facilities..... | 25 |
| Table 6.9: | Percentage of AWC Having Weighing Scales and Other Inventories..... | 27 |
| Table 6.10: | Percentage of AWCs Providing Different Types of Services Reported by the AWW..... | 29 |
| Table 6.11: | Average Daily Time Spent By AWW (In Minutes)..... | 31 |
| Table 6.12: | Percentage of AWW Involved In Other Government Scheme during Last Year..... | 33 |
| Table 6.13: | Percentage of AWW Reporting Regularity of Visits of ANM..... | 35 |
| Table 6.14A: | Percentage of AWCs Updated Different Types of Registers..... | 37 |
| Table 6.14B: | Percentage of AWCs Updated Different Types of Registers..... | 39 |
| Table 6.15: | Percentage of AWC Received Medical Kit..... | 41 |
| Table 6.16A: | Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year..... | 43 |
| Table 6.16B: | Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year..... | 45 |
| Table 6.16C: | Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year..... | 47 |
| Table 6.17: | Percentage of AWC Trained Adequately to Conduct PSE..... | 49 |
| Table 6.18: | Percentage of AWC Provided Types of Services Reported by AWW..... | 51 |
| Table 6.19: | Separate Programme for 15-45 Years Women Reported by AWW..... | 53 |
| Table 6.20: | Number of Visits by ANM/ LHV in AWC and Issues Discussed: Reported by AWW..... | 55 |

| | | |
|-------------|--|-----|
| Table 6.21: | Number of Visits by Supervisors in AWC and Issues Discussed: Reported by AWW | 57 |
| Table 6.22: | Number of Visits by CDPO/ ACDPO in AWC and Issues Discussed: Reported by AWW | 59 |
| Table 6.23: | Number of Visits by Block Education Officers in AWC: Reported by AWW | 61 |
| Table 6.24: | Number of Visits by Sarpanch in AWC and Issues Discussed: Reported by AWW | 63 |
| Table 6.25: | Number of Visits by Medical Officers in AWC and Issues Discussed: Reported by AWW | 65 |
| Table 6.26: | Percentage of AWCs Getting Help from Panchayat..... | 67 |
| Table 6.27: | Percentage of AWCs Getting Help from Village Leaders/Committee | 69 |
| Table 6.28: | Percentage of AWCs Getting Help from Women's Group | 71 |
| Table 6.29: | Percentage of AWCs Getting Help from Mothers of Beneficiary Children | 73 |
| Table 6.30: | Percentage of AWCs Getting Help from KSY Girls | 75 |
| Table 6.31: | Average Age of AWWs and Distribution of AWW by Marital Status..... | 77 |
| Table 6.32: | Percentage Distribution of AWW by Level of Education | 79 |
| Table 6.33: | Percentage Distribution of AWW by Residence..... | 81 |
| Table 6.34: | Percentage of AWW Attended Training & Duration (In Days) | 83 |
| Table 6.35: | Percentage of AWW Received ICDS Handbook and Reasons for Not Used..... | 85 |
| Table 6.36: | Average Age of AWHs and Percentage Distribution Marital Status | 87 |
| Table 6.37: | Percentage Distribution of AWH by Level of Education | 88 |
| Table 6.38: | Percentage Distribution of AWH by Residence | 91 |
| Table 6.39: | Investigators' Observations on Accuracy of Maintenance of Different Records (%AWC)..... | 93 |
| Table 6.40: | Observation of the Investigator about Cleanliness of the AWC (% AWC)..... | 95 |
| Table 6.41: | Observation of the Investigator about Cleanliness of Toilet (% AWC) | 97 |
| Table 6.42: | Observation of the Investigator about Cleanliness of the Cooking Area (% AWC) | 99 |
| Table 6.43: | Investigators Observations on about Items of PSE (% AWC)..... | 101 |
| Table 6.44: | Investigators' Observations on Medical Kits (%AWC) | 103 |
| Table 6.45: | Investigation about the Display of Important Information on the Blackboards..... | 105 |
| Table 6.46: | Percentage of AWC Has Been Beneficial to the Community | 107 |
| Table 6.47: | Percentage of Children (Aged Below 6 Year) Suffered From the Most Common Diseases during Last One Year..... | 109 |
| Table 6.48: | Community Leader's Perception about Percentage of IMR of Change during Last One Year..... | 111 |
| Table 6.49: | Community Leader's Perception about Percentage of CMR of Change during Last One Year..... | 113 |
| Table 6.50: | Percentage of Community Leader Help in AWCs Activities | 115 |
| Table 6.51: | Community Leaders Contribution Regarding the Following Activities | 117 |
| Table 7.1: | Status of Supplementary Nutrition (Food)..... | 119 |
| Table 7.2: | Immunization Status of Children (12-23 months) | 121 |
| Table 7.3: | Status of Children's Weight | 123 |
| Table 7.4: | Child had Diarrhea and Action Taken by Mother | 125 |
| Table 7.5: | About Child's Deworming (For Children Above 12 Months of Age) | 127 |

| | | |
|-------------|--|-----|
| Table 7.6: | Children Consuming Iron and Folic Acid Tablets | 129 |
| Table 7.7: | Mothers Reporting Initiated Breastfeeding after Child Birth | 131 |
| Table 7.8: | Children Aged 3-6 Years Attending PSE Able to do the Following PSE Activities | 133 |
| Table 7.9: | Children Aged 3-6 Years Attending PSE Carrying the Following Good Habits..... | 135 |
| Table 7.10: | Status of Supplementary Nutrition (Food)..... | 137 |
| Table 7.11: | Status of TT Vaccine During Pregnancy | 139 |
| Table 7.12: | About IFA Tablets | 141 |
| Table 7.13: | About Regular Check-Ups - Blood Pressure | 143 |
| Table 7.14: | About Regular Check-Ups – Weight | 145 |
| Table 7.15: | About Regular Check-Ups - Abdominal Examination | 147 |
| Table 7.16: | Pregnant Women Ever Referred to SC/PHC | 149 |
| Table 7.17: | Pregnant Women Attended NHE Meetings..... | 151 |
| Table 7.18: | Pregnant Women Following Advices Regarding Services/Activities about Child Care Discussed During NHE | 153 |
| Table 7.19: | Pregnant Women Following Advices Regarding Services/Activities about Mother Care Discussed During NHE (%)..... | 155 |
| Table 7.20: | Awareness and Use of Boil Water (%) | 157 |
| Table 7.21: | Pregnant Women's Perception about Ideal Birth Interval..... | 159 |
| Table 7.22: | Status of TT Vaccine During Pregnancy | 161 |
| Table 7.23: | About IFA Tablets | 163 |
| Table 7.24: | Lactating Mother Attended NHE Meetings..... | 165 |
| Table 7.25: | Lactating Mothers Following Advices Regarding Services/Activities about Child Care Discussed During NHE | 167 |
| Table 7.26: | Lactating Mothers Following Advices Regarding Services/Activities about Mother Care Discussed During NHE | 169 |
| Table 7.27: | Awareness and Use of Boil Water (%) | 171 |
| Table 7.28: | Lactating Mother's Perception about Ideal Birth Interval | 173 |
| Table 7.29: | Status of Supplementary Nutrition (Food)..... | 175 |
| Table 7.30: | About Deworming | 177 |
| Table 7.31: | Adolescent Girls Following Advices Regarding Health and Hygiene Care Discussed During NHE..... | 179 |
| Table 7.32: | Adolescent Girls Heard of AIDS | 181 |
| Table 7.33: | Awareness about Anemia | 183 |
| Table 7.34: | Adolescent Girls Participated in Income Generation Activity..... | 185 |
| Table 7.35: | Awareness and Perception of Adolescent Girls..... | 187 |
| Table 8.1: | Composite Indices of Behavioural Pattern Among ICDS Beneficiaries | 189 |
| Table 8.2: | Estimates of Components of NHE-Child Index: Percentage of Mothers Followed the Advices Given by AWW on the Following Components of Child Care | 190 |
| Table 8.3: | Estimates of Components of NHE-Mother Index: Percentage of Mothers Followed the Advices Given by AWW on the Following Components of Self Care..... | 192 |
| Table 8.4: | Estimates of Components of PSE-Learning Skills and Hygiene & Social Behaviour Index..... | 194 |
| Table 8.5: | Estimates of Components of Health Check-up and Some Other Selected Indexes | 196 |
| Table 8.6: | Difference in Mean: Some Characteristic Variables of ICDS and Non-ICDS Samples..... | 198 |

| | | |
|-------------|---|------------|
| Table 8.7: | Estimates of Components Nutritional Status of Children Aged 7 Months-60 Months (ICDS v/s Non ICDS)..... | 200 |
| Table 8.8: | Estimates of Components of Immunization Status of Children Aged 12-23 Months (ICDS v/s Non ICDS)..... | 202 |
| Table 8.9: | Estimates of Components of Practice of Child Getting Weighed at Birth (ICDS v/s Non ICDS)..... | 204 |
| Table 8.10: | Estimates of Components of Colostrum Feeding (ICDS v/s Non ICDS)..... | 206 |
| Table 8.11: | Estimates of Components of Enrollment of and Discontinuation by Children Aged 7-14 Years in Primary and Post-Primary Education (ICDS v/s Non ICDS)..... | 208 |
| Table 9.2: | Nutritional Status of Children Aged 7 Months-60 Months..... | 210 |
| Table 9.3: | Nutritional Status of Children Aged 7 Months-60 Months by Expenditure Classes | 212 |
| Table 9.4: | Nutritional Status of Children Aged 7 Months-60 Months by Occupation Group | 214 |
| Table 9.5: | Nutritional Status of Children Aged 7 Months-60 Months by Asset Class | 216 |
| Table 9.6: | Distribution of Households by Level of Education – Beneficiary vs. Non-Beneficiary.. | 218 |
| Table 9.7: | Distribution of Households by Occupation Group – Beneficiary vs. Non-Beneficiary.. | 220 |
| Table 9.8: | Distribution of Households by Expenditure Class (Rs./Month) – Beneficiary vs. Non-Beneficiary..... | 222 |
| Table 10.1: | Requirement of Financial Provisions and Actual Expenditure-State-wise | 224 |
| Table 10.2: | Estimated Values of A and B (In %) for Major States..... | 226 |
| Table 10.3: | Estimated Proportion of SN Funds Spent on Children (In %)..... | 228 |
| Table 10.4: | Estimated Values of A and B (In %) for Major States..... | 230 |
| Table 10.5: | Proportion of SN funds spent for PW & LM..... | 232 |
| Table 10.6: | Proportion of Expenditure on Spent SN and Estimated Shares of Different Groups (%)..... | 234 |
| Table 10.7: | Estimated Average Available Fund for SN on Different Types of Beneficiaries (Per Beneficiary Per Day In Rs.), 2008-09 | 236 |

Appendix Table 3.1: States/UTs -wise Status of Filled-in Institutional Level Questionnaires (%)

| States/UTs | States/UTs Nodal ICDS Officer | | DPO | | CDPO | |
|----------------------------|-------------------------------|--|--------------|--|--------------|--|
| | Study Sample | Received with partial information/Not Received (%) | Study Sample | Received with partial information/Not Received (%) | Study Sample | Received with partial information/Not Received (%) |
| Andhra Pradesh | 1 | 100.0 | 4 | 75.0 | 19 | 52.6 |
| Assam | 1 | 100.0 | 4 | 100.0 | 10 | 90.0 |
| Bihar | 1 | 100.0 | 6 | 100.0 | 19 | 100.0 |
| Chhatisgarh | 1 | 0.0 | 3 | 66.7 | 8 | 25.0 |
| Gujarat | 1 | 0.0 | 4 | 100.0 | 12 | 33.3 |
| Haryana | 1 | 100.0 | 3 | 100.0 | 6 | 83.3 |
| Himachal Pradesh | 1 | 100.0 | 2 | 100.0 | 4 | 50.0 |
| Jammu & Kashmir | 1 | 100.0 | 2 | 50.0 | 7 | 100.0 |
| Jharkhand | 1 | 100.0 | 3 | 100.0 | 11 | 45.5 |
| Karnataka | 1 | 100.0 | 4 | 100.0 | 10 | 100.0 |
| Kerala | 1 | 100.0 | 3 | 100.0 | 8 | 100.0 |
| Madhya Pradesh | 1 | 100.0 | 7 | 100.0 | 17 | 64.7 |
| Maharashtra | 1 | 0.0 | 5 | 40.0 | 20 | 20.0 |
| Orissa | 1 | 0.0 | 5 | 60.0 | 17 | 52.9 |
| Punjab | 1 | 100.0 | 3 | 100.0 | 7 | 57.1 |
| Rajasthan | 1 | 100.0 | 5 | 100.0 | 13 | 84.6 |
| Tamil Nadu | 1 | 100.0 | 5 | 60.0 | 20 | 20.0 |
| Uttar Pradesh | 1 | 100.0 | 10 | 100.0 | 41 | 80.5 |
| Uttrakhand | 1 | 100.0 | 3 | 66.7 | 5 | 80.0 |
| West Bengal | 1 | 100.0 | 3 | 100.0 | 18 | 27.8 |

Appendix Table 3.1: States/UTs -wise Status of Filled-in Institutional Level Questionnaires (%) (Continued...)

| States/UTs | States/UTs Nodal ICDS Officer | | DPO | | CDPO | |
|---------------------------|-------------------------------|--|--------------|--|--------------|--|
| | Study Sample | Received with partial information/Not Received (%) | Study Sample | Received with partial information/Not Received (%) | Study Sample | Received with partial information/Not Received (%) |
| Delhi | 1 | 0.0 | 1 | 100.0 | 2 | 0.0 |
| Chandigarh | 1 | 100.0 | 1 | 100.0 | 1 | 100.0 |
| Arunachal Pradesh | 1 | 100.0 | 2 | 100.0 | 3 | 66.7 |
| Manipur | 1 | 100.0 | 1 | 100.0 | 2 | 0.0 |
| Meghalaya | 1 | 100.0 | 1 | 100.0 | 2 | 50.0 |
| Mizoram | 1 | 100.0 | 1 | 100.0 | 1 | 100.0 |
| Nagaland | 1 | 100.0 | 1 | 100.0 | 3 | 100.0 |
| Tripura | 1 | 100.0 | 1 | 100.0 | 3 | 100.0 |
| Sikkim | 1 | 0.0 | 1 | 100.0 | 2 | 50.0 |
| Dadar & Nagar Haveli | 1 | 0.0 | 1 | 100.0 | 1 | 0.0 |
| Daman & Diu | 1 | 0.0 | 1 | 100.0 | 1 | 0.0 |
| Goa | 1 | 100.0 | 1 | 100.0 | 1 | 0.0 |
| Puducherry | 1 | 100.0 | 1 | 100.0 | 2 | 100.0 |
| Lakshadweep | 1 | 100.0 | 1 | 100.0 | 1 | 100.0 |
| Andaman & Nicobar Islands | 1 | 100.0 | 1 | 100.0 | 3 | 66.7 |
| All India | 35 | 77.1 | 100 | 89.0 | 300 | 61.0 |

Appendix Table 4.1: States/UTs -wise Sample Profile for ICDS- 2009

| States/UTs | Sample districts | Sample projects | | | | Sample AWCs | | | | Child beneficiaries selected | Child non-beneficiaries selected | PW/LM beneficiaries selected | AG beneficiaries selected |
|----------------------------|------------------|-----------------|-------|-------|-------|-------------|-------|-------|-------|------------------------------|----------------------------------|------------------------------|---------------------------|
| | | Tribal | Rural | Urban | Total | Tribal | Rural | Urban | Total | | | | |
| Jammu & Kashmir | 2 | 0 | 7 | 0 | 7 | 0 | 35 | 0 | 35 | 175 | 105 | 105 | 70 |
| Himachal Pradesh | 2 | 0 | 4 | 0 | 4 | 0 | 20 | 0 | 20 | 100 | 60 | 60 | 40 |
| Punjab | 3 | 0 | 7 | 0 | 7 | 0 | 35 | 0 | 35 | 175 | 105 | 105 | 70 |
| Chandigarh | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 5 | 5 | 25 | 15 | 15 | 10 |
| Uttrakhand | 3 | 0 | 5 | 0 | 5 | 0 | 25 | 0 | 25 | 125 | 75 | 75 | 50 |
| Haryana | 3 | 0 | 5 | 1 | 6 | 0 | 25 | 5 | 30 | 150 | 90 | 90 | 60 |
| Delhi | 1 | 0 | 0 | 2 | 2 | 0 | 0 | 10 | 10 | 50 | 30 | 30 | 20 |
| Rajasthan | 5 | 0 | 11 | 2 | 13 | 0 | 55 | 10 | 65 | 325 | 195 | 195 | 130 |
| Uttar Pradesh | 10 | 0 | 40 | 1 | 41 | 0 | 200 | 5 | 205 | 1,025 | 615 | 615 | 410 |
| Bihar | 6 | 0 | 18 | 1 | 19 | 0 | 90 | 5 | 95 | 475 | 285 | 285 | 190 |
| Sikkim | 1 | 1 | 1 | 0 | 2 | 5 | 5 | 0 | 10 | 50 | 30 | 30 | 20 |
| Arunachal Pradesh | 2 | 3 | 0 | 0 | 3 | 15 | 0 | 0 | 15 | 75 | 45 | 45 | 30 |
| Nagaland | 1 | 1 | 1 | 1 | 3 | 5 | 5 | 5 | 15 | 75 | 45 | 45 | 30 |
| Manipur | 1 | 0 | 1 | 1 | 2 | 0 | 5 | 5 | 10 | 50 | 30 | 30 | 20 |
| Mizoram | 1 | 1 | 0 | 0 | 1 | 5 | 0 | 0 | 5 | 25 | 15 | 15 | 10 |
| Tripura | 1 | 1 | 1 | 1 | 3 | 5 | 5 | 5 | 15 | 75 | 45 | 45 | 30 |
| Meghalaya | 1 | 2 | 0 | 0 | 2 | 10 | 0 | 0 | 10 | 50 | 30 | 30 | 20 |
| Assam | 4 | 0 | 10 | 0 | 10 | 0 | 50 | 0 | 50 | 250 | 150 | 150 | 100 |
| West Bengal | 3 | 1 | 16 | 1 | 18 | 5 | 80 | 5 | 90 | 450 | 270 | 270 | 180 |
| Jharkhand | 3 | 4 | 6 | 1 | 11 | 20 | 30 | 5 | 55 | 275 | 165 | 165 | 110 |

Appendix Table 4.1: States/UTs -wise Sample Profile for ICDS- 2009 (Continued...)

| States/UTs | Sample districts | Sample projects | | | | Sample AWCs | | | | Child beneficiaries selected | Child non-beneficiaries selected PW/LM | beneficiaries selected | AG beneficiaries selected |
|-------------------------------------|------------------|-----------------|------------|-----------|------------|-------------|--------------|------------|--------------|------------------------------|--|------------------------|---------------------------|
| | | Tribal | Rural | Urban | Total | Tribal | Rural | Urban | Total | | | | |
| Chhattisgarh | 3 | 3 | 4 | 1 | 8 | 15 | 20 | 5 | 40 | 200 | 120 | 120 | 80 |
| Madhya Pradesh | 7 | 6 | 10 | 1 | 17 | 30 | 50 | 5 | 85 | 425 | 255 | 255 | 170 |
| Gujarat | 4 | 2 | 10 | 0 | 12 | 10 | 50 | 0 | 60 | 300 | 180 | 180 | 120 |
| Daman & Diu | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 5 | 5 | 25 | 15 | 15 | 10 |
| Dadar & Nagar Haveli | 1 | 1 | 0 | 0 | 1 | 5 | 0 | 0 | 5 | 25 | 15 | 15 | 10 |
| Maharashtra | 5 | 1 | 13 | 6 | 20 | 5 | 65 | 30 | 100 | 500 | 300 | 300 | 200 |
| Andhra Pradesh | 4 | 1 | 15 | 3 | 19 | 5 | 75 | 15 | 95 | 475 | 285 | 285 | 190 |
| Karnataka | 4 | 0 | 9 | 1 | 10 | 0 | 45 | 5 | 50 | 250 | 150 | 150 | 100 |
| Goa | 1 | 0 | 1 | 0 | 1 | 0 | 5 | 0 | 5 | 25 | 15 | 15 | 10 |
| Lakshadweep | 1 | 1 | 0 | 0 | 1 | 5 | 0 | 0 | 5 | 25 | 15 | 15 | 10 |
| Kerala | 3 | 0 | 7 | 1 | 8 | 0 | 35 | 5 | 40 | 200 | 120 | 120 | 80 |
| Tamil Nadu | 5 | 0 | 17 | 3 | 20 | 0 | 85 | 15 | 100 | 500 | 300 | 300 | 200 |
| Puducherry | 1 | 0 | 1 | 1 | 2 | 0 | 5 | 5 | 10 | 50 | 30 | 30 | 20 |
| Andaman & Nicobar Island | 1 | 1 | 1 | 1 | 3 | 5 | 5 | 5 | 15 | 75 | 45 | 45 | 30 |
| All-India | 100 | 37 | 230 | 33 | 300 | 185 | 1,150 | 165 | 1,500 | 7,500 | 4,500 | 4,500 | 3,000 |

Table: 5.1 Estimated Effective Coverage in Supplementary Nutrition Programme for Children under ICDS

| States/UTs | Survey gap: proportion of children not registered as % to total eligible children as per census | Service gap: proportion of children not in the delivery registered as % to total number in survey register | Delivery gap: proportion of children not receiving SNP as % to total number in delivery register | Actual coverage (Proportion of children receiving food from AWC) | | |
|------------------|---|--|--|--|---------------------------------------|--|
| | | | | As % to children in survey register | As % to children in delivery register | As % to eligible children estimated (Census) |
| Andhra Pradesh | 41.4 | 14.4 | 26.3 | 63.1 | 73.7 | 37.0 |
| Assam | 17.9 | 15.4 | 26.5 | 62.2 | 73.5 | 51.0 |
| Bihar | 52.5 | 30.3 | 47.4 | 36.6 | 52.6 | 17.4 |
| Chhattisgarh | 41.0 | 8.1 | 14.4 | 78.7 | 85.6 | 46.5 |
| Gujarat | 58.7 | 11.1 | 13.5 | 76.8 | 86.5 | 31.7 |
| Haryana | 47.3 | 32.2 | 48.1 | 35.2 | 51.9 | 18.6 |
| Himachal Pradesh | 15.8 | 35.4 | 22.9 | 49.9 | 77.1 | 42.0 |
| Jammu & Kashmir | 54.5 | 20.5 | 8.5 | 72.8 | 91.5 | 33.1 |
| Jharkhand | 14.9 | 48.8 | 11.7 | 45.2 | 88.3 | 38.5 |
| Karnataka | 8.4 | 32.3 | 19.6 | 54.4 | 80.4 | 49.9 |
| Kerala | 26.8 | 60.2 | 24.2 | 30.2 | 75.8 | 22.1 |
| Madhya Pradesh | 36.8 | 14.8 | 31.8 | 58.1 | 68.2 | 36.7 |
| Maharashtra | 41.8 | 7.1 | 30.4 | 64.7 | 69.6 | 37.6 |
| Orissa | 26.3 | 1.4 | 30.1 | 69.0 | 69.9 | 50.9 |
| Punjab | 53.9 | 29.7 | 40.9 | 41.6 | 59.1 | 19.2 |
| Rajasthan | 36.9 | 47.5 | 44.4 | 29.2 | 55.6 | 18.4 |
| Tamil Nadu | 43.4 | 35.9 | 24.2 | 48.6 | 75.8 | 27.5 |
| Uttar Pradesh | 39.8 | 7.8 | 59.4 | 37.4 | 40.6 | 22.5 |
| Uttrakhand | 46.1 | 29.5 | 18.1 | 57.7 | 81.9 | 31.1 |
| West Bengal | 18.2 | 23.3 | 21.7 | 60.0 | 78.3 | 49.1 |

Table: 5.1 Estimated Effective Coverage in Supplementary Nutrition Programme for Children under ICDS (Continued...)

| States/UTs | Survey gap: proportion of children not registered as % to total eligible children as per census | Service gap: proportion of children not in the delivery registered as % to total number in survey register | Delivery gap: proportion of children not receiving SNP as % to total number in delivery register | Actual coverage (Proportion of children receiving food from AWC) | | |
|-------------------------------------|--|---|--|---|--|--|
| | | | | As % to children in survey register | As % to children in delivery register | As % to eligible children estimated (Census) |
| Delhi | 59.1 | 34.1 | 43.6 | 37.2 | 56.4 | 15.2 |
| Chandigarh | 59.9 | 37.8 | 32.0 | 42.3 | 68.0 | 17.0 |
| Arunachal Pradesh | 0.0 | 18.6 | 5.6 | 76.8 | 94.4 | 76.8 |
| Manipur | 0.0 | 9.4 | 55.1 | 40.7 | 44.9 | 40.7 |
| Meghalaya | 42.8 | 10.6 | 20.2 | 71.4 | 79.8 | 40.8 |
| Mizoram | 39.2 | 0.0 | 8.2 | 91.8 | 91.8 | 55.8 |
| Nagaland | 17.2 | 25.3 | 17.6 | 61.6 | 82.4 | 51.0 |
| Tripura | 0.0 | 5.3 | 22.4 | 73.5 | 77.6 | 73.5 |
| Sikkim | 49.8 | 17.4 | 6.2 | 77.4 | 93.8 | 38.9 |
| Dadar & Nagar Haveli | 57.6 | 0.0 | 40.0 | 60.0 | 60.0 | 25.5 |
| Daman & Diu | 64.3 | 1.0 | 45.3 | 54.1 | 54.7 | 19.3 |
| Goa | 70.5 | 0.0 | 26.6 | 73.4 | 73.4 | 21.7 |
| Puducherry | 83.5 | 20.8 | 43.3 | 44.9 | 56.7 | 7.4 |
| Andaman & Nicobar Haveli | 30.5 | 25.4 | 0.0 | 74.6 | 100.0 | 51.8 |
| All India | 37.9 | 21.6 | 36.0 | 50.1 | 64.0 | 31.1 |

Table 5.2: Status of Effective Coverage of Supplementary Nutrition Programme for Children

| States/UTs | Receiving food | | Effective coverage as % of children recorded in delivery register | Not Receiving food due to constraints on | | Awareness of food entitlement (%) |
|-------------------|--|----------------------------------|---|--|--|-----------------------------------|
| | As % of children recorded in delivery register | Average number of days per month | | Supply side | Demand side | |
| | | | | As % of children recorded in delivery register | As % of children recorded in delivery register | |
| Andhra Pradesh | 73.7 | 16 | 47.2 | 26.3 | 0.00 | 86.39 |
| Assam | 73.6 | 2 | 5.9 | 24.3 | 2.12 | 40.11 |
| Bihar | 52.6 | 14 | 29.4 | 43.9 | 3.58 | 16.44 |
| Chhattisgarh | 85.6 | 19 | 65.1 | 13.1 | 1.33 | 17.97 |
| Gujarat | 86.5 | 19 | 65.7 | 11.9 | 1.64 | 66.48 |
| Haryana | 51.9 | 21 | 43.6 | 0.0 | 48.07 | 14.56 |
| Himachal Pradesh | 77.1 | 17 | 52.4 | 11.7 | 11.20 | 31.93 |
| Jammu and Kashmir | 91.5 | 18 | 65.9 | 7.0 | 1.44 | 10.91 |
| Jharkhand | 88.3 | 18 | 63.6 | 9.7 | 1.99 | 20.07 |
| Karnataka | 80.4 | 21 | 67.5 | 15.7 | 3.88 | 89.97 |
| Kerala | 75.8 | 20 | 60.7 | 14.0 | 10.46 | 95.89 |
| Madhya Pradesh | 68.2 | 14 | 38.2 | 27.3 | 4.45 | 14.51 |
| Maharashtra | 69.6 | 21 | 58.4 | 19.0 | 11.44 | 67.68 |
| Orissa | 69.9 | 21 | 58.8 | 30.1 | 0.00 | 17.46 |
| Punjab | 59.1 | 17 | 40.2 | 26.8 | 14.01 | 18.27 |
| Rajasthan | 55.6 | 15 | 33.4 | 29.6 | 14.84 | 25.92 |
| Tamil Nadu | 76.0 | 21 | 63.7 | 15.0 | 9.25 | 87.67 |
| Uttar Pradesh | 40.6 | 14 | 22.7 | 40.6 | 18.80 | 11.58 |
| Uttrakhand | 81.9 | 8 | 26.2 | 12.9 | 5.25 | 19.35 |
| West Bengal | 78.3 | 21 | 65.8 | 18.1 | 3.65 | 14.48 |
| Delhi | 56.5 | 22 | 49.7 | 0.0 | 43.55 | 14.06 |

Table 5.2: Status of Effective Coverage of Supplementary Nutrition Programme for Children (Continued...)

| States/UTs | Receiving food | | Effective coverage as % of children recorded in delivery register | Not Receiving food due to constraints on | | Awareness of food entitlement (%) |
|-------------------------------------|--|----------------------------------|---|--|--|-----------------------------------|
| | As % of children recorded in delivery register | Average number of days per month | | Supply side | Demand side | |
| | | | | As % of children recorded in delivery register | As % of children recorded in delivery register | |
| Chandigarh | 68.0 | 22 | 59.9 | - | - | - |
| Arunachal Pradesh | 94.4 | 8 | 30.2 | 5.6 | 0.00 | 0.41 |
| Manipur | 44.9 | 12 | 21.6 | 55.1 | 0.00 | 12.59 |
| Meghalaya | 79.8 | 18 | 57.5 | 13.1 | 7.12 | 63.6 |
| Mizoram | 91.8 | 19 | 69.8 | 0.0 | 8.21 | 89.9 |
| Nagaland | 82.4 | 6 | 19.8 | - | - | 93.57 |
| Tripura | 77.6 | 17 | 52.8 | 12.7 | 9.65 | 17 |
| Sikkim | 93.8 | 14 | 52.5 | | | 9.27 |
| Dadra & Nagar Haveli | 60.0 | 24 | 57.6 | - | - | 92.38 |
| Daman & Diu | 54.7 | 23 | 50.3 | - | - | 81.17 |
| Goa | 73.4 | 20 | 58.7 | - | - | 100 |
| Puducherry | 56.7 | 22 | 49.9 | - | - | 100 |
| Andaman & Nicobar Island | - | 24 | - | - | - | 6.92 |
| All India | 64.0 | 16 | 41.0 | 29.4 | 6.7 | 33.9 |

Note: Demand Side factors include: AWC far away, Food quality is not good, Family does not allow, Loss of work/ no time & Not aware of services. Supply side factors include: Not distributed, most of the days the food is not available & AWC often remain closed.

Table: 5.3 Status of Effective Coverage of Supplementary Nutrition Programme for Pregnant Women & Lactating Mothers

| States/UTs | Receiving food | | Effective coverage as % of those recorded in delivery register | Not receiving Food due to constraints on | | Awareness of food entitlement (%) |
|-------------------|---|--|--|--|--|--------------------------------------|
| | As % of those recorded in delivery register | Average number of days per month | | Supply side | Demand side | |
| | | | | As % of those recorded in delivery register | As % of those recorded in delivery register | |
| Andhra Pradesh | 87.8 | 10 | 35.1 | 5.9 | 6.2 | 70.4 |
| Assam | 7.7 | 0 | 0.0 | 87.6 | 4.7 | 6.8 |
| Bihar | 68.0 | 10 | 27.2 | 29.2 | 2.8 | 14.3 |
| Chhattisgarh | 76.8 | 16 | 49.2 | 23.2 | 0.0 | 17.0 |
| Gujarat | 76.5 | 14 | 42.8 | 11.3 | 12.2 | 42.1 |
| Haryana | 93.1 | 18 | 67.0 | 2.7 | 4.3 | 0.7 |
| Himachal Pradesh | 75.3 | 16 | 48.2 | 22.4 | 2.3 | 23.1 |
| Jammu and Kashmir | 90.4 | 16 | 57.9 | 7.8 | 1.8 | 21.6 |
| Jharkhand | 91.4 | 20 | 73.1 | 6.5 | 2.2 | 14.2 |
| Karnataka | 90.7 | 11 | 39.9 | 6.8 | 2.5 | 74.8 |
| Kerala | 93.8 | 19 | 71.3 | 1.8 | 4.4 | 87.7 |
| Madhya Pradesh | 78.4 | 8 | 25.1 | 16.6 | 5.0 | 8.1 |
| Maharashtra | 93.3 | 20 | 74.7 | 4.0 | 2.7 | 57.3 |
| Orissa | 90.1 | 20 | 72.0 | 8.8 | 1.1 | 15.1 |
| Punjab | 87.8 | 16 | 56.2 | 4.1 | 8.1 | 27.4 |
| Rajasthan | 83.8 | 4 | 13.4 | 10.2 | 6.1 | 24.0 |
| Tamil Nadu | 89.5 | 13 | 46.5 | 7.9 | 2.6 | 71.9 |
| Uttar Pradesh | 69.5 | 9 | 25.0 | 29.1 | 1.4 | 10.0 |
| Uttaranchal | 92.3 | 10 | 36.9 | 5.6 | 2.2 | 13.7 |
| West Bengal | 96.9 | 20 | 77.5 | 2.1 | 1.0 | 12.4 |

**Table: 5.3 Status of Effective Coverage of Supplementary Nutrition Programme for Pregnant Women & Lactating Mothers
(Continued...)**

| States/UTs | Receiving food | | Effective coverage as % of those recorded in delivery register | Not receiving Food due to constraints on | | Awareness of food entitlement (%) |
|-------------------------------------|---|--|--|--|---|---|
| | As % of those recorded in delivery register | Average number of days per month | | Supply side | Demand side | |
| | | | | As % of those recorded in delivery register | As % of those recorded in delivery register | |
| Delhi | 89.4 | 14 | 50.1 | 0.0 | 10.6 | 8.1 |
| Chandigarh | 100.0 | 20 | 80.0 | - | - | - |
| Arunachal Pradesh | 63.3 | 7 | 17.7 | 36.0 | 0.7 | 0.0 |
| Manipur | 23.6 | 2 | 1.9 | 62.4 | 14.1 | 1.7 |
| Meghalaya | 66.5 | 14 | 37.2 | 23.8 | 9.7 | 32.8 |
| Mizoram | 100.0 | 17 | 68.0 | - | - | 100.0 |
| Nagaland | 92.3 | 7 | 25.8 | 3.1 | 4.7 | 82.5 |
| Tripura | 66.8 | 7 | 18.7 | 26.5 | 6.7 | 13.9 |
| Sikkim | 86.8 | 13 | 45.1 | 13.2 | 0.0 | 25.7 |
| Dadra & Nagar Haveli | 100.0 | 24 | 96.0 | - | - | 83.1 |
| Daman & Diu | 100.0 | 22 | 88.0 | - | - | 72.2 |
| Goa | 100.0 | 24 | 96.0 | - | - | 94.0 |
| Puducherry | 100.0 | 24 | 96.0 | - | - | 100.0 |
| Andaman & Nicobar Island | 74.2 | 15 | 44.5 | 11.7 | 14.1 | 1.2 |
| All India | 78.3 | 12 | 37.6 | 18.4 | 3.3 | 26.8 |

Note: Demand Side factors include: AWC far away, Food quality is not good, Family does not allow, Loss of work/ no time & Not aware of services. Supply side factors include: Not distributed, most of the days the food is not available & AWC often remain closed.

Table 5.4: Status of Effective Coverage of Supplementary Nutrition Programme for Adolescent Girls

| States/UTs | Receiving food | | Effective coverage as % of those recorded in delivery register | Not receiving food due to constraints on | | Awareness of food entitlement |
|--------------------------|---|----------------------------------|--|---|---|-------------------------------|
| | As % of those recorded in delivery register | Average number of days per month | | Supply side | Demand side | |
| | | | | As % of those recorded in delivery register | As % of those recorded in delivery register | |
| Andhra Pradesh | 44.5 | 3 | 5.3 | 53.7 | 1.9 | 40.7 |
| Assam | 42.8 | 3 | 5.1 | 49.8 | 7.4 | 37.3 |
| Bihar | 67.6 | 9 | 24.3 | 31.6 | 0.8 | 20.9 |
| Chhattisgarh | 26.3 | 3 | 3.2 | 68.6 | 5.0 | 16.8 |
| Gujarat | 91.9 | 17 | 62.5 | 4.9 | 3.3 | 80.3 |
| Haryana | 17.0 | 3 | 2.0 | 83.0 | 0.0 | 0.0 |
| Himachal Pradesh | 87.2 | 17 | 59.3 | 12.8 | 0.0 | 17.5 |
| Jammu and Kashmir | 89.8 | 17 | 61.0 | 10.3 | 0.0 | 8.4 |
| Jharkhand | 86.7 | 18 | 62.5 | 13.3 | 0.0 | 0.0 |
| Karnataka | 81.2 | 10 | 32.5 | 14.5 | 4.3 | 66.8 |
| Kerala | 95.6 | 20 | 76.4 | 4.5 | 0.0 | 98.1 |
| Madhya Pradesh | 89.1 | 7 | 24.9 | 10.1 | 0.8 | 6.5 |
| Maharashtra | 70.9 | 13 | 36.9 | 25.8 | 3.3 | 57.6 |
| Orissa | 0.4 | 0 | 0.0 | 99.0 | 0.7 | 0.2 |
| Punjab | 91.9 | 15 | 55.1 | 4.3 | 3.8 | 43.3 |
| Rajasthan | 93.0 | 6 | 22.3 | 6.4 | 0.6 | 30.9 |
| Tamil Nadu | 0.8 | 0 | 0.0 | 91.3 | 7.9 | 1.4 |
| Uttar Pradesh | 82.6 | 15 | 49.5 | 17.3 | 0.1 | 14.7 |
| Uttrakhand | 79.0 | 9 | 28.4 | 21.0 | 0.0 | 23.5 |
| West Bengal | 46.4 | 7 | 13.0 | 53.6 | 0.0 | 11.2 |
| Delhi | 100.0 | 21 | 84.0 | - | - | - |

Table 5.4: Status of Effective Coverage of Supplementary Nutrition Programme for Adolescent Girls (Continued...)

| States/UTs | Receiving food | | Effective coverage as % of those recorded in delivery register | Not receiving food due to constraints on | | Awareness of food entitlement |
|-------------------------------------|---|----------------------------------|--|---|---|-------------------------------|
| | As % of those recorded in delivery register | Average number of days per month | | Supply side | Demand side | |
| | | | | As % of those recorded in delivery register | As % of those recorded in delivery register | |
| Chandigarh | - | - | 0.0 | - | - | - |
| Arunachal Pradesh | 73.8 | 4 | 11.8 | 26.2 | 0.0 | 2.5 |
| Manipur | 30.6 | 3 | 3.7 | 65.4 | 4.0 | 11.8 |
| Meghalaya | 94.9 | 13 | 49.3 | 5.2 | 0.0 | 27.2 |
| Mizoram | 66.7 | 3 | 8.0 | 33.3 | 0.0 | 66.7 |
| Nagaland | 93.7 | 6 | 22.5 | 6.3 | 0.0 | 100.0 |
| Tripura | 100.0 | 10 | 40.0 | - | - | 18.7 |
| Sikkim | 0.0 | 0 | 0.0 | 100.0 | 0.0 | 0.0 |
| Dadra & Nagar Haveli | 100.0 | 23 | 92.0 | - | - | 100.0 |
| Daman & Diu | 100.0 | 24 | 96.0 | - | - | 90.0 |
| Goa | 100.0 | 22 | 88.0 | - | - | 87.5 |
| Puducherry | 100.0 | 10 | 40.0 | - | - | 100.0 |
| Andaman & Nicobar Island | 100.0 | 23 | 92.0 | - | - | 3.1 |
| All India | 41.7 | 6 | 10.0 | 54.9 | 3.5 | 26.8 |

Note: Demand Side factors include: AWC far away, Food quality is not good, Family does not allow, Loss of work/ no time & Not aware of services. Supply side factors include: Not distributed, Most of the days the food is not available & AWC often remain closed.

Table 5.5: Projected Shortfall/excess of AWCs by States/UTs

| States/UTs/UTs | Average population per AWC as per norm | Requirement of AWC as per norm (in '000) | Actual Operational AWC (in '000) as on 31.3.2009, MWCD | Shortfall/Excess of AWC (in '000) | Shortfall/Excess to requirement (%) |
|-------------------|--|--|--|-----------------------------------|-------------------------------------|
| Andhra Pradesh | 780 | 105.6 | 73.0 | 32.6 | 30.8 |
| Assam | 763 | 38.6 | 36.8 | 1.7 | 4.5 |
| Bihar | 797 | 117.4 | 80.2 | 37.2 | 31.7 |
| Chhattisgarh | 705 | 33.0 | 34.9 | -1.9 | -5.7 |
| Gujarat | 756 | 74.9 | 43.8 | 31.2 | 41.6 |
| Haryana | 800 | 30.2 | 17.4 | 12.8 | 42.3 |
| Himachal Pradesh | 788 | 8.4 | 18.2 | -9.9 | -118.0 |
| Jammu & Kashmir | 767 | 14.7 | 18.8 | -4.1 | -28.1 |
| Jharkhand | 721 | 41.9 | 32.1 | 9.7 | 23.2 |
| Karnataka | 780 | 73.8 | 54.7 | 19.1 | 25.9 |
| Kerala | 797 | 42.4 | 32.2 | 10.2 | 24.0 |
| Madhya Pradesh | 739 | 93.0 | 69.2 | 23.8 | 25.6 |
| Maharashtra | 773 | 139.6 | 82.6 | 57.0 | 40.8 |
| Orissa | 734 | 54.0 | 41.8 | 12.3 | 22.7 |
| Punjab | 800 | 33.4 | 20.2 | 13.2 | 39.6 |
| Rajasthan | 762 | 84.7 | 50.9 | 33.7 | 39.8 |
| Tamil Nadu | 797 | 82.9 | 50.4 | 32.5 | 39.2 |
| Uttar Pradesh | 800 | 237.9 | 150.9 | 87.0 | 36.6 |
| Uttrakhand | 791 | 12.0 | 9.2 | 2.9 | 23.9 |
| West Bengal | 784 | 111.0 | 89.0 | 22.0 | 19.8 |
| Delhi | 800 | 21.2 | 6.1 | 15.1 | 71.2 |
| Chandigarh | 800 | 1.5 | 0.4 | 1.2 | 75.9 |
| Arunachal Pradesh | 607 | 2.0 | 4.3 | -2.3 | -116.8 |
| Manipur | 697 | 3.4 | 7.6 | -4.2 | -124.6 |

Table 5.5: Projected Shortfall/excess of AWCs by States/UTs/UTs (Continued...)

| States/UTs | Average population per AWC as per norm | Requirement of AWC as per norm (in '000) | Actual Operational AWC (in '000) as on 31.3.2009, MWCD | Shortfall/Excess of AWC (in '000) | Shortfall/Excess to requirement (%) |
|---------------------------|--|--|--|-----------------------------------|-------------------------------------|
| Meghalaya | 542 | 4.7 | 3.3 | 1.3 | 28.5 |
| Mizoram | 517 | 1.9 | 1.7 | 0.2 | 10.4 |
| Nagaland | 533 | 4.1 | 3.2 | 0.9 | 21.5 |
| Tripura | 707 | 4.9 | 7.4 | -2.4 | -49.3 |
| Sikkim | 738 | 0.8 | 1.0 | -0.2 | -23.1 |
| Dadra & Nagar Haveli | 613 | 0.5 | 0.3 | 0.2 | 48.1 |
| Daman & Diu | 774 | 0.3 | 0.1 | 0.2 | 66.7 |
| Goa | 800 | 2.0 | 1.1 | 0.9 | 44.2 |
| Puducherry | 800 | 1.5 | 0.7 | 0.8 | 54.2 |
| Lakshadweep | 517 | 0.1 | 0.1 | 0.1 | 39.3 |
| Andaman & Nicobar Islands | 775 | 0.6 | 0.7 | -0.1 | -16.0 |
| All India | 775 | 1479 | 1044 | 435 | 29.4 |

Appendix Table 6.3: Percentage of AWC Having Type of Housing Facility

| States/UTs | Owned | Rented | Primary school | Others* |
|--------------------------|--------------|---------------|-----------------------|----------------|
| Andhra Pradesh | 39.8 | 50 | 4.5 | 5.8 |
| Assam | 69.6 | 0 | 18.1 | 12.4 |
| Bihar | 16.1 | 55 | 12.5 | 16.5 |
| Chhattisgarh | 92.6 | 4.4 | 0 | 3 |
| Gujarat | 61.5 | 11.2 | 0.8 | 26.5 |
| Haryana | 28 | 33 | 14.4 | 24.7 |
| Himachal Pradesh | 10.1 | 30 | 2.6 | 57.3 |
| Jammu and Kashmir | 1.3 | 7.7 | 0 | 91 |
| Jharkhand | 43.4 | 34.8 | 2 | 19.8 |
| Karnataka | 65.3 | 7.2 | 6.2 | 21.4 |
| Kerala | 65 | 35 | 0 | 0 |
| Madhya Pradesh | 48.9 | 18.6 | 7.1 | 25.4 |
| Maharashtra | 68.5 | 8.1 | 9.6 | 13.9 |
| Orissa | 53.5 | 5.5 | 14.8 | 26.2 |
| Punjab | 11.6 | 0 | 23.8 | 64.6 |
| Rajasthan | 39.6 | 30.4 | 3.8 | 26.3 |
| Tamil Nadu | 85.6 | 6.5 | 1.4 | 6.5 |
| Uttar Pradesh | 6.7 | 3.2 | 70.2 | 20 |
| Uttarakhand | 35.2 | 1.9 | 40.5 | 22.4 |
| West Bengal | 34.5 | 4.4 | 16 | 45.2 |
| Delhi | 10.8 | 78.3 | 0 | 10.8 |
| Chandigarh | 60 | 0 | 0 | 40 |
| Arunachal Pradesh | 17 | 0 | 0 | 83 |
| Manipur | 48.1 | 0 | 0 | 52 |
| Meghalaya | 46.5 | 0 | 53.5 | 0 |
| Mizoram | 100 | 0 | 0 | 0 |

Appendix Table 6.3: Percentage of AWC Having Type of Housing Facility (Continued...)

| States/UTs | Owned | Rented | Primary school | Others* |
|-------------------------------------|-------------|-------------|----------------|-------------|
| Nagaland | 55.1 | 0 | 0 | 44.9 |
| Tripura | 100 | 0 | 0 | 0 |
| Sikkim | 94.3 | 0 | 0 | 5.7 |
| Dadar & Nagar Haveli | 100 | 0 | 0 | 0 |
| Daman & Diu | 100 | 0 | 0 | 0 |
| Goa | 40 | 60 | 0 | 0 |
| Puducherry | 20 | 60 | 20 | 0 |
| Andaman & Nicobar Island | 49.6 | 28.1 | 0 | 22.4 |
| All India | 42.5 | 17.4 | 17.3 | 22.9 |

* AWW/AWH house, Panchayat and Community building

Appendix Table 6.4: Percentage of AWC Have Adequacy of Space for Different Type of Activities

| States/UTs | Cooking | Storage | Indoor activities |
|--------------------------|----------------|----------------|--------------------------|
| Andhra Pradesh | 66.6 | 84.5 | 86.7 |
| Assam | 23 | 61.4 | 71 |
| Bihar | 17.5 | 17.8 | 50.2 |
| Chhattisgarh | 91 | 83.1 | 81.9 |
| Gujarat | 80.6 | 80.3 | 89.1 |
| Haryana | 33.7 | 25.4 | 88.9 |
| Himachal Pradesh | 67.5 | 41.5 | 78.8 |
| Jammu and Kashmir | 80.7 | 63.2 | 83.7 |
| Jharkhand | 66 | 73.9 | 48.5 |
| Karnataka | 75.2 | 78.1 | 79.1 |
| Kerala | 83.5 | 69.2 | 83.7 |
| Madhya Pradesh | 74.2 | 71.6 | 80.5 |
| Maharashtra | 66.1 | 67.3 | 89.8 |
| Orissa | 47.6 | 46.3 | 68.2 |
| Punjab | 48 | 52.9 | 76.2 |
| Rajasthan | 68.7 | 75 | 68.9 |
| Tamil Nadu | 92.6 | 91.8 | 86.5 |
| Uttar Pradesh | 28.9 | 27.6 | 63.2 |
| Uttrakhand | 36 | 30.6 | 78.8 |
| West Bengal | 50 | 54.5 | 47.4 |

Appendix Table 6.4: Percentage of AWC Have Adequacy of Space for Different Type of Activities (Continued...)

| States/UTs | Cooking | Storage | Indoor activities |
|--------------------------|-------------|-------------|-------------------|
| Delhi | 10.8 | 9.2 | 18.3 |
| Chandigarh | 0 | 0 | 100 |
| Arunachal Pradesh | 32.3 | 63 | 44.6 |
| Manipur | 20 | 4 | 80 |
| Meghalaya | 59.4 | 52.9 | 80 |
| Mizoram | 60 | 40 | 80 |
| Nagaland | 11.3 | 52.7 | 71.3 |
| Tripura | 62.7 | 61.9 | 96.2 |
| Sikkim | 54.3 | 94.3 | 100 |
| Dadar & Nagar Haveli | 100 | 100 | 100 |
| Daman & Diu | 100 | 100 | 100 |
| Goa | 40 | 80 | 80 |
| Puducherry | 60 | 20 | 20 |
| Andaman & Nicobar Island | 91.6 | 83.3 | 77.6 |
| All India | 55.6 | 57.5 | 71.8 |

Appendix Table 6.5: Area of the Room Where Beneficiary Sit

| States/UTs | Length(ft) | Breadth(ft) | Room(Sq Ft) |
|-------------------|------------|-------------|-------------|
| Andhra Pradesh | 19 | 15 | 319 |
| Assam | 21 | 16 | 335 |
| Bihar | 19 | 13 | 266 |
| Chhattisgarh | 18 | 12 | 216 |
| Gujarat | 17 | 15 | 267 |
| Haryana | 20 | 15 | 328 |
| Himachal Pradesh | 14 | 11 | 160 |
| Jammu and Kashmir | 13 | 12 | 160 |
| Jharkhand | 20 | 14 | 299 |
| Karnataka | 20 | 17 | 350 |
| Kerala | 20 | 16 | 348 |
| Madhya Pradesh | 21 | 15 | 329 |
| Maharashtra | 21 | 15 | 343 |
| Orissa | 22 | 16 | 376 |
| Punjab | 16 | 14 | 236 |
| Rajasthan | 20 | 18 | 404 |
| Tamil Nadu | 23 | 15 | 374 |
| Uttar Pradesh | 20 | 15 | 315 |
| Uttrakhand | 17 | 15 | 270 |
| West Bengal | 20 | 14 | 300 |
| Delhi | 11 | 10 | 108 |
| Chandigarh | 22 | 14 | 322 |
| Arunachal Pradesh | 12 | 10 | 122 |
| Manipur | 22 | 23 | 520 |
| Meghalaya | 18 | 13 | 252 |
| Mizoram | 25 | 16 | 392 |
| Nagaland | 19 | 12 | 228 |
| Tripura | 35 | 17 | 636 |

Appendix Table 6.5: Area of the Room Where Beneficiary Sit (Continued...)

| States/UTs | Length(ft) | Breadth(ft) | Room(Sq Ft) |
|-------------------------------------|-------------------|--------------------|--------------------|
| Sikkim | 23 | 18 | 424 |
| Dadar & Nagar Haveli | 20 | 17 | 343 |
| Daman & Diu | 14 | 13 | 187 |
| Goa | 12 | 12 | 152 |
| Puducherry | 17 | 13 | 225 |
| Andaman & Nicobar Island | 19 | 13 | 258 |
| All India | 20 | 15 | 315 |

Appendix Table 6.6: Percentage of AWC Having Source of Drinking Water

| States/UTs | Piped | Hand pump | Others |
|-------------------|-------|-----------|--------|
| Andhra Pradesh | 38.7 | 37.6 | 23.7 |
| Assam | 8.1 | 75.1 | 16.8 |
| Bihar | 9.3 | 88.6 | 2.1 |
| Chhattisgarh | 5.6 | 88.4 | 6.1 |
| Gujarat | 69.4 | 18.8 | 11.8 |
| Haryana | 30.7 | 20.9 | 48.4 |
| Himachal Pradesh | 78.8 | 12.5 | 8.7 |
| Jammu and Kashmir | 21.8 | 41.5 | 36.8 |
| Jharkhand | 9.7 | 71.4 | 18.9 |
| Karnataka | 42.2 | 39.1 | 18.7 |
| Kerala | 36.6 | 5.9 | 57.5 |
| Madhya Pradesh | 16.5 | 76.1 | 7.4 |
| Maharashtra | 52.2 | 39.4 | 8.4 |
| Orissa | 5.1 | 90.7 | 4.3 |
| Punjab | 29.7 | 70.3 | 0 |
| Rajasthan | 36.5 | 48.3 | 15.3 |
| Tamil Nadu | 60.7 | 15.6 | 23.7 |
| Uttar Pradesh | 3 | 94.4 | 2.7 |
| Uttrakhand | 42.9 | 46.4 | 10.7 |
| West Bengal | 21.6 | 73.4 | 5.1 |
| Delhi | 90.8 | 9.2 | 0 |
| Chandigarh | 100 | 0 | 0 |
| Arunachal Pradesh | 87.6 | 0 | 12.4 |
| Manipur | 40 | 32 | 28 |
| Meghalaya | 13.5 | 13.5 | 72.9 |
| Mizoram | 60 | 0 | 40 |
| Nagaland | 26.3 | 48.9 | 24.9 |
| Tripura | 96.5 | 1.9 | 1.6 |

Appendix Table 6.6: Percentage of AWC Having Source of Drinking Water (Continued...)

| States/UTs | Piped | Hand pump | Others |
|-------------------------------------|-------------|-------------|-------------|
| Sikkim | 0 | 0 | 100 |
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 100 | 0 | 0 |
| Goa | 100 | 0 | 0 |
| Puducherry | 100 | 0 | 0 |
| Andaman & Nicobar Island | 94.3 | 0 | 5.7 |
| All India | 28.4 | 58.8 | 12.9 |

Appendix Table 6.7: Percentage of AWC Having Source of Drinking Water According to Distance

| States/UTs | Within premise | Upto 50 M | > 50 meter |
|-------------------|----------------|-----------|------------|
| Andhra Pradesh | 67.1 | 31.6 | 1.4 |
| Assam | 66.6 | 26.3 | 7.1 |
| Bihar | 37.2 | 52.6 | 10.2 |
| Chhattisgarh | 77.6 | 8.4 | 14 |
| Gujarat | 54.5 | 25.1 | 20.3 |
| Haryana | 65.8 | 6.2 | 28 |
| Himachal Pradesh | 77.4 | 12.5 | 10.1 |
| Jammu and Kashmir | 18.4 | 22.7 | 58.9 |
| Jharkhand | 62.8 | 26.9 | 10.3 |
| Karnataka | 55.3 | 41.7 | 3 |
| Kerala | 78.9 | 13.5 | 7.7 |
| Madhya Pradesh | 88.1 | 8 | 3.9 |
| Maharashtra | 57.9 | 33.7 | 8.4 |
| Orissa | 59 | 24.4 | 16.6 |
| Punjab | 57.1 | 37.7 | 5.2 |
| Rajasthan | 48.6 | 29.8 | 21.6 |
| Tamil Nadu | 70.9 | 27.2 | 1.9 |
| Uttar Pradesh | 75.5 | 22.5 | 2 |
| Uttrakhand | 61.7 | 38.3 | 0 |
| West Bengal | 74 | 19.2 | 6.8 |
| Delhi | 100 | 0 | 0 |
| Chandigarh | 100 | 0 | 0 |
| Arunachal Pradesh | 60.1 | 9.3 | 30.7 |
| Manipur | 80 | 20 | 0 |
| Meghalaya | 80 | 6.5 | 13.5 |
| Mizoram | 60 | 40 | 0 |
| Nagaland | 71.3 | 20 | 8.7 |
| Tripura | 28.3 | 70 | 1.6 |
| Sikkim | 100 | 0 | 0 |

Appendix Table 6.7: Percentage of AWC Having Source of Drinking Water According to Distance (Continued...)

| States/UTs | Within premise | Upto 50 M | > 50 meter |
|--------------------------|----------------|-------------|------------|
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 100 | 0 | 0 |
| Goa | 40 | 20 | 40 |
| Puducherry | 100 | 0 | 0 |
| Andaman & Nicobar Island | 55.2 | 5.7 | 39.1 |
| All India | 64.8 | 26.4 | 8.8 |

Appendix Table 6.8: Percentage of AWC Having Toilet Facilities

| States/UTs | Flush system | Pit/urinal | No facility |
|-------------------|--------------|------------|-------------|
| Andhra Pradesh | 7.5 | 22.3 | 70.2 |
| Assam | 16.2 | 27.7 | 56.1 |
| Bihar | 3.2 | 12.5 | 84.3 |
| Chhattisgarh | 4.5 | 45.4 | 50.1 |
| Gujarat | 16.3 | 29.9 | 53.8 |
| Haryana | 40.8 | 1.7 | 57.5 |
| Himachal Pradesh | 22.6 | 74.8 | 2.6 |
| Jammu and Kashmir | 5.7 | 59.7 | 34.7 |
| Jharkhand | 0 | 31.2 | 68.8 |
| Karnataka | 9.8 | 25.1 | 65.1 |
| Kerala | 15.3 | 61.8 | 22.9 |
| Madhya Pradesh | 4.2 | 39.7 | 56.1 |
| Maharashtra | 22.4 | 36 | 41.6 |
| Orissa | 2.1 | 17.5 | 80.4 |
| Punjab | 23.3 | 17.7 | 59.1 |
| Rajasthan | 5.8 | 22.9 | 71.4 |
| Tamil Nadu | 60 | 19 | 21 |
| Uttar Pradesh | 3.6 | 13.3 | 83.1 |
| Uttrakhand | 46.7 | 8.9 | 44.4 |
| West Bengal | 1.8 | 26.7 | 71.5 |
| Delhi | 70.8 | 0 | 29.2 |
| Chandigarh | 100 | 0 | 0 |
| Arunachal Pradesh | 0 | 0 | 100 |
| Manipur | 40 | 24 | 36 |
| Meghalaya | 27.1 | 19.4 | 53.5 |
| Mizoram | 20 | 40 | 40 |
| Nagaland | 13.8 | 22.4 | 63.8 |
| Tripura | 40 | 0 | 60 |
| Sikkim | 100 | 0 | 0 |

Appendix Table 6.8: Percentage of AWC Having Toilet Facilities (Continued...)

| States/UTs | Flush system | Pit/urinal | No facility |
|-------------------------------------|--------------|-------------|-------------|
| Dadar & Nagar Haveli | 40 | 60 | 0 |
| Daman & Diu | 60 | 0 | 40 |
| Goa | 20 | 20 | 60 |
| Puducherry | 0 | 20 | 80 |
| Andaman & Nicobar Island | 0 | 69.3 | 30.8 |
| All India | 12.4 | 26.1 | 61.5 |

Appendix Table 6.9: Percentage of AWC Having Weighing Scales and Other Inventories

| States/UTs | Weighing scale (baby) | Weighing scale (adult) | Utensils | Cooking vessels | Almirahs | Toys | Posters | PSE kits |
|-------------------|-----------------------|------------------------|----------|-----------------|----------|------|---------|----------|
| Andhra Pradesh | 78.6 | 60.5 | 91.4 | 81.7 | 58.6 | 53.2 | 85.3 | 64.4 |
| Assam | 87.5 | 10.4 | 41.9 | 39.9 | 38.2 | 23.6 | 48.4 | 26.2 |
| Bihar | 27.4 | 30.1 | 14.3 | 30.6 | 2.5 | 3.1 | 10 | 12.9 |
| Chhattisgarh | 87.4 | 31.7 | 37.1 | 52.4 | 20 | 39.9 | 41.7 | 23.8 |
| Gujarat | 87.5 | 44.7 | 51.8 | 58.2 | 29 | 44.4 | 73.7 | 63 |
| Haryana | 88.7 | 90.5 | 22.3 | 51.4 | 23.5 | 44.1 | 65.3 | 49.2 |
| Himachal Pradesh | 89.9 | 8.7 | 98.8 | 50.1 | 31.1 | 89.9 | 91.3 | 90.1 |
| Jammu and Kashmir | 16.4 | 1.7 | 49.2 | 31.1 | 9.7 | 9.6 | 32.1 | 20.1 |
| Jharkhand | 76.8 | 26.7 | 39.5 | 41.6 | 30.2 | 25.1 | 49.7 | 72.9 |
| Karnataka | 85.4 | 9.7 | 62.9 | 66.5 | 40.8 | 39.8 | 58.1 | 62.8 |
| Kerala | 76.1 | 48.3 | 86.8 | 88.5 | 75.7 | 66.4 | 80.9 | 66.5 |
| Madhya Pradesh | 84.1 | 60.5 | 51.6 | 60.9 | 49.4 | 27.2 | 36.1 | 33 |
| Maharashtra | 89.8 | 87 | 87.8 | 81.9 | 71.6 | 59.6 | 84.5 | 55.7 |
| Orissa | 91.8 | 50.2 | 40.6 | 45.3 | 25.3 | 40.3 | 58.9 | 52.3 |
| Punjab | 46.7 | 33.5 | 38.1 | 43 | 28.1 | 16.4 | 48.7 | 13.9 |
| Rajasthan | 58.5 | 43.5 | 56.1 | 53.1 | 36.6 | 7.8 | 33.4 | 21.6 |
| Tamil Nadu | 95.5 | 52.4 | 74.2 | 79.7 | 55.7 | 51.3 | 70.5 | 71.6 |
| Uttar Pradesh | 34.9 | 23.9 | 30.1 | 15.8 | 18.9 | 20.4 | 44.6 | 32.9 |
| Uttarakhand | 91.3 | 30.5 | 85.8 | 72.5 | 80.3 | 60.3 | 94.2 | 58.1 |
| West Bengal | 79.6 | 21.9 | 13.1 | 19.2 | 24.5 | 19.9 | 33.3 | 50.1 |
| Delhi | 18.3 | 60 | 0 | 0 | 60 | 27.5 | 29.2 | 27.5 |
| Chandigarh | 100 | 100 | 0 | 0 | 20 | 20 | 20 | 20 |
| Arunachal Pradesh | 6.3 | 0 | 3.1 | 0 | 6.2 | 0 | 6.2 | 0 |
| Manipur | 72 | 0 | 32 | 24 | 4 | 20 | 0 | 0 |
| Meghalaya | 87.1 | 80 | 40 | 53.5 | 40 | 33.5 | 60 | 46.5 |
| Mizoram | 20 | 60 | 100 | 100 | 100 | 20 | 40 | 60 |
| Nagaland | 41.2 | 41.2 | 28.9 | 11.3 | 6.3 | 17.6 | 22.4 | 22.4 |
| Tripura | 54.6 | 98.4 | 80.3 | 26.5 | 19.2 | 5.4 | 39.2 | 24.6 |

Appendix Table 6.9: Percentage of AWC Having Weighing Scales and Other Inventories (Continued...)

| States/UTs | Weighing scale (baby) | Weighing scale (adult) | Utensils | Cooking vessels | Almirahs | Toys | Posters | PSE kits |
|-------------------------------------|-----------------------|------------------------|-----------|-----------------|-------------|-------------|-------------|-----------|
| Sikkim | 94.3 | 48.7 | 0 | 0 | 34.3 | 11.3 | 5.7 | 0 |
| Dadar & Nagar Haveli | 60 | 100 | 100 | 100 | 100 | 60 | 100 | 60 |
| Daman & Diu | 20 | 100 | 100 | 100 | 100 | 60 | 100 | 80 |
| Goa | 100 | 100 | 100 | 100 | 100 | 80 | 100 | 60 |
| Puducherry | 80 | 80 | 80 | 40 | 40 | 60 | 80 | 80 |
| Andaman & Nicobar Island | 91.6 | 83.3 | 100 | 100 | 100 | 57.3 | 100 | 65.7 |
| All India | 68.9 | 39.9 | 49 | 48.3 | 35.5 | 32.5 | 51.7 | 44 |

Appendix Table 6.10: Percentage of AWCs Providing Different Types of Services Reported by the AWW

| States/UTs | Supplementary nutrition | Immunization | Health check-ups | Referral services | Pre-school education | Nutrition & health education | Kishori Shakti Yojana |
|-------------------|-------------------------|--------------|------------------|-------------------|----------------------|------------------------------|-----------------------|
| Andhra Pradesh | 100 | 99 | 95.1 | 96.7 | 96.7 | 97.8 | 79.5 |
| Assam | 98.8 | 92.9 | 75.1 | 36.9 | 97.8 | 95.2 | 47.3 |
| Bihar | 97.5 | 98.7 | 18.9 | 73.5 | 66.4 | 96.1 | 88.5 |
| Chhattisgarh | 100 | 100 | 79.2 | 86.7 | 69.1 | 100 | 80.8 |
| Gujarat | 100 | 100 | 90.4 | 97.7 | 100 | 87.4 | 22.8 |
| Haryana | 100 | 100 | 100 | 83.3 | 98.3 | 87.2 | 16.4 |
| Himachal Pradesh | 100 | 98.6 | 89.9 | 69.9 | 100 | 100 | 90.1 |
| Jammu and Kashmir | 100 | 78.1 | 36 | 34.6 | 100 | 94.4 | 37.9 |
| Jharkhand | 100 | 83.7 | 73.9 | 22.7 | 100 | 93.5 | 89 |
| Karnataka | 100 | 100 | 89.7 | 76.6 | 98.7 | 98.7 | 86.3 |
| Kerala | 100 | 92.2 | 85 | 87.8 | 96.9 | 98.6 | 20.9 |
| Madhya Pradesh | 98.1 | 96.9 | 76.4 | 87.9 | 72.1 | 98.8 | 96.9 |
| Maharashtra | 99 | 99 | 86.1 | 97.4 | 100 | 100 | 96.2 |
| Orissa | 99.2 | 98.4 | 98.4 | 97.8 | 91.1 | 98.2 | 98.8 |
| Punjab | 100 | 100 | 88.7 | 86.6 | 93 | 100 | 76.6 |
| Rajasthan | 100 | 95.5 | 36 | 34.3 | 98.7 | 96.3 | 47.7 |
| Tamil Nadu | 98.6 | 85.9 | 86.8 | 92.1 | 96.3 | 98 | 65.2 |
| Uttar Pradesh | 100 | 94.9 | 35.9 | 20.3 | 63.6 | 86.3 | 82.8 |
| Uttrakhand | 100 | 96.1 | 78.3 | 29.2 | 100 | 91.1 | 56.1 |
| West Bengal | 99.5 | 55.4 | 54.9 | 14.3 | 99.5 | 96.2 | 7.1 |
| Delhi | 100 | 100 | 100 | 89.2 | 100 | 100 | 100 |
| Chandigarh | 100 | 100 | 100 | 100 | 100 | 100 | 0 |
| Arunachal Pradesh | 100 | 78.2 | 0 | 0 | 63.1 | 15.3 | 35.3 |
| Manipur | 100 | 84 | 28 | 80 | 100 | 100 | 0 |
| Meghalaya | 100 | 100 | 73.5 | 100 | 100 | 93.5 | 0 |
| Mizoram | 100 | 80 | 0 | 60 | 80 | 80 | 0 |

Appendix Table 6.10: Percentage of AWCs Providing Different Types of Services Reported by the AWW

| States/UTs | Supplementary nutrition | Immunization | Health check-ups | Referral services | Pre-school education | Nutrition & health education | Kishori Shakti Yojana |
|-------------------------------------|-------------------------|--------------|------------------|-------------------|----------------------|------------------------------|-----------------------|
| Nagaland | 100 | 54.8 | 17.6 | 86.3 | 88.7 | 88.7 | 0 |
| Tripura | 100 | 5.4 | 22.7 | 4.6 | 100 | 100 | 20.8 |
| Sikkim | 100 | 68.7 | 68.7 | 74.3 | 85.7 | 100 | 43 |
| Dadar & Nagar Haveli | 100 | 100 | 100 | 80 | 100 | 100 | 20 |
| Daman & Diu | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Goa | 100 | 100 | 60 | 100 | 100 | 80 | 80 |
| Puducherry | 0 | 80 | 80 | 100 | 80 | 100 | 100 |
| Andaman & Nicobar Island | 100 | 71.9 | 77.6 | 0 | 91.6 | 80 | 94.3 |
| All India | 99.4 | 91.4 | 66.1 | 62.9 | 87.8 | 94.9 | 67.1 |

Appendix Table 6.11: Average Daily Time Spent By AWW (In Minutes)

| States/UTs | Feeding | PSE | Record keeping |
|-------------------|---------|-----|----------------|
| Andhra Pradesh | 41 | 99 | 90 |
| Assam | 73 | 91 | 90 |
| Bihar | 46 | 60 | 120 |
| Chhattisgarh | 48 | 109 | 90 |
| Gujarat | 67 | 80 | 96 |
| Haryana | 27 | 88 | 92 |
| Himachal Pradesh | 29 | 95 | 90 |
| Jammu and Kashmir | 38 | 80 | 91 |
| Jharkhand | 58 | 120 | 89 |
| Karnataka | 44 | 101 | 94 |
| Kerala | 58 | 87 | 91 |
| Madhya Pradesh | 75 | 96 | 91 |
| Maharashtra | 63 | 104 | 90 |
| Orissa | 50 | 116 | 91 |
| Punjab | 40 | 91 | 90 |
| Rajasthan | 61 | 64 | 120 |
| Tamil Nadu | 58 | 96 | 103 |
| Uttar Pradesh | 38 | 58 | 121 |
| Uttrakhand | 41 | 104 | 90 |
| West Bengal | 48 | 117 | 90 |
| Delhi | 43 | 90 | 90 |
| Chandigarh | 40 | 120 | 90 |
| Arunachal Pradesh | 28 | 37 | 90 |
| Manipur | 40 | 65 | 90 |
| Meghalaya | 37 | 62 | 90 |
| Mizoram | 32 | 118 | 90 |
| Nagaland | 48 | 77 | 90 |
| Tripura | 48 | 89 | 90 |
| Sikkim | 48 | 68 | 120 |

Appendix Table 6.11: Average Daily Time Spent By AWW (In Minutes) (Continued...)

| States/UTs | Feeding | PSE | Record keeping |
|--------------------------|-----------|-----------|----------------|
| Dadar & Nagar Haveli | 48 | 120 | 90 |
| Daman & Diu | 40 | 114 | 90 |
| Goa | 42 | 72 | 90 |
| Puducherry | 10 | 78 | 120 |
| Andaman & Nicobar Island | 57 | 110 | 96 |
| All India | 51 | 89 | 99 |

Appendix Table 6.12: Percentage of AWW Involved In Other Government Scheme during Last Year

| States/UTs | % AWW | Days | Hours/day |
|-------------------|-------|------|-----------|
| Andhra Pradesh | 93.4 | 7 | 5 |
| Assam | 69.4 | 6 | 7 |
| Bihar | 91.8 | 21 | 7 |
| Chhattisgarh | 95.5 | 10 | 6 |
| Gujarat | 83.2 | 13 | 5 |
| Haryana | 87.5 | 9 | 7 |
| Himachal Pradesh | 88.5 | 14 | 6 |
| Jammu and Kashmir | 70.8 | 5 | 6 |
| Jharkhand | 71.9 | 12 | 7 |
| Karnataka | 89.5 | 8 | 7 |
| Kerala | 87.6 | 6 | 6 |
| Madhya Pradesh | 89.5 | 14 | 6 |
| Maharashtra | 97.5 | 21 | 4 |
| Orissa | 98.8 | 59 | 3 |
| Punjab | 51.8 | 4 | 7 |
| Rajasthan | 69.2 | 7 | 7 |
| Tamil Nadu | 80.7 | 6 | 6 |
| Uttar Pradesh | 82.2 | 16 | 7 |
| Uttrakhand | 69.9 | 7 | 7 |
| West Bengal | 58.4 | 13 | 6 |
| Delhi | 100 | 23 | 5 |
| Chandigarh | 100 | 12 | 8 |
| Arunachal Pradesh | 3.1 | 0 | |
| Manipur | 100 | 4 | 6 |
| Meghalaya | 13.5 | 1 | 6 |
| Mizoram | 0 | 0 | |
| Nagaland | 6.3 | 0 | 5 |
| Tripura | 81.9 | 6 | 6 |

Appendix Table 6.12: Percentage of AWW Involved In Other Government Scheme during Last Year (Continued...)

| States/UTs | % AWW | Days | Hours/day |
|--------------------------|-------------|-----------|-----------|
| Sikkim | 100 | 6 | 3 |
| Dadar & Nagar Haveli | 80 | 10 | 6 |
| Daman & Diu | 80 | 22 | 6 |
| Goa | 100 | 9 | 3 |
| Puducherry | 100 | 1 | 7 |
| Andaman & Nicobar Island | 28.1 | 2 | 8 |
| All India | 82.1 | 14 | 6 |

Appendix Table 6.13: Percentage of AWW Reporting Regularity of Visits of ANM

| States/UTs | Yes | No |
|--------------------------|------|------|
| Andhra Pradesh | 88.6 | 11.4 |
| Assam | 73.9 | 26.1 |
| Bihar | 27.2 | 72.8 |
| Chhattisgarh | 71.7 | 28.3 |
| Gujarat | 85.9 | 14.1 |
| Haryana | 98.5 | 1.5 |
| Himachal Pradesh | 86.1 | 13.9 |
| Jammu and Kashmir | 34.7 | 65.4 |
| Jharkhand | 72.3 | 27.7 |
| Karnataka | 79.7 | 20.3 |
| Kerala | 79.3 | 20.7 |
| Madhya Pradesh | 73 | 27 |
| Maharashtra | 84 | 16 |
| Orissa | 92.7 | 7.3 |
| Punjab | 97.3 | 2.7 |
| Rajasthan | 41.7 | 58.3 |
| Tamil Nadu | 71.7 | 28.3 |
| Uttar Pradesh | 33.4 | 66.6 |
| Uttrakhand | 72.5 | 27.5 |
| West Bengal | 37.4 | 62.6 |
| Delhi | 90.8 | 9.2 |
| Chandigarh | 100 | 0 |
| Arunachal Pradesh | 0 | 100 |
| Manipur | 4 | 96 |
| Meghalaya | 73.5 | 26.5 |
| Mizoram | 0 | 100 |
| Nagaland | 6.3 | 93.8 |
| Tripura | 1.9 | 98.1 |

Appendix Table 6.13: Percentage of AWW Reporting Regularity of Visits of ANM (Continued...)

| States/UTs | Yes | No |
|--------------------------|------|------|
| Sikkim | 54.3 | 45.7 |
| Dadar & Nagar Haveli | 100 | 0 |
| Daman & Diu | 100 | 0 |
| Goa | 80 | 20 |
| Puducherry | 80 | 20 |
| Andaman & Nicobar Island | 51.9 | 48.1 |
| All India | 61.7 | 38.3 |

Appendix Table 6.14 A: Percentage of AWCs Updated Different Types of Registers

| States/UTs | Survey | Mother | Child | Attendance | Delivery | Child weight | Child growth chart | MPR | Food stock |
|-------------------|--------|--------|-------|------------|----------|--------------|--------------------|------|------------|
| Andhra Pradesh | 64.2 | 77.9 | 84.3 | 83.6 | 65.9 | 47.2 | 44.4 | 61.5 | 75.3 |
| Assam | 53.1 | 52.2 | 76.1 | 87.4 | 65.6 | 22.5 | 64.4 | 85.9 | 63.8 |
| Bihar | 16.4 | 36.6 | 43.3 | 82.3 | 78.1 | 6.2 | 3.2 | 50.7 | 72.1 |
| Chhattisgarh | 55.9 | 55.6 | 87.8 | 91.3 | 71.6 | 65 | 69.6 | 70.2 | 77.2 |
| Gujarat | 22.1 | 40 | 27.1 | 54.5 | 58.8 | 23.5 | 20.7 | 58.5 | 54 |
| Haryana | 38 | 98.3 | 80 | 98.3 | 98.3 | 84.3 | 59.8 | 98.3 | 100 |
| Himachal Pradesh | 88.5 | 88.5 | 88.5 | 89.9 | 89.9 | 87.3 | 78.6 | 71.3 | 91.3 |
| Jammu and Kashmir | 6.2 | 7 | 52.5 | 68.6 | 65.1 | 3.3 | 2.7 | 27.4 | 79.8 |
| Jharkhand | 77.6 | 84.1 | 87.5 | 98.9 | 91.8 | 53 | 45.9 | 91.2 | 92.7 |
| Karnataka | 37.1 | 54.3 | 69.9 | 81.5 | 80 | 43.4 | 47.6 | 69.8 | 73.1 |
| Kerala | 70.8 | 68.7 | 72.5 | 70.4 | 72 | 66.6 | 63.5 | 61.5 | 70.4 |
| Madhya Pradesh | 48.6 | 59.6 | 66.3 | 88.1 | 78.1 | 61.8 | 52.1 | 77.8 | 79.4 |
| Maharashtra | 62.1 | 73.8 | 87.4 | 94.9 | 83.5 | 62 | 68.1 | 92.5 | 67 |
| Orissa | 67.6 | 83 | 76.9 | 87.6 | 83.7 | 63 | 65.3 | 83.1 | 86.5 |
| Punjab | 69.6 | 77.4 | 53 | 96.6 | 22.3 | 23.7 | 17.5 | 79.1 | 86.1 |
| Rajasthan | 5.1 | 40.7 | 43.8 | 71.3 | 17.9 | 16.9 | 9.9 | 50.7 | 89.6 |
| Tamil Nadu | 80.1 | 81 | 78.8 | 91.1 | 83.7 | 69.9 | 66.3 | 83.6 | 88.1 |
| Uttar Pradesh | 7.7 | 26 | 33.3 | 80.8 | 90 | 15.5 | 12.2 | 40.5 | 87.2 |
| Uttrakhand | 49.2 | 87 | 79.9 | 100 | 100 | 51.5 | 35.1 | 68 | 91.1 |
| West Bengal | 82 | 89.7 | 92.3 | 97.7 | 93.6 | 63.1 | 62.6 | 96.1 | 97.2 |
| Delhi | 78.3 | 56.7 | 89.2 | 78.3 | 56.7 | 67.5 | 56.7 | 78.3 | 89.2 |
| Chandigarh | 40 | 60 | 60 | 80 | 100 | 100 | 100 | 40 | 100 |
| Arunachal Pradesh | 6.3 | 4.7 | 15.5 | 15.6 | 0 | 0 | 0 | 0 | 17.1 |
| Manipur | 60 | 60 | 52 | 100 | 92 | 16 | 16 | 96 | 24 |
| Meghalaya | 67.7 | 54.1 | 67.7 | 67.7 | 67.7 | 54.1 | 40.6 | 13.5 | 67.7 |
| Mizoram | 20 | 80 | 100 | 100 | 100 | 60 | 60 | 80 | 80 |
| Nagaland | 42.6 | 17.6 | 66.1 | 74.9 | 74.9 | 27.4 | 6.3 | 11.3 | 77.4 |
| Tripura | 20 | 79.2 | 99.2 | 99.2 | 99.2 | 39.2 | 41.1 | 41.6 | 99.2 |

Appendix Table 6.14 A: Percentage of AWCs Updated Different Types of Registers (Continued...)

| States/UTs | Survey | Mother | Child | Attendance | Delivery | Child weight | Child growth chart | MPR | Food stock |
|-------------------------------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------------|-------------|-------------|
| Sikkim | 63 | 0 | 43 | 85.7 | 88.7 | 80 | 45.7 | 48.7 | 100 |
| Dadar & Nagar Haveli | 60 | 80 | 80 | 100 | 100 | 100 | 100 | 100 | 100 |
| Daman & Diu | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 80 | 100 |
| Goa | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 40 | 60 |
| Puducherry | 100 | 80 | 80 | 100 | 100 | 60 | 60 | 40 | 80 |
| Andaman & Nicobar Island | 86 | 100 | 100 | 100 | 94.3 | 35.2 | 41.2 | 91.6 | 100 |
| All India | 45.8 | 59.2 | 65.7 | 84.9 | 76.6 | 42.3 | 41.2 | 68.2 | 79.9 |

Appendix Table 6.14 B: Percentage of AWCs Updated Different Types of Registers

| States/UTs | Immunization | PSE | KSY | Mothers meeting | Birth & death | Referral | Medicine stock |
|-------------------|--------------|------|------|-----------------|---------------|----------|----------------|
| Andhra Pradesh | 68.8 | 65.2 | 22.7 | 43.9 | 50.6 | 11.1 | 22.4 |
| Assam | 57.6 | 90.2 | 31.5 | 64.7 | 46.8 | 4.3 | 23.3 |
| Bihar | 52.4 | 34.6 | 44 | 36.6 | 8.4 | 1.6 | 4.5 |
| Chhattisgarh | 78.3 | 80.2 | 21.7 | 16.5 | 63.1 | 4.8 | 0.6 |
| Gujarat | 7.1 | 8.8 | 3.6 | 22.6 | 40.7 | 1.6 | 24.9 |
| Haryana | 96.7 | 56.4 | 100 | 96.7 | 95.6 | 33.2 | 36.7 |
| Himachal Pradesh | 98.6 | 87.1 | 73.4 | 88.5 | 78.8 | 20 | 60.3 |
| Jammu and Kashmir | 10.5 | 37.2 | 21.6 | 6.9 | 9.4 | 1.6 | 0.8 |
| Jharkhand | 64.4 | 81 | 89.3 | 74.7 | 71.1 | 8.7 | 9.4 |
| Karnataka | 80.9 | 50.8 | 16.9 | 59.7 | 56.7 | 27.3 | 54.9 |
| Kerala | 62.8 | 42.9 | 47.7 | 64.5 | 60.7 | 8.7 | 57.6 |
| Madhya Pradesh | 69.1 | 72.7 | 57.9 | 65.7 | 47.1 | 21.3 | 25.9 |
| Maharashtra | 83 | 68.7 | 77 | 69.1 | 71.9 | 68.9 | 59.9 |
| Orissa | 88.7 | 89.4 | 60.5 | 74.4 | 78.1 | 74.4 | 58.3 |
| Punjab | 60.1 | 77.4 | 67.2 | 51.5 | 49.5 | 0 | 0 |
| Rajasthan | 10.7 | 11.4 | 12.1 | 34.7 | 14.7 | 6.5 | 20.4 |
| Tamil Nadu | 60.6 | 82.6 | 72.1 | 79.1 | 73.2 | 46.1 | 79.9 |
| Uttar Pradesh | 38.4 | 51.3 | 76.7 | 55.2 | 30.2 | 5.4 | 23.8 |
| Uttarakhand | 42.2 | 53.5 | 61.5 | 44.5 | 27.6 | 0 | 47.1 |
| West Bengal | 65.7 | 64.4 | 16.9 | 94 | 71.4 | 3.1 | 54.2 |
| Delhi | 78.3 | 9.2 | 9.2 | 78.3 | 78.3 | 36.7 | 27.5 |
| Chandigarh | 80 | 80 | 0 | 80 | 80 | 60 | 60 |
| Arunachal Pradesh | 0 | 0 | 0 | 3.1 | 0 | 0 | 1.6 |
| Manipur | 40 | 64 | 0 | 4 | 52 | 0 | 20 |
| Meghalaya | 74.1 | 54.1 | 0 | 13.5 | 40.6 | 27.1 | 67.7 |
| Mizoram | 80 | 100 | 0 | 40 | 0 | 0 | 80 |
| Nagaland | 42.6 | 24.9 | 0 | 18.8 | 32.5 | 0 | 39.8 |

Appendix Table 6.14 B: Percentage of AWCs Updated Different Types of Registers (Continued...)

| States/UTs | Immunization | PSE | KSY | Mothers meeting | Birth & death | Referral | Medicine stock |
|--------------------------|--------------|-------------|-------------|-----------------|---------------|-------------|----------------|
| Tripura | 22.9 | 19.2 | 83.1 | 59.2 | 1.9 | 0 | 36.2 |
| Sikkim | 20 | 43 | 0 | 65.7 | 65.7 | 0 | 0 |
| Dadar & Nagar Haveli | 100 | 100 | 100 | 100 | 100 | 100 | 80 |
| Daman & Diu | 100 | 100 | 100 | 80 | 100 | 40 | 60 |
| Goa | 40 | 100 | 0 | 20 | 100 | 0 | 0 |
| Puducherry | 80 | 0 | 100 | 100 | 80 | 0 | 0 |
| Andaman & Nicobar Island | 51.9 | 48.4 | 82.3 | 25.7 | 40.6 | 14.3 | 6 |
| All India | 57.9 | 57.6 | 53.5 | 57.5 | 49 | 17.9 | 33.7 |

Appendix Table 6.15: Percentage of AWC Received Medical Kit

| States/UTs | Yes | No |
|-------------------|------|------|
| Andhra Pradesh | 91.4 | 8.6 |
| Assam | 83.7 | 16.3 |
| Bihar | 3.6 | 96.4 |
| Chhattisgarh | 0 | 100 |
| Gujarat | 93.9 | 6.1 |
| Haryana | 94.8 | 5.2 |
| Himachal Pradesh | 82.6 | 17.4 |
| Jammu and Kashmir | 0 | 100 |
| Jharkhand | 9 | 91 |
| Karnataka | 85.7 | 14.3 |
| Kerala | 70.3 | 29.7 |
| Madhya Pradesh | 19.1 | 80.9 |
| Maharashtra | 87.5 | 12.5 |
| Orissa | 78.2 | 21.8 |
| Punjab | 0 | 100 |
| Rajasthan | 72.7 | 27.3 |
| Tamil Nadu | 86.1 | 13.9 |
| Uttar Pradesh | 69.2 | 30.8 |
| Uttrakhand | 71.1 | 28.9 |
| West Bengal | 80.3 | 19.7 |
| Delhi | 49.2 | 50.8 |
| Chandigarh | 60 | 40 |
| Arunachal Pradesh | 83.1 | 16.9 |
| Manipur | 60 | 40 |
| Meghalaya | 80 | 20 |
| Mizoram | 100 | 0 |
| Nagaland | 77.4 | 22.6 |
| Tripura | 77.3 | 22.7 |

Appendix Table 6.15: Percentage of AWC Received Medical Kit (Continued...)

| States/UTs | Yes | No |
|--------------------------|------|------|
| Sikkim | 0 | 100 |
| Dadar & Nagar Haveli | 100 | 0 |
| Daman & Diu | 100 | 0 |
| Goa | 0 | 100 |
| Puducherry | 0 | 100 |
| Andaman & Nicobar Island | 0 | 100 |
| All India | 62.4 | 37.6 |

Appendix Table 6.16 A: Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year

| States/UTs | Iron /Folic acid tabs (big) | | Iron /Folic acid tabs (small) | | Almebendazol/Mebedazol | | ORS | |
|--------------------------|-----------------------------|------------|-------------------------------|------------|------------------------|------------|--------------------------|------------|
| | Received (no.) | % Utilized | Received (no.) | % Utilized | Received (no.) | % Utilized | Received (no. in packet) | % Utilized |
| Andhra Pradesh | 539 | 91.2 | 263 | 80 | 349 | 67 | 15 | 100 |
| Assam | 200 | 75 | 300 | 56.7 | 414 | 54.3 | 12 | 100 |
| Bihar | 282 | 94.4 | 429 | 100 | 375 | 18.7 | 32 | 91.6 |
| Chhattisgarh | 0 | - | 0 | - | 0 | - | 0 | - |
| Gujarat | 1175 | 48.7 | 1067 | 50 | 528 | 22.9 | 11 | 77.5 |
| Haryana | 517 | 97.6 | 527 | 99.1 | 203 | 58.5 | 14 | 97.9 |
| Himachal Pradesh | 442 | 49 | 578 | 63.4 | 185 | 48.5 | 27 | 86.5 |
| Jammu and Kashmir | 0 | - | 0 | - | 0 | - | 0 | - |
| Jharkhand | 981 | 97.5 | 0 | - | 78 | 100 | 10 | 100 |
| Karnataka | 129 | 88.8 | 59 | 84.6 | 290 | 43.3 | 7 | 81.9 |
| Kerala | 412 | 100 | 324 | 99.8 | 216 | 95 | 20 | 90.9 |
| Madhya Pradesh | 604 | 85.3 | 305 | 116.9 | 278 | 66.1 | 31 | 92.1 |
| Maharashtra | 563 | 74.6 | 810 | 123.8 | 314 | 55.2 | 24 | 84.4 |
| Orissa | 302 | 83.6 | 263 | 91.9 | 210 | 50 | 35 | 93.5 |
| Punjab | 0 | - | 0 | - | 120 | 100 | 0 | - |
| Rajasthan | 866 | 51.8 | 1003 | 74.2 | 381 | 40 | 29 | 80.4 |
| Tamil Nadu | 749 | 53.4 | 64 | 77.3 | 110 | 60 | 49 | 84.5 |
| Uttar Pradesh | 364 | 79.8 | 246 | 62.6 | 411 | 19.2 | 10 | 49 |
| Uttrakhand | 302 | 53.1 | 172 | 48.3 | 250 | 15.3 | 62 | 59.1 |
| West Bengal | 839 | 73 | 386 | 42.6 | 408 | 37.5 | 32 | 88.7 |
| Delhi | 40 | 55 | 0 | - | 0 | - | 0 | - |
| Chandigarh | 583 | 100 | 938 | 113.3 | 500 | 50 | 43 | 100 |
| Arunachal Pradesh | 0 | - | 0 | - | 450 | 79.9 | 0 | - |
| Manipur | 0 | - | 0 | - | 0 | - | 0 | - |
| Meghalaya | 546 | 54.1 | 454 | 56.5 | 202 | 81.9 | 13 | 94.8 |
| Mizoram | 0 | - | 525 | 480 | 0 | - | 10 | 40 |
| Nagaland | 0 | - | 0 | - | 347 | 35.1 | 0 | - |

Appendix Table 6.16 A: Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year (Continued...)

| States/UTs | Iron /Folic acid tabs (big) | | Iron /Folic acid tabs (small) | | Almebendazol/Mebedazol | | ORS | |
|-------------------------------------|-----------------------------|------------|-------------------------------|-------------|------------------------|-------------|--------------------------|------------|
| | Received (no.) | % Utilized | Received (no.) | % Utilized | Received (no.) | % Utilized | Received (no. in packet) | % Utilized |
| Tripura | 1000 | - | 50 | 80 | 439 | 60.2 | 59 | 98.3 |
| Sikkim | 0 | - | 0 | - | 0 | - | 0 | - |
| Dadar & Nagar Haveli | 185 | 100 | 188 | 98.7 | 417 | 39.6 | 11 | 95.3 |
| Daman & Diu | 2400 | 100 | 700 | 100 | 250 | 55 | 37 | 100 |
| Goa | 0 | - | 0 | - | 0 | - | 0 | - |
| Puducherry | 0 | - | 0 | - | 0 | - | 0 | - |
| Andaman & Nicobar Island | 0 | - | 0 | - | 0 | - | 0 | - |
| All India | 581 | 67 | 479 | 96.6 | 357 | 39.2 | 29 | 87 |

Appendix Table 6.16 B: Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year

| States/UTs | Vitamin A | | Paracetamol | | Paracetamol cyrup | | Metrogyl | | Vitamin B complex | |
|-------------------|--------------------------|------------|----------------|------------|-------------------------|------------|----------------|------------|-------------------|------------|
| | Received (no. in bottle) | % Utilized | Received (no.) | % Utilized | Received (no.in bottle) | % Utilized | Received (no.) | % Utilized | Received (no.) | % Utilized |
| Andhra Pradesh | 0 | - | 361 | 62.8 | 3 | 76.2 | 348 | 35.6 | 0 | - |
| Assam | 1 | 100 | 327 | 55.3 | 4 | 81.8 | 109 | 55.5 | 0 | - |
| Bihar | 2 | 44.5 | 389 | 81 | 3 | 93.4 | 0 | - | 0 | - |
| Chhattisgarh | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Gujarat | 1 | 100 | 561 | 33.5 | 1 | 34.7 | 100 | 22.3 | 189 | 50.7 |
| Haryana | 1 | 100 | 214 | 87.4 | 0 | - | 61 | 98.3 | 50 | 60 |
| Himachal Pradesh | 2 | 83.6 | 427 | 52.1 | 4 | 76.9 | 20 | 60 | 30 | 96 |
| Jammu and Kashmir | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Jharkhand | 0 | - | 0 | - | 6 | 66.7 | 0 | - | 0 | - |
| Karnataka | 5 | 58 | 126 | 57.8 | 3 | 73.2 | 28 | 47.6 | 55 | 83 |
| Kerala | 1 | 100 | 829 | 94.6 | 2 | 97.9 | 20 | 64.7 | 20 | 60 |
| Madhya Pradesh | 2 | 83.9 | 264 | 38.4 | 3 | 73.8 | 105 | 69.5 | 31 | 69.4 |
| Maharashtra | 3 | 70.6 | 439 | 68.6 | 2 | 82 | 74 | 69.6 | 55 | 78.2 |
| Orissa | 4 | 81 | 132 | 46.8 | 3 | 84.7 | 30 | 61.3 | 100 | 100 |
| Punjab | 0 | - | 100 | 100 | 0 | - | 0 | - | 0 | - |
| Rajasthan | 2 | 42.7 | 385 | 50.9 | 2 | 55.7 | 384 | 7.8 | 23 | 62.9 |
| Tamil Nadu | 2 | 87.5 | 224 | 60.3 | 2 | 62 | 27 | 56 | 61 | 53.8 |
| Uttar Pradesh | 2 | 27.8 | 470 | 23.8 | 2 | 29.4 | 118 | 16 | 100 | 100 |
| Uttrakhand | 1 | 0 | 462 | 9.3 | 3 | 38 | 20 | 50 | 200 | 50 |
| West Bengal | 5 | 82.8 | 471 | 37.3 | 1 | 50.3 | 120 | 97.8 | 175 | 77.5 |
| Delhi | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Chandigarh | 4 | 100 | 400 | 68.8 | 2 | 100 | 0 | - | 0 | - |
| Arunachal Pradesh | 0 | - | 257 | 90 | 1 | 69.1 | 150 | 100 | 0 | - |
| Manipur | 1 | 100 | 143 | 22.5 | 4 | 39.1 | 0 | - | 0 | - |
| Meghalaya | 5 | 69.4 | 252 | 69.3 | 2 | 82.4 | 0 | - | 20 | 52.5 |
| Mizoram | 7 | 81 | 350 | 100 | 0 | - | 0 | - | 64 | 91.6 |
| Nagaland | 0 | - | 118 | 28.9 | 1 | 89.9 | 0 | - | 0 | - |

Appendix Table 6.16 B: Percentage of AWCs Reported Availability and Utilization of Medicine During Last One Year (Continued...)

| States/UTs | Vitamin A | | Paracetamol | | Paracetamol cyrup | | Metrogyl | | Vitamin B complex | |
|-------------------------------------|--------------------------|-------------|----------------|------------|-------------------------|-------------|----------------|-------------|-------------------|-------------|
| | Received (no. in bottle) | % Utilized | Received (no.) | % Utilized | Received (no.in bottle) | % Utilized | Received (no.) | % Utilized | Received (no.) | % Utilized |
| Tripura | 0 | - | 381 | 15.8 | 1 | 52.8 | 58 | 93.2 | 30 | 66.7 |
| Sikkim | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Dadar & Nagar Haveli | 2 | 100 | 440 | 90.9 | 1 | 80 | 0 | - | 20 | 100 |
| Daman & Diu | 5 | 85.2 | 120 | 63.7 | 4 | 100 | 20 | 50 | 25 | 96 |
| Goa | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Puducherry | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Andaman & Nicobar Island | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| All India | 3 | 66.7 | 401 | 48 | 2 | 63.3 | 94 | 45.6 | 87 | 74.8 |

Appendix Table 6.16 C: Percentage of AWCs Reported Availability and Utilization of Medicine during Last One Year

| States/UTs | Eye ointment tubes | | Betnovate | | Iodine | | Dettol | | Cotton/Bandages | |
|-------------------|------------------------|------------|----------------|------------|----------------|------------|--------------------------|------------|-------------------------|------------|
| | Received (no. in tube) | % Utilized | Received (no.) | % Utilized | Received (no.) | % Utilized | Received (no. in bottle) | % Utilized | Received (no. in piece) | % Utilized |
| Andhra Pradesh | 8 | 68.2 | 2 | 60.7 | 2 | 54.6 | 2 | 72.2 | 2 | 52.6 |
| Assam | 5 | 71 | 0 | - | 12 | 0 | 0 | - | 2 | 79.3 |
| Bihar | 10 | 10 | 1 | 100 | 0 | - | 0 | - | 2 | 76.8 |
| Chhattisgarh | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Gujarat | 9 | 37.4 | 3 | 13.9 | 7 | 39.7 | 7 | 57.6 | 5 | 30.6 |
| Haryana | 4 | 96.8 | 2 | 100 | 3 | 99.2 | 1 | 100 | 4 | 83.6 |
| Himachal Pradesh | 4 | 78.4 | 10 | 80 | 5 | 81.1 | 8 | 62.9 | 1 | 56.7 |
| Jammu and Kashmir | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Jharkhand | 0 | - | 0 | - | 0 | - | 3 | 100 | 2 | 100 |
| Karnataka | 2 | 63.7 | 1 | 38.1 | 3 | 58.1 | 1 | 63.1 | 8 | 62.4 |
| Kerala | 7 | 93.9 | 4 | 85.1 | 1 | 91.8 | 1 | 100 | 1 | 97.4 |
| Madhya Pradesh | 9 | 60.9 | 4 | 85.5 | 4 | 97.2 | 2 | 32.3 | 7 | 77.5 |
| Maharashtra | 6 | 68 | 3 | 77.9 | 4 | 42.3 | 1 | 63.2 | 6 | 57.8 |
| Orissa | 9 | 81.9 | 2 | 85.9 | 3 | 68.3 | 3 | 75.8 | 5 | 89.1 |
| Punjab | 0 | - | 0 | - | 0 | - | 1 | 100 | 12 | 100 |
| Rajasthan | 7 | 56.1 | 5 | 32.8 | 5 | 43.8 | 3 | 50.2 | 6 | 34.7 |
| Tamil Nadu | 12 | 48.1 | 8 | 42.7 | 9 | 41.4 | 5 | 33.6 | 11 | 42.1 |
| Uttar Pradesh | 9 | 36.7 | 5 | 40.6 | 5 | 35.1 | 5 | 10.9 | 6 | 33.3 |
| Uttarakhand | 12 | 28.3 | 5 | 60.7 | 12 | - | 2 | 25 | 9 | 15.5 |
| West Bengal | 8 | 33.7 | 3 | 85.5 | 5 | 43.2 | 0 | - | 6 | 50 |

Appendix Table 6.16 C: Percentage of AWCs Reported Availability and Utilization of Medicine during Last One Year (Continued...)

| States/UTs | Eye ointment tubes | | Betnovate | | Iodine | | Dettol | | Cotton/Bandages | |
|--------------------------|------------------------|-------------|----------------|-------------|----------------|-------------|--------------------------|-------------|-------------------------|-------------|
| | Received (no. in tube) | % Utilized | Received (no.) | % Utilized | Received (no.) | % Utilized | Received (no. in bottle) | % Utilized | Received (no. in piece) | % Utilized |
| Delhi | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Chandigarh | 0 | - | 1 | 100 | 1 | 100 | 0 | - | 7 | 100 |
| Arunachal Pradesh | 5 | 91.2 | 2 | 89.3 | 1 | 100 | 1 | 100 | 2 | 79.3 |
| Manipur | 1 | - | 0 | - | 1 | 69.2 | 2 | 100 | 5 | 55.9 |
| Meghalaya | 5 | 77.9 | 1 | 100 | 6 | 64.7 | 0 | - | 7 | 87.4 |
| Mizoram | 0 | - | 1 | 100 | 3 | 100 | 6 | 100 | 5 | 90.5 |
| Nagaland | 4 | 60.8 | 0 | - | 2 | 48.2 | 0 | - | 6 | 22 |
| Tripura | 6 | 16.8 | 1 | - | 2 | 32.4 | 0 | - | 8 | 5.2 |
| Sikkim | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Dadar & Nagar Haveli | 8 | 75 | 1 | 75 | 0 | - | 0 | - | 8 | 97.6 |
| Daman & Diu | 10 | 82.7 | 5 | 100 | 6 | 100 | 2 | 100 | 8 | 81.6 |
| Goa | 0 | - | 0 | - | 1 | 100 | 1 | 100 | 3 | 83.3 |
| Puducherry | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Andaman & Nicobar Island | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| All India | 8 | 51.2 | 4 | 52.4 | 4 | 47.2 | 2 | 54.7 | 6 | 48.2 |

Appendix Table 6.17: Percentage of AWC Trained Adequately to Conduct PSE

| States/UTs | Yes | No |
|-------------------|------|------|
| Andhra Pradesh | 94.4 | 5.6 |
| Assam | 93.4 | 6.6 |
| Bihar | 93.9 | 6.1 |
| Chhattisgarh | 98.7 | 1.3 |
| Gujarat | 94.4 | 5.6 |
| Haryana | 100 | 0 |
| Himachal Pradesh | 91.3 | 8.7 |
| Jammu and Kashmir | 98.4 | 1.6 |
| Jharkhand | 92.4 | 7.6 |
| Karnataka | 93.8 | 6.2 |
| Kerala | 82.9 | 17.1 |
| Madhya Pradesh | 91.2 | 8.8 |
| Maharashtra | 97.5 | 2.5 |
| Orissa | 94.4 | 5.6 |
| Punjab | 96.5 | 3.5 |
| Rajasthan | 98.7 | 1.3 |
| Tamil Nadu | 91 | 9 |
| Uttar Pradesh | 93.5 | 6.5 |
| Uttarakhand | 79.4 | 20.6 |
| West Bengal | 90.2 | 9.8 |
| Delhi | 100 | 0 |
| Chandigarh | 80 | 20 |
| Arunachal Pradesh | 64.7 | 35.3 |
| Manipur | 100 | 0 |
| Meghalaya | 93.5 | 6.5 |
| Mizoram | 100 | 0 |
| Nagaland | 100 | 0 |

Appendix Table 6.17: Percentage of AWC Trained Adequately to Conduct PSE (Continued...)

| States/UTs | Yes | No |
|--------------------------|------|------|
| Tripura | 99.2 | 0.8 |
| Sikkim | 85.7 | 14.3 |
| Dadar & Nagar Haveli | 80 | 20 |
| Daman & Diu | 80 | 20 |
| Goa | 100 | 0 |
| Puducherry | 80 | 20 |
| Andaman & Nicobar Island | 83.3 | 16.7 |
| All India | 93.6 | 6.4 |

Appendix Table 6.18: Percentage of AWC Provided Types of Services Reported by AWW

| States/UTs | Percentage AWC implemented KSY scheme | Food/ SN | Health check-up | Immunization | Referral services | Deworming appendix tablets | Iron & folic acid | Family-life education |
|-------------------|---------------------------------------|----------|-----------------|--------------|-------------------|----------------------------|-------------------|-----------------------|
| Andhra Pradesh | 79.5 | 20.1 | 58.6 | 26.8 | 93.6 | 80.8 | 86.8 | 97.2 |
| Assam | 47.3 | 95 | 11 | 32.6 | 2.6 | 40.5 | 23.9 | 52 |
| Bihar | 88.5 | 100 | 36 | 67.2 | 7.4 | 15.2 | 25.5 | 55.3 |
| Chhattisgarh | 79 | 80.3 | 100 | 77.3 | 74.3 | 89 | 89.4 | 84.5 |
| Gujarat | 22.8 | 100 | 100 | 46.7 | 63.7 | 47.3 | 90 | 67.7 |
| Haryana | 16.4 | 100 | 95 | 17.1 | 95 | 95 | 95 | 100 |
| Himachal Pradesh | 81.4 | 100 | 100 | 79.4 | 52.4 | 86.2 | 98.6 | 89.3 |
| Jammu and Kashmir | 37.9 | 95.5 | 75.5 | 76.9 | 26.6 | 13.2 | 19 | 92.1 |
| Jharkhand | 89 | 100 | 56.8 | 47.5 | 5.9 | 31.9 | 57.3 | 63.6 |
| Karnataka | 85.6 | 100 | 80.3 | 79 | 66.6 | 65.6 | 66.6 | 67.8 |
| Kerala | 15 | 33.4 | 25.6 | 100 | 25.6 | 58.3 | 100 | 70.7 |
| Madhya Pradesh | 96.9 | 95.4 | 95.3 | 93.8 | 70.9 | 77.8 | 93.2 | 98.2 |
| Maharashtra | 96.2 | 85 | 91.8 | 95.6 | 87 | 84.3 | 96.9 | 85.1 |
| Orissa | 98.8 | 8.8 | 64.3 | 50.2 | 37.7 | 88.5 | 97.3 | 58.8 |
| Punjab | 76.6 | 100 | 83.7 | 70 | 73.6 | 73.6 | 70 | 100 |
| Rajasthan | 47.7 | 97.3 | 79.4 | 59.7 | 28.6 | 50.5 | 86.9 | 47.3 |
| Tamil Nadu | 65.2 | 28.5 | 73.3 | 62.5 | 70.4 | 64.2 | 85.2 | 87.7 |
| Uttar Pradesh | 82.8 | 99.3 | 64.5 | 83.5 | 30.8 | 63.9 | 48 | 79.2 |
| Uttrakhand | 56.1 | 100 | 58.8 | 93.1 | 7 | 80.8 | 96.6 | 90.5 |
| West Bengal | 6.4 | 7.4 | 18.6 | 0 | 25.4 | 33.7 | 72.3 | 26.1 |
| Delhi | 100 | 100 | 43.3 | 0 | 54.2 | 20 | 63.3 | 100 |
| Chandigarh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Arunachal Pradesh | 35.3 | 83.3 | 0 | 0 | 0 | 16.8 | 0 | 0 |
| Manipur | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meghalaya | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mizoram | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nagaland | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tripura | 20.8 | 100 | 0 | 0 | 9 | 13 | 13 | 13 |

Appendix Table 6.18: Percentage of AWC Provided Types of Services Reported by AWW (Continued...)

| States/UTs | Percentage AWC implemented KSY scheme | Food/SN | Health check-up | Immunization | Referral services | Deworming appendix tablets | Iron & folic acid | Family-life education |
|--------------------------|---------------------------------------|-------------|-----------------|--------------|-------------------|----------------------------|-------------------|-----------------------|
| Sikkim | 43 | 0 | 0 | 0 | 0 | 33.3 | 33.3 | 0 |
| Dadar & Nagar Haveli | 20 | 100 | 100 | 100 | 0 | 100 | 100 | 100 |
| Daman & Diu | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| Goa | 80 | 25 | 100 | 100 | 75 | 0 | 75 | 100 |
| Puducherry | 100 | 0 | 40 | 0 | 80 | 80 | 80 | 60 |
| Andaman & Nicobar Island | 94.3 | 100 | 21.5 | 0 | 0 | 6.3 | 70.3 | 6 |
| All India | 66.6 | 79.9 | 69.6 | 69.4 | 50.4 | 63.3 | 70.5 | 77.1 |

Appendix Table 6.19: Separate Programme for 15-45 Years Women Reported by AWW

| States/UTs | % AWW reported separate programme for women aged 15-45 years | If no, do they attend NHE sessions with other women |
|-------------------|--|---|
| Andhra Pradesh | 13.8 | 5.7 |
| Assam | 14.4 | 54.5 |
| Bihar | 0 | 64.9 |
| Chhattisgarh | 30.4 | 32.9 |
| Gujarat | 45.7 | 38.7 |
| Haryana | 28 | 58.3 |
| Himachal Pradesh | 60 | 68.2 |
| Jammu and Kashmir | 47.6 | 73.5 |
| Jharkhand | 18.2 | 2.6 |
| Karnataka | 41.5 | 27.4 |
| Kerala | 74.3 | 46.9 |
| Madhya Pradesh | 36.7 | 33.3 |
| Maharashtra | 47.9 | 26.1 |
| Orissa | 25.2 | 50 |
| Punjab | 43.6 | 69.9 |
| Rajasthan | 20.1 | 42.6 |
| Tamil Nadu | 43.3 | 22.3 |
| Uttar Pradesh | 0 | 48.5 |
| Uttrakhand | 27.7 | 36.1 |
| West Bengal | 18.8 | 0.7 |
| Delhi | 21.7 | 76.6 |
| Chandigarh | 0 | 100 |
| Arunachal Pradesh | 3.1 | 15.8 |
| Manipur | 56 | 45.5 |
| Meghalaya | 80.6 | 33.3 |
| Mizoram | 0 | 0 |
| Nagaland | 46.4 | 4.6 |

Appendix Table 6.19: Separate Programme for 15-45 Years Women Reported by AWW (Continued...)

| States/UTs | % AWW reported separate programme for women aged 15-45 years | If no, do they attend NHE sessions with other women |
|-------------------------------------|--|---|
| Tripura | 28.1 | 24.1 |
| Sikkim | 0 | |
| Dadar & Nagar Haveli | 100 | 0 |
| Daman & Diu | 80 | 0 |
| Goa | 80 | 0 |
| Puducherry | 80 | 0 |
| Andaman & Nicobar Island | 17.3 | 0 |
| All India | 26 | 36.2 |

Appendix Table 6.20: Number of Visits by ANM/ LHV in AWC and Issues Discussed: Reported by AWW

| States/UTs | Visits by ANM/LHV (no.) | | | What did he/she do? (%) | | | |
|-------------------|-------------------------|---------------------|----------------------|--------------------------------------|----------------|-------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | Guidance for preparing growth charts | Record keeping | Target/priority setting | Link with administration |
| Andhra Pradesh | 2 | 5 | 9 | 14.2 | 46.1 | 3.4 | 36.3 |
| Assam | 1 | 3 | 7 | 15.2 | 47.9 | 29.7 | 7.2 |
| Bihar | 1 | 3 | 6 | 0.7 | 88.7 | 10.6 | 0 |
| Chhattisgarh | 2 | 7 | 13 | 17.3 | 35.3 | 47.4 | 0 |
| Gujarat | 2 | 6 | 12 | 24.1 | 63.1 | 12.8 | 0 |
| Haryana | 3 | 9 | 18 | 22.5 | 77.5 | 0 | 0 |
| Himachal Pradesh | 1 | 4 | 7 | 0 | 55.1 | 44.9 | 0 |
| Jammu and Kashmir | 1 | 3 | 6 | 0.6 | 61.3 | 37.2 | 0.9 |
| Jharkhand | 1 | 3 | 5 | 36.4 | 29.4 | 34.2 | 0 |
| Karnataka | 2 | 5 | 9 | 32.5 | 50.8 | 11.5 | 5.2 |
| Kerala | 1 | 3 | 6 | 6.2 | 28.3 | 65.4 | 0 |
| Madhya Pradesh | 2 | 5 | 11 | 17.2 | 72.8 | 7.4 | 2.6 |
| Maharashtra | 2 | 4 | 9 | 25.5 | 57.2 | 15.9 | 1.4 |
| Orissa | 2 | 5 | 10 | 10.6 | 75.3 | 14.1 | 0 |
| Punjab | 1 | 5 | 9 | 0 | 100 | 0 | 0 |
| Rajasthan | 1 | 4 | 8 | 10.9 | 80.4 | 8.7 | 0 |
| Tamil Nadu | 1 | 4 | 9 | 24.7 | 48.3 | 18.8 | 8.2 |
| Uttar Pradesh | 1 | 3 | 5 | 4.3 | 83.1 | 12.6 | 0 |
| Uttarakhand | 1 | 3 | 6 | 0 | 58.6 | 41.4 | 0 |
| West Bengal | 1 | 2 | 4 | 41.6 | 25.1 | 33.3 | 0 |
| Delhi | 2 | 4 | 7 | 11.9 | 76.1 | 11.9 | 0 |
| Chandigarh | 2 | 5 | 10 | 0 | 100 | 0 | 0 |
| Arunachal Pradesh | 0 | 0 | 1 | 0 | 50 | 50 | 0 |
| Manipur | 0 | 1 | 2 | 0 | 69.3 | 15.3 | 15.3 |
| Meghalaya | 1 | 3 | 6 | 8.1 | 41.9 | 50 | 0 |
| Mizoram | 0 | 0 | 0 | | | | |
| Nagaland | 0 | 0 | 0 | 7.8 | 92.2 | 0 | 0 |
| Tripura | 0 | 0 | 0 | 0 | 0 | 100 | 0 |

Appendix Table 6.20: Number of Visits by ANM/ LHV in AWC and Issues Discussed: Reported by AWW (Continued...)

| States/UTs | Visits by ANM/LHV (no.) | | | What did he/she do? (%) | | | |
|-------------------------------------|-------------------------|---------------------|----------------------|--------------------------------------|----------------|-------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | Guidance for preparing growth charts | Record keeping | Target/priority setting | Link with administration |
| Sikkim | 1 | 3 | 4 | 0 | 100 | 0 | 0 |
| Dadar & Nagar Haveli | 1 | 4 | 8 | 20 | 60 | 20 | 0 |
| Daman & Diu | 2 | 6 | 15 | 0 | 60 | 40 | 0 |
| Goa | 1 | 2 | 4 | 0 | 100 | 0 | 0 |
| Puducherry | 1 | 4 | 5 | 40 | 20 | 40 | 0 |
| Andaman & Nicobar Island | 1 | 3 | 5 | 31 | 39.2 | 29.8 | 0 |
| All India | 1 | 4 | 8 | 16 | 61.5 | 18.4 | 4.1 |

Appendix Table 6.21: Number of Visits by Supervisors in AWC and Issues Discussed: Reported by AWW

| States/UTs | Visits by ICDS supervisor (no.) | | | What did he/she do? (%) | | | | | |
|-------------------|---------------------------------|---------------------|----------------------|-------------------------|-----------------------------------|--------------------------------------|----------------|-------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | Ensuring supply of food | Ensuring supply of other material | Guidance for preparing growth charts | Record keeping | Target/priority setting | Link with administration |
| Andhra Pradesh | 1 | 2 | 4 | 5.9 | 2.5 | 3.3 | 85.2 | 1.6 | 1.6 |
| Assam | 1 | 2 | 4 | 8.6 | 5.6 | 8.6 | 52.4 | 13.6 | 11.2 |
| Bihar | 0 | 1 | 2 | 22.2 | 3.9 | 0.8 | 62.7 | 3.9 | 6.5 |
| Chhattisgarh | 1 | 3 | 6 | 6.6 | 6 | 1.4 | 75.3 | 6 | 4.8 |
| Gujarat | 1 | 3 | 6 | 11.1 | 7.2 | 11.6 | 54.7 | 13.7 | 1.6 |
| Haryana | 2 | 3 | 8 | 1.2 | 1.5 | 0 | 94 | 1.7 | 1.7 |
| Himachal Pradesh | 1 | 2 | 3 | 14.8 | 0 | 0 | 67.9 | 14.9 | 2.4 |
| Jammu and Kashmir | 1 | 2 | 4 | 23.8 | 3.2 | 0 | 69.1 | 3.9 | 0 |
| Jharkhand | 1 | 3 | 5 | 5.2 | 1.1 | 2.8 | 87.2 | 0 | 3.7 |
| Karnataka | 1 | 2 | 3 | 21.1 | 2.5 | 12.2 | 45 | 12.5 | 6.7 |
| Kerala | 1 | 3 | 6 | 12.3 | 8 | 9.3 | 48.1 | 22.4 | 0 |
| Madhya Pradesh | 1 | 3 | 6 | 8.1 | 10.5 | 2.3 | 69.7 | 6.3 | 3.3 |
| Maharashtra | 1 | 3 | 6 | 9 | 13 | 9.9 | 62.3 | 2.9 | 2.9 |
| Orissa | 1 | 2 | 5 | 14.1 | 1.3 | 15.2 | 64 | 2.1 | 3.3 |
| Punjab | 1 | 3 | 5 | 70.8 | 0 | 0 | 29.2 | 0 | 0 |
| Rajasthan | 1 | 2 | 5 | 3.2 | 3.9 | 9.8 | 60.3 | 18.6 | 4.2 |
| Tamil Nadu | 1 | 2 | 5 | 13.7 | 11 | 3.5 | 55.5 | 5.3 | 11 |
| Uttar Pradesh | 1 | 2 | 4 | 19.3 | 3.1 | 2.4 | 68 | 6.4 | 0.8 |
| Uttrakhand | 1 | 2 | 4 | 6.1 | 2.2 | 0 | 89.6 | 2.2 | 0 |
| West Bengal | 1 | 2 | 5 | 5.8 | 0.7 | 3.6 | 87.5 | 0 | 2.5 |
| Delhi | 2 | 3 | 6 | 11.9 | 0 | 0 | 88.1 | 0 | 0 |
| Chandigarh | 2 | 3 | 5 | 0 | 0 | 0 | 100 | 0 | 0 |
| Arunachal Pradesh | 0 | 0 | 0 | 0 | 0 | 0 | 50.5 | 49.6 | 0 |
| Manipur | 1 | 2 | 4 | 4 | 0 | 0 | 76 | 20 | 0 |
| Meghalaya | 1 | 2 | 5 | 30.6 | 0 | 15.7 | 22.4 | 31.3 | 0 |
| Mizoram | 1 | 3 | 6 | 20 | 0 | 40 | 20 | 20 | 0 |

Appendix Table 6.21: Number of Visits by Supervisors in AWC and Issues Discussed: Reported by AWW (Continued...)

| States/UTs | Visits by ICDS supervisor (no.) | | | What did he/she do? (%) | | | | | |
|-------------------------------------|---------------------------------|---------------------|----------------------|-------------------------|-----------------------------------|--------------------------------------|----------------|-------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | Ensuring supply of food | Ensuring supply of other material | Guidance for preparing growth charts | Record keeping | Target/priority setting | Link with administration |
| Nagaland | 1 | 2 | 2 | 16.2 | 0 | 6.3 | 75.1 | 2.4 | 0 |
| Tripura | 1 | 3 | 6 | 18.1 | 17.3 | 0 | 64.6 | 0 | 0 |
| Sikkim | 1 | 3 | 5 | 0 | 0 | 0 | 76.7 | 0 | 23.4 |
| Dadar & Nagar Haveli | 1 | 3 | 7 | 20 | 0 | 20 | 40 | 20 | 0 |
| Daman & Diu | 1 | 3 | 6 | 0 | 0 | 40 | 60 | 0 | 0 |
| Goa | 1 | 3 | 6 | 20 | 40 | 0 | 40 | 0 | 0 |
| Puducherry | 1 | 1 | 1 | 0 | 0 | 0 | 66.7 | 0 | 33.3 |
| Andaman & Nicobar Island | 1 | 3 | 5 | 0 | 0 | 0 | 100 | 0 | 0 |
| All India | 1 | 2 | 5 | 12.8 | 5 | 5.3 | 67.1 | 6.6 | 3.3 |

Appendix Table 6.22: Number of Visits by CDPO/ ACDPO in AWC and Issues Discussed: Reported by AWW

| States/UTs | Visits by CDPO/ACDPO (no.) | | | What did he/she do? (%) | | | | | | | |
|-------------------|----------------------------|---------------------|----------------------|-------------------------|-------------------------|-----------------------------------|--------------------------------------|----------------|-------------------------|---------------------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | None | Ensuring supply of food | Ensuring supply of other material | Guidance for preparing growth charts | Record keeping | Target/priority setting | Help in organising community meetings | Link with administration |
| Andhra Pradesh | 0 | 1 | 1 | 0 | 2.5 | 4.2 | 0 | 88 | 3.2 | 0 | 2.1 |
| Assam | 0 | 0 | 0 | 4.1 | 8 | 0 | 0 | 19.1 | 20.6 | 27.4 | 20.9 |
| Bihar | 0 | 1 | 2 | 0.5 | 28 | 3.3 | 1.5 | 61.1 | 2.4 | 1.7 | 1.6 |
| Chhattisgarh | 0 | 0 | 1 | 25.5 | 14.9 | 2.7 | 0 | 30.4 | 7.2 | 2.2 | 17.2 |
| Gujarat | 0 | 0 | 1 | 0 | 5.1 | 4.7 | 7.6 | 61.6 | 17 | 0 | 4.1 |
| Haryana | 1 | 1 | 2 | 0 | 1.2 | 12.8 | 0 | 81.2 | 1.2 | 0 | 3.6 |
| Himachal Pradesh | 0 | 0 | 1 | 17.8 | 20.7 | 20.2 | 0 | 41.4 | 0 | 0 | 0 |
| Jammu and Kashmir | 0 | 0 | 1 | 1.2 | 5.1 | 1.3 | 0 | 71.4 | 0 | 0 | 21.1 |
| Jharkhand | 0 | 0 | 1 | 4.6 | 12.7 | 13.6 | 0 | 38.2 | 2.4 | 0 | 28.5 |
| Karnataka | 0 | 0 | 1 | 8.9 | 29.6 | 11.2 | 2.1 | 27.3 | 8.1 | 10.7 | 2 |
| Kerala | 0 | 0 | 1 | 24.8 | 0 | 0 | 0 | 0 | 3.8 | 71.4 | 0 |
| Madhya Pradesh | 0 | 1 | 1 | 0 | 9 | 2.4 | 2.7 | 42.9 | 11.6 | 3 | 28.5 |
| Maharashtra | 0 | 0 | 1 | 13.1 | 8.7 | 12.8 | 1.5 | 30.2 | 15.6 | 9.8 | 8.3 |
| Orissa | 0 | 0 | 1 | 2.8 | 11 | 0 | 6.2 | 46 | 8.5 | 7 | 18.6 |
| Punjab | 0 | 0 | 1 | 0 | 47.2 | 7 | 0 | 45.8 | 0 | 0 | 0 |
| Rajasthan | 0 | 0 | 1 | 22.2 | 16.3 | 9.3 | 3 | 39 | 3.7 | 0 | 6.4 |
| Tamil Nadu | 0 | 1 | 1 | 3.3 | 23.4 | 6.9 | 1.8 | 43.3 | 4 | 6.4 | 11 |
| Uttar Pradesh | 0 | 0 | 1 | 3.8 | 16.9 | 6 | 0 | 57.1 | 9 | 1.3 | 5.9 |
| Uttrakhand | 0 | 0 | 1 | 0 | 7.7 | 0 | 0 | 70.4 | 21.9 | 0 | 0 |
| West Bengal | 0 | 0 | 1 | 10 | 19.7 | 16.1 | 2.8 | 26.1 | 4.3 | 2.5 | 18.6 |

Appendix Table 6.22: Number of Visits by CDPO/ ACDPO in AWC and Issues Discussed: Reported by AWW (Continued...)

| States/UTs | Visits by CDPO/ACDPO (no.) | | | What did he/she do? (%) | | | | | | | |
|--------------------------|----------------------------|---------------------|----------------------|-------------------------|-------------------------|-----------------------------------|--------------------------------------|----------------|-------------------------|---------------------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | None | Ensuring supply of food | Ensuring supply of other material | Guidance for preparing growth charts | Record keeping | Target/priority setting | Help in organising community meetings | Link with administration |
| Delhi | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 75.7 | 12.2 | 12.2 | 0 |
| Chandigarh | 1 | 1 | 2 | 0 | 20 | 0 | 0 | 80 | 0 | 0 | 0 |
| Arunachal Pradesh | 0 | 0 | 0 | 0 | 0 | 7.4 | 0 | 11.3 | 0 | 73.9 | 7.4 |
| Manipur | 0 | 0 | 0 | 16.6 | 0 | 0 | 0 | 16.6 | 0 | 0 | 66.8 |
| Meghalaya | 0 | 1 | 2 | 0 | 9.6 | 20.2 | 0 | 0 | 40.4 | 29.8 | 0 |
| Mizoram | 0 | 0 | 1 | 0 | 80 | 0 | 0 | 20 | 0 | 0 | 0 |
| Nagaland | 1 | 1 | 1 | 0 | 52.6 | 3.3 | 0 | 25.4 | 18.6 | 0 | 0 |
| Tripura | 1 | 1 | 2 | 0 | 19.1 | 0 | 0 | 23.8 | 0 | 57.1 | 0 |
| Sikkim | 0 | 1 | 2 | 14.3 | 0 | 0 | 0 | 5.7 | 28.7 | 5.7 | 45.7 |
| Dadar & Nagar Haveli | 0 | 1 | 2 | 0 | 25 | 0 | 25 | 0 | 0 | 25 | 25 |
| Daman & Diu | 2 | 1 | 2 | 0 | 20 | 0 | 40 | 0 | 0 | 0 | 40 |
| Goa | 0 | 1 | 2 | 0 | 0 | 60 | 0 | 0 | 0 | 40 | 0 |
| Puducherry | 0 | 0 | 0 | | | | | | | | |
| Andaman & Nicobar Island | 0 | 0 | 1 | 0 | 30.8 | 0 | 0 | 62.4 | 0 | 0 | 6.8 |
| All India | 1 | 1 | 1 | 6 | 15.2 | 6.9 | 1.6 | 46.9 | 7.2 | 6.1 | 10.2 |

Appendix Table 6.23: Number of Visits by Block Education Officers in AWC: Reported by AWW

| States/UTs | Visits by block education officer (no.) | | | Visits by district project officer (no.) | | |
|-------------------|---|---------------------|----------------------|--|---------------------|----------------------|
| | During last 30 days | During last 90 days | During last 6 months | During last 30 days | During last 90 days | During last 6 months |
| Andhra Pradesh | 0 | 0 | 0 | 0 | 0 | 0 |
| Assam | 0 | 0 | 0 | 0 | 0 | 0 |
| Bihar | 0 | 0 | 0 | 0 | 0 | 0 |
| Chhattisgarh | 0 | 0 | 0 | 0 | 0 | 0 |
| Gujarat | 0 | 0 | 0 | 0 | 0 | 0 |
| Haryana | 0 | 0 | 0 | 0 | 0 | 0 |
| Himachal Pradesh | 0 | 0 | 0 | 0 | 0 | 0 |
| Jammu and Kashmir | 0 | 0 | 0 | 0 | 0 | 0 |
| Jharkhand | 0 | 0 | 0 | 0 | 0 | 0 |
| Karnataka | 0 | 0 | 0 | 0 | 0 | 0 |
| Kerala | 0 | 0 | 0 | 0 | 0 | 0 |
| Madhya Pradesh | 0 | 0 | 0 | 0 | 0 | 0 |
| Maharashtra | 0 | 0 | 0 | 0 | 0 | 0 |
| Orissa | 0 | 0 | 0 | 0 | 0 | 0 |
| Punjab | 0 | 0 | 0 | 0 | 0 | 0 |
| Rajasthan | 0 | 0 | 0 | 0 | 0 | 0 |
| Tamil Nadu | 0 | 0 | 1 | 0 | 0 | 0 |
| Uttar Pradesh | 0 | 0 | 0 | 0 | 0 | 0 |
| Uttrakhand | 0 | 0 | 0 | 0 | 0 | 0 |
| West Bengal | 0 | 0 | 0 | 0 | 0 | 0 |
| Delhi | 0 | 0 | 0 | 0 | 0 | 0 |
| Chandigarh | 0 | 0 | 0 | 0 | 0 | 0 |
| Arunachal Pradesh | 0 | 0 | 0 | 0 | 0 | 0 |
| Manipur | 0 | 0 | 0 | 0 | 0 | 0 |
| Meghalaya | 0 | 0 | 0 | 0 | 0 | 0 |
| Mizoram | 0 | 0 | 0 | 0 | 0 | 0 |

Appendix Table 6.23: Number of Visits by Block Education Officers in AWC: Reported by AWW (Continued...)

| States/UTs | Visits by block education officer (no.) | | | Visits by district project officer (no.) | | |
|-------------------------------------|---|---------------------|----------------------|--|---------------------|----------------------|
| | During last 30 days | During last 90 days | During last 6 months | During last 30 days | During last 90 days | During last 6 months |
| Nagaland | 0 | 0 | 0 | 0 | 0 | 0 |
| Tripura | 0 | 0 | 0 | 0 | 0 | 0 |
| Sikkim | 0 | 0 | 0 | 0 | 0 | 0 |
| Dadar & Nagar Haveli | 0 | 0 | 0 | 0 | 0 | 0 |
| Daman & Diu | 0 | 0 | 0 | 0 | 0 | 0 |
| Goa | 0 | 0 | 0 | 0 | 0 | 0 |
| Puducherry | 0 | 0 | 0 | 0 | 0 | 0 |
| Andaman & Nicobar Island | 0 | 0 | 0 | 0 | 0 | 0 |
| All India | 0 | 0 | 0 | 0 | 0 | 0 |

Appendix Table 6.24: Number of Visits by Sarpanch in AWC and Issues Discussed: Reported by AWW

| States/UTs | Visits by sarpanch (no.) | | | What did he/she do? (%) | | | | | | | |
|-------------------|--------------------------|---------------------|----------------------|-------------------------|-------------------------|-----------------------------------|--------------------------------------|----------------|-------------------------|---------------------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | None | Ensuring supply of food | Ensuring supply of other material | Guidance for preparing growth charts | Record keeping | Target/priority setting | Help in organising community meetings | Link with administration |
| Andhra Pradesh | 1 | 2 | 3 | 4.9 | 49.3 | 0.5 | 4.8 | 2 | 0.8 | 35.7 | 2 |
| Assam | 1 | 2 | 4 | 1.8 | 37.1 | 15.5 | 3.6 | 1.8 | 0 | 31.5 | 8.7 |
| Bihar | 1 | 3 | 5 | 9.3 | 48.6 | 14 | 0 | 22.1 | 2.8 | 0 | 3.2 |
| Chhattisgarh | 1 | 4 | 8 | 21.8 | 18 | 10.4 | 0 | 0 | 5.8 | 2.8 | 41.2 |
| Gujarat | 1 | 3 | 6 | 32.5 | 19 | 0 | 0 | 0 | 1 | 45.3 | 2.3 |
| Haryana | 2 | 4 | 6 | 6.5 | 48.7 | 30.5 | 0 | 3.5 | 0 | 10.8 | 0 |
| Himachal Pradesh | 1 | 3 | 6 | 25.4 | 3.3 | 24.7 | 0 | 1.5 | 0 | 34.1 | 10.9 |
| Jammu and Kashmir | 1 | 2 | 5 | 8.7 | 27.7 | 1.1 | 0 | 37.7 | 0 | 6.9 | 18 |
| Jharkhand | 0 | 0 | 0 | 24.3 | 0 | 0 | 0 | 0 | 32.9 | 42.9 | 0 |
| Karnataka | 1 | 2 | 3 | 15.1 | 13.2 | 4.6 | 6.5 | 9.6 | 0 | 42.1 | 9 |
| Kerala | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Madhya Pradesh | 2 | 5 | 8 | 26.3 | 23.8 | 17.5 | 2.3 | 4.6 | 2.6 | 13.6 | 9.4 |
| Maharashtra | 1 | 4 | 6 | 28.3 | 41.3 | 8.5 | 5.3 | 0 | 0 | 11.9 | 4.7 |
| Orissa | 1 | 2 | 3 | 20.2 | 2.1 | 8.4 | 3.7 | 3.8 | 8.7 | 18.6 | 34.6 |
| Punjab | 2 | 7 | 11 | 53.3 | 24.4 | 18.7 | 3.7 | 0 | 0 | 0 | 0 |
| Rajasthan | 1 | 3 | 5 | 30.9 | 18.8 | 11.5 | 0 | 5.1 | 3.6 | 12.2 | 17.9 |
| Tamil Nadu | 0 | 1 | 2 | 9.5 | 13.7 | 0 | 1.6 | 3.2 | 0 | 66 | 6 |
| Uttar Pradesh | 1 | 3 | 5 | 19.3 | 30 | 11.9 | 0 | 13.5 | 4.4 | 5.9 | 15.1 |
| Uttrakhand | 0 | 1 | 1 | 11.2 | 0 | 25.7 | 0 | 47.8 | 5.5 | 0 | 9.8 |
| West Bengal | 0 | 0 | 1 | 3.8 | 0 | 3 | 0 | 0 | 0 | 16.2 | 77 |

Appendix Table 6.24: Number of Visits by Sarpanch in AWC and Issues Discussed: Reported by AWW (Continued...)

| States/UTs | Visits by sarpanch (no.) | | | What did he/she do? (%) | | | | | | | |
|--------------------------|--------------------------|---------------------|----------------------|-------------------------|-------------------------|-----------------------------------|--------------------------------------|----------------|-------------------------|---------------------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | None | Ensuring supply of food | Ensuring supply of other material | Guidance for preparing growth charts | Record keeping | Target/priority setting | Help in organising community meetings | Link with administration |
| Delhi | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Chandigarh | 0 | 1 | 2 | 0 | 0 | 33.3 | 0 | 0 | 0 | 33.3 | 33.3 |
| Arunachal Pradesh | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Manipur | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Meghalaya | 1 | 2 | 4 | 28.2 | 0 | 0 | 0 | 0 | 0 | 71.8 | 0 |
| Mizoram | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 100 | 0 |
| Nagaland | 0 | 1 | 1 | 0 | 15.6 | 28.2 | 0 | 0 | 0 | 0 | 56.3 |
| Tripura | 1 | 3 | 5 | 1.3 | 3 | 3 | 27.5 | 0 | 0 | 62.3 | 3 |
| Sikkim | 0 | 1 | 2 | 63.4 | 0 | 0 | 0 | 0 | 0 | 30 | 6.6 |
| Dadar & Nagar Haveli | 0 | 1 | 1 | 50 | 25 | 0 | 0 | 0 | 0 | 25 | 0 |
| Daman & Diu | 0 | 1 | 2 | 33.3 | 33.3 | 0 | 0 | 0 | 0 | 33.3 | 0 |
| Goa | 0 | 1 | 1 | 0 | 100 | 0 | 0 | 0 | 0 | 0 | 0 |
| Puducherry | 0 | 0 | 0 | | | | | | | | |
| Andaman & Nicobar Island | 0 | 0 | 0 | | | | | | | | |
| All India | 2 | 4 | | 19.4 | 28 | 9.9 | 2.3 | 7.2 | 2.2 | 19.2 | 11.9 |

Appendix Table 6.25: Number of Visits by Medical Officers in AWC and Issues Discussed: Reported by AWW

| States/UTs | Visits by medical officer (no.) | | | What did he/she do? (%) | | | |
|-------------------|---------------------------------|---------------------|----------------------|--------------------------------------|----------------|-------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | Guidance for preparing growth charts | Record keeping | Target/priority setting | Link with administration |
| Andhra Pradesh | 0 | 0 | 1 | 41.9 | 23.6 | 12.4 | 22.1 |
| Assam | 0 | 0 | 1 | 11 | 8.1 | 42.1 | 38.8 |
| Bihar | 0 | 0 | 0 | 19.2 | 9.2 | 0 | 71.7 |
| Chhattisgarh | 0 | 0 | 1 | 30.2 | 30.3 | 39.5 | 0 |
| Gujarat | 0 | 1 | 2 | 29.6 | 22.8 | 3 | 44.7 |
| Haryana | 0 | 0 | 1 | 46.5 | 0 | 3.5 | 50.1 |
| Himachal Pradesh | 0 | 0 | 1 | 0 | 100 | 0 | 0 |
| Jammu and Kashmir | 0 | 1 | 1 | 1.3 | 46 | 42.4 | 10.3 |
| Jharkhand | 0 | 0 | 0 | 13.4 | 33.5 | 8.9 | 44.2 |
| Karnataka | 0 | 1 | 2 | 55 | 6.1 | 19.7 | 19.2 |
| Kerala | 0 | 1 | 1 | 13.3 | 18.4 | 68.4 | 0 |
| Madhya Pradesh | 0 | 1 | 1 | 11.2 | 48.2 | 9.8 | 30.8 |
| Maharashtra | 0 | 1 | 2 | 25.9 | 5.7 | 15.3 | 53.1 |
| Orissa | 0 | 0 | 1 | 3.3 | 17.3 | 23.9 | 55.6 |
| Punjab | 0 | 1 | 1 | 7.8 | 0 | 0 | 92.2 |
| Rajasthan | 0 | 1 | 2 | 7.4 | 14.8 | 11.6 | 66.2 |
| Tamil Nadu | 0 | 1 | 2 | 43.8 | 10.9 | 21.7 | 23.7 |
| Uttar Pradesh | 0 | 0 | 0 | 17 | 27.5 | 17.2 | 38.2 |
| Uttarakhand | 0 | 0 | 0 | 0 | 0 | 39.1 | 60.9 |
| West Bengal | 0 | 0 | 0 | 19.6 | 18.3 | 18.3 | 43.7 |
| Delhi | 0 | 0 | 1 | 100 | 0 | 0 | 0 |
| Chandigarh | 0 | 1 | 2 | 0 | 0 | 0 | 100 |
| Arunachal Pradesh | 0 | 0 | 0 | 0 | 0 | 16.6 | 83.4 |
| Manipur | 0 | 0 | 0 | | | | |
| Meghalaya | 0 | 1 | 1 | 42.5 | 0 | 57.5 | 0 |
| Mizoram | 0 | 0 | 0 | | | | |
| Nagaland | 0 | 0 | 0 | 68.8 | 0 | 0 | 31.3 |

Appendix Table 6.25: Number of Visits by Medical Officers in AWC and Issues Discussed: Reported by AWW (Continued...)

| States/UTs | Visits by medical officer (no.) | | | What did he/she do? (%) | | | |
|--------------------------|---------------------------------|---------------------|----------------------|--------------------------------------|----------------|-------------------------|--------------------------|
| | During last 30 days | During last 90 days | During last 6 months | Guidance for preparing growth charts | Record keeping | Target/priority setting | Link with administration |
| Tripura | 0 | 0 | 0 | 30.3 | 0 | 69.7 | 0 |
| Sikkim | 0 | 0 | 0 | 0 | 100 | 0 | 0 |
| Dadar & Nagar Haveli | 0 | 1 | 2 | 0 | 0 | 40 | 60 |
| Daman & Diu | 0 | 0 | 1 | 0 | 20 | 20 | 60 |
| Goa | 0 | 0 | 0 | 100 | 0 | 0 | 0 |
| Puducherry | 1 | 1 | 2 | 60 | 20 | 20 | 0 |
| Andaman & Nicobar Island | 0 | 0 | 0 | | | | |
| All India | 0 | 1 | 1 | 26.4 | 17.9 | 18.7 | 37 |

Appendix Table 6.26: Percentage of AWCs Getting Help from Panchayat

| States/UTs | % AWW reported getting help from panchayat | Kind of help | | | | |
|-------------------|--|----------------------------|------------|--------------------------|--------|-------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | Total |
| Andhra Pradesh | 41.6 | 35.2 | 33.5 | 18.5 | 12.8 | 100 |
| Assam | 44.5 | 2.7 | 76.7 | 20.6 | 0 | 100 |
| Bihar | 55.3 | 20.6 | 71.1 | 8.3 | 0 | 100 |
| Chhattisgarh | 54.1 | 18.3 | 19.5 | 49.8 | 12.4 | 100 |
| Gujarat | 39 | 34.8 | 15.4 | 36.3 | 13.5 | 100 |
| Haryana | 24.4 | 6.8 | 19.3 | 73.9 | 0 | 100 |
| Himachal Pradesh | 65.9 | 13.3 | 41.4 | 45.4 | 0 | 100 |
| Jammu and Kashmir | 19 | 8.9 | 82.4 | 4.4 | 4.2 | 100 |
| Jharkhand | 4 | 0 | 50 | 0 | 50 | 100 |
| Karnataka | 58.2 | 27.2 | 32.3 | 34.7 | 5.8 | 100 |
| Kerala | 87.6 | 20.3 | 17.1 | 62.7 | 0 | 100 |
| Madhya Pradesh | 35.9 | 25.3 | 32.4 | 35.2 | 7.2 | 100 |
| Maharashtra | 49.3 | 16.5 | 29.7 | 51.2 | 2.6 | 100 |
| Orissa | 28.7 | 18.8 | 34.5 | 41.3 | 5.5 | 100 |
| Punjab | 61.4 | 11.2 | 25.4 | 40.3 | 23.1 | 100 |
| Rajasthan | 17.6 | 24.4 | 41.7 | 33.9 | 0 | 100 |
| Tamil Nadu | 34.9 | 10.3 | 9.4 | 34.8 | 45.6 | 100 |
| Uttar Pradesh | 29.7 | 19 | 54.6 | 14.9 | 11.6 | 100 |
| Uttarakhand | 9.7 | 0 | 40.2 | 19.6 | 40.2 | 100 |
| West Bengal | 40.8 | 44.2 | 9.7 | 41.4 | 4.8 | 100 |
| Delhi | - | - | - | - | - | - |
| Chandigarh | - | - | - | - | - | - |
| Arunachal Pradesh | 15.3 | 0 | 0 | 0 | 100 | 100 |
| Manipur | 0 | - | - | - | - | - |
| Meghalaya | 45.9 | 57.7 | 0 | 42.3 | 0 | 100 |
| Mizoram | 0 | - | - | - | - | - |
| Nagaland | 58.8 | 0 | 59.8 | 40.2 | 0 | 100 |

Appendix Table 6.26: Percentage of AWCs Getting Help from Panchayat (Continued...)

| States/UTs | % AWW reported getting help from panchayat | Kind of help | | | | Total |
|-------------------------------------|--|----------------------------|-------------|--------------------------|------------|------------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | |
| Tripura | 62.9 | 0 | 0 | 100 | 0 | 100 |
| Sikkim | 51.3 | 28 | 28 | 44.1 | 0 | 100 |
| Dadar & Nagar Haveli | 80 | 25 | 0 | 50 | 25 | 100 |
| Daman & Diu | 60 | 100 | 0 | 0 | 0 | 100 |
| Goa | 40 | 0 | 100 | 0 | 0 | 100 |
| Puducherry | 0 | - | - | - | - | - |
| Andaman & Nicobar Island | 0 | - | - | - | - | - |
| All India | 39.9 | 22.3 | 35.6 | 34.2 | 7.9 | 100 |

Appendix Table 6.27: Percentage of AWCs Getting Help from Village Leaders/Committee

| States/UTs | % AWW reported getting help from village leaders/committee | Kind of help | | | | |
|--------------------------|--|----------------------------|------------|--------------------------|--------|-------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | Total |
| Andhra Pradesh | 33.6 | 25.8 | 49.3 | 11.8 | 13.1 | 100 |
| Assam | 74.3 | 14.7 | 68.3 | 15.5 | 1.5 | 100 |
| Bihar | 57.6 | 15 | 67 | 9.8 | 8.2 | 100 |
| Chhattisgarh | 28.9 | 32.1 | 38.1 | 10.8 | 19 | 100 |
| Gujarat | 19.5 | 53.8 | 9.6 | 29.6 | 6.9 | 100 |
| Haryana | 8 | 20.7 | 64.5 | 14.8 | 0 | 100 |
| Himachal Pradesh | 16.1 | 0 | 61.7 | 23.6 | 14.7 | 100 |
| Jammu and Kashmir | 33.8 | 10 | 45.3 | 44.7 | 0 | 100 |
| Jharkhand | 11 | 23.5 | 48.5 | 9.9 | 18 | 100 |
| Karnataka | 52.8 | 38.1 | 16.4 | 35.3 | 10.3 | 100 |
| Kerala | 49.5 | 27.2 | 22.3 | 50.5 | 0 | 100 |
| Madhya Pradesh | 30.3 | 31.5 | 13.5 | 31.8 | 23.2 | 100 |
| Maharashtra | 43.9 | 24.9 | 28.3 | 30.7 | 16.1 | 100 |
| Orissa | 42.5 | 13.8 | 40 | 40.3 | 5.9 | 100 |
| Punjab | 8.4 | 0 | 60 | 40 | 0 | 100 |
| Rajasthan | 15 | 8.6 | 68.3 | 0 | 23.2 | 100 |
| Tamil Nadu | 29.6 | 1.8 | 0.1 | 57.1 | 41 | 100 |
| Uttar Pradesh | 6.2 | 31.7 | 34.7 | 5.8 | 27.9 | 100 |
| Uttrakhand | 3.9 | 0 | 100 | 0 | 0 | 100 |
| West Bengal | 28.8 | 9.2 | 56.7 | 28 | 6.2 | 100 |
| Delhi | 0 | - | - | - | - | - |
| Chandigarh | 0 | - | - | - | - | - |
| Arunachal Pradesh | 15.3 | 0 | 0 | 0 | 100 | 100 |
| Manipur | 20 | 0 | 80.1 | 19.9 | 0 | 100 |
| Meghalaya | 59.4 | 44.6 | 21.8 | 33.7 | 0 | 100 |
| Mizoram | 20 | 0 | 100 | 0 | 0 | 100 |
| Nagaland | 46.3 | 5.3 | 0 | 76 | 18.8 | 100 |

Appendix Table 6.27: Percentage of AWCs Getting Help from Village Leaders/Committee (Continued...)

| States/UTs | % AWW reported getting help from village leaders/committee | Kind of help | | | | Total |
|-------------------------------------|--|----------------------------|-------------|--------------------------|-------------|------------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | |
| Tripura | 96.5 | 37.8 | 38.7 | 23.5 | 0 | 100 |
| Sikkim | 0 | - | - | - | - | - |
| Dadar & Nagar Haveli | 80 | 25 | 25 | 50 | 0 | 100 |
| Daman & Diu | 60 | 66.7 | 33.3 | 0 | 0 | 100 |
| Goa | 40 | 50 | 50 | 0 | 0 | 100 |
| Puducherry | 0 | - | - | - | - | - |
| Andaman & Nicobar Island | 0 | - | - | - | - | - |
| All India | 31.1 | 21.7 | 40.8 | 25.7 | 11.8 | 100 |

Appendix Table 6.28: Percentage of AWCs Getting Help from Women's Group

| States/UTs | % AWW reported getting help from women's group | Kind of help | | | | Total |
|--------------------------|--|----------------------------|------------|--------------------------|--------|-------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | |
| Andhra Pradesh | 18.5 | 19.2 | 61.6 | 15.3 | 3.9 | 100 |
| Assam | 50.2 | 14.8 | 62.4 | 0 | 22.8 | 100 |
| Bihar | 10.4 | 39.2 | 30.1 | 30.8 | 0 | 100 |
| Chhattisgarh | 93.3 | 7.8 | 33.6 | 42.8 | 15.9 | 100 |
| Gujarat | 36.8 | 79.1 | 7.4 | 11.3 | 2.3 | 100 |
| Haryana | 17 | 11.6 | 62.6 | 16.7 | 9 | 100 |
| Himachal Pradesh | 69.9 | 30.3 | 14.5 | 28.6 | 26.6 | 100 |
| Jammu and Kashmir | 39.6 | 18.4 | 3.3 | 69.8 | 8.5 | 100 |
| Jharkhand | 45.4 | 71.7 | 24.4 | 0 | 3.9 | 100 |
| Karnataka | 59.4 | 31.5 | 32.6 | 11.1 | 24.9 | 100 |
| Kerala | 84.1 | 40.1 | 40.7 | 8.9 | 10.4 | 100 |
| Madhya Pradesh | 48.1 | 44.9 | 26 | 20.8 | 8.3 | 100 |
| Maharashtra | 60.3 | 30.3 | 29.1 | 15.5 | 25.1 | 100 |
| Orissa | 58.6 | 37.3 | 35.3 | 4.1 | 23.3 | 100 |
| Punjab | 6.1 | 27.6 | 0 | 72.4 | 0 | 100 |
| Rajasthan | 35.3 | 30.5 | 14.5 | 41.2 | 13.8 | 100 |
| Tamil Nadu | 29.9 | 20.9 | 8.6 | 35.2 | 35.3 | 100 |
| Uttar Pradesh | 15.7 | 66.7 | 8.9 | 18.6 | 5.8 | 100 |
| Uttrakhand | 0 | - | - | - | - | - |
| West Bengal | 26.5 | 82.5 | 9.8 | 2.4 | 5.4 | 100 |
| Delhi | 32.5 | 33.3 | 0 | 33.3 | 33.3 | 100 |
| Chandigarh | 0 | - | - | - | - | - |
| Arunachal Pradesh | 0 | - | - | - | - | - |
| Manipur | 88.1 | 54.6 | 40.9 | 4.5 | 0 | 100 |
| Meghalaya | 39.4 | 16.4 | 50.8 | 0 | 32.8 | 100 |
| Mizoram | 20 | 100 | 0 | 0 | 0 | 100 |
| Nagaland | 33.8 | 85.6 | 7.2 | 7.2 | 0 | 100 |

Appendix Table 6.28: Percentage of AWCs Getting Help from Women's Group (Continued...)

| States/UTs | % AWW reported getting help from women's group | Kind of help | | | | |
|-------------------------------------|--|----------------------------|------------|--------------------------|-----------|------------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | Total |
| Tripura | 21.1 | 8.9 | 91.1 | 0 | 0 | 100 |
| Sikkim | 28.7 | 50 | 50 | 0 | 0 | 100 |
| Dadar & Nagar Haveli | 80 | 50 | 25 | 25 | 0 | 100 |
| Daman & Diu | 80 | 50 | 0 | 50 | 0 | 100 |
| Goa | 20 | 0 | 100 | 0 | 0 | 100 |
| Puducherry | 0 | - | - | - | - | - |
| Andaman & Nicobar Island | 0 | - | - | - | - | - |
| All India | 37.1 | 39.1 | 28 | 18 | 15 | 100 |

Appendix Table 6.29: Percentage of AWCs Getting Help from Mothers of Beneficiary Children

| States/UTs | % AWW reported getting help from mothers of beneficiary children | Kind of help | | | | Total |
|-------------------|--|----------------------------|------------|--------------------------|--------|-------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | |
| Andhra Pradesh | 28 | 19.6 | 18.1 | 17.9 | 44.4 | 100 |
| Assam | 82.7 | 11.4 | 47.1 | 0 | 41.5 | 100 |
| Bihar | 19.3 | 67.6 | 13.8 | 2 | 16.6 | 100 |
| Chhattisgarh | 57.5 | 50.5 | 6.7 | 19.1 | 23.6 | 100 |
| Gujarat | 56.2 | 55.5 | 22.1 | 1.5 | 20.9 | 100 |
| Haryana | 7.2 | 62.1 | 0 | 21.4 | 16.5 | 100 |
| Himachal Pradesh | 78.8 | 41.2 | 22 | 14.6 | 22.2 | 100 |
| Jammu and Kashmir | 42.8 | 57.7 | 10 | 0 | 32.3 | 100 |
| Jharkhand | 53.4 | 57.8 | 28.2 | 7 | 7 | 100 |
| Karnataka | 43.7 | 27 | 34.1 | 20.3 | 18.7 | 100 |
| Kerala | 94 | 38.2 | 39.3 | 3.7 | 18.7 | 100 |
| Madhya Pradesh | 46 | 68 | 14.4 | 12.2 | 5.4 | 100 |
| Maharashtra | 56.6 | 60.5 | 14.5 | 10.8 | 14.1 | 100 |
| Orissa | 61 | 51.5 | 25.3 | 5.1 | 18.1 | 100 |
| Punjab | 10.1 | 83.3 | 0 | 16.7 | 0 | 100 |
| Rajasthan | 35 | 41.5 | 33.6 | 2.6 | 22.3 | 100 |
| Tamil Nadu | 32.5 | 3.6 | 0 | 35.7 | 60.7 | 100 |
| Uttar Pradesh | 39.8 | 70.9 | 6.9 | 3.9 | 18.3 | 100 |
| Uttarakhand | 0 | - | - | - | - | - |
| West Bengal | 82 | 60.6 | 24.2 | 0 | 15.2 | 100 |
| Delhi | 50.8 | 21.3 | 36.1 | 21.3 | 21.3 | 100 |
| Chandigarh | 0 | - | - | - | - | - |
| Arunachal Pradesh | 0 | - | - | - | - | - |
| Manipur | 96 | 95.9 | 0 | 0 | 4.2 | 100 |
| Meghalaya | 59.4 | 32.7 | 56.5 | 10.9 | 0 | 100 |
| Mizoram | 100 | 60 | 0 | 40 | 0 | 100 |

Appendix Table 6.29: Percentage of AWCs Getting Help from Mothers of Beneficiary Children (Continued...)

| States/UTs | % AWW reported getting help from mothers of beneficiary children | Kind of help | | | | |
|-------------------------------------|--|----------------------------|-------------|--------------------------|-------------|------------|
| | | Mobilize children & mother | Monitoring | Providing infrastructure | Others | Total |
| Nagaland | 77.6 | 22.6 | 32.1 | 37.2 | 8.1 | 100 |
| Tripura | 93 | 18.6 | 23.5 | 0 | 57.9 | 100 |
| Sikkim | 20 | 100 | 0 | 0 | 0 | 100 |
| Dadar & Nagar Haveli | 100 | 40 | 60 | 0 | 0 | 100 |
| Daman & Diu | 100 | 40 | 20 | 40 | 0 | 100 |
| Goa | 20 | 100 | 0 | 0 | 0 | 100 |
| Puducherry | 0 | - | - | - | - | - |
| Andaman & Nicobar Island | 45.7 | 74.5 | 13.1 | 0 | 12.4 | 100 |
| All India | 48.4 | 50.3 | 21.2 | 7.7 | 20.9 | 100 |

Appendix Table 6.30: Percentage of AWCs Getting Help from KSY Girls

| States/UTs | % AWW reported getting help from KSY girls | Kind of help | | | | Total |
|-------------------|--|-------------------------------|------------|--------------------------|--------|-------|
| | | Mobilizing children & mothers | Monitoring | Providing infrastructure | Others | |
| Andhra Pradesh | 42.2 | 13.3 | 13.2 | 0 | 73.6 | 100 |
| Assam | 39.9 | 0 | 43.1 | 0 | 56.9 | 100 |
| Bihar | 59.3 | 25.2 | 24.2 | 9.6 | 41.1 | 100 |
| Chhattisgarh | 78.4 | 31.1 | 11.1 | 10.4 | 47.5 | 100 |
| Gujarat | 15.3 | 55 | 29.7 | 0 | 15.3 | 100 |
| Haryana | 13.6 | 6.1 | 0 | 0 | 93.9 | 100 |
| Himachal Pradesh | 38.8 | 3.1 | 0 | 22.5 | 74.5 | 100 |
| Jammu and Kashmir | 29.8 | 60.9 | 11.4 | 4.4 | 23.4 | 100 |
| Jharkhand | 62.3 | 48.3 | 13.3 | 4.2 | 34.2 | 100 |
| Karnataka | 56.5 | 20.2 | 27.1 | 27.7 | 25 | 100 |
| Kerala | 19.7 | 37.8 | 0 | 36 | 26.3 | 100 |
| Madhya Pradesh | 73 | 41.9 | 29.1 | 17.9 | 11.2 | 100 |
| Maharashtra | 64 | 64.6 | 7 | 0 | 28.4 | 100 |
| Orissa | 58.7 | 33.7 | 10.5 | 5 | 50.8 | 100 |
| Punjab | 3.5 | 0 | 100 | 0 | 0 | 100 |
| Rajasthan | 13.6 | 25.5 | 27.7 | 22.4 | 24.4 | 100 |
| Tamil Nadu | 17.5 | 45.8 | 12.1 | 0 | 42.1 | 100 |
| Uttar Pradesh | 49.3 | 43 | 16.6 | 3.5 | 37 | 100 |
| Uttrakhand | 0 | - | - | - | - | - |
| West Bengal | 5.9 | 9.7 | 38.2 | 20.2 | 31.9 | 100 |
| Delhi | 43.3 | 25 | 25 | 0 | 50 | 100 |
| Chandigarh | 0 | - | - | - | - | - |
| Arunachal Pradesh | 0 | - | - | - | - | - |
| Manipur | 0 | - | - | - | - | - |
| Meghalaya | 0 | - | - | - | - | - |
| Mizoram | 0 | - | - | - | - | - |

Appendix Table 6.30: Percentage of AWCs Getting Help from KSY Girls (Continued...)

| States/UTs | % AWW reported getting help from KSY girls | Kind of help | | | | Total |
|--------------------------|--|-------------------------------|-------------|--------------------------|-------------|------------|
| | | Mobilizing children & mothers | Monitoring | Providing infrastructure | Others | |
| Nagaland | 0 | - | - | - | - | - |
| Tripura | 20 | 0 | 13.5 | 0 | 86.5 | 100 |
| Sikkim | 0 | - | - | - | - | - |
| Dadar & Nagar Haveli | 20 | 0 | 100 | 0 | 0 | 100 |
| Daman & Diu | 100 | 40 | 0 | 40 | 20 | 100 |
| Goa | 0 | - | - | - | - | - |
| Puducherry | 0 | - | - | - | - | - |
| Andaman & Nicobar Island | 34 | 17.5 | 0 | 0 | 82.5 | 100 |
| All India | 40.9 | 35.7 | 18.4 | 8.5 | 37.4 | 100 |

Appendix Table 6.31: Average Age of AWWs and Distribution of AWW by Marital Status

| States/UTs | Age | Marital status | | |
|-------------------|-----|----------------|---------|--------------------|
| | | Unmarried | Married | Widowed / Divorced |
| Andhra Pradesh | 35 | 7.2 | 81.9 | 10.9 |
| Assam | 37 | 12.5 | 85.3 | 2.2 |
| Bihar | 37 | 2.2 | 92.2 | 5.6 |
| Chhattisgarh | 41 | 12.9 | 73.9 | 13.2 |
| Gujarat | 37 | 1.9 | 95.8 | 2.4 |
| Haryana | 41 | 0.8 | 95.3 | 3.9 |
| Himachal Pradesh | 36 | 1.2 | 87.5 | 11.3 |
| Jammu and Kashmir | 39 | 3.8 | 96.2 | 0 |
| Jharkhand | 36 | 6.6 | 87.3 | 6.1 |
| Karnataka | 36 | 15.5 | 80.1 | 4.4 |
| Kerala | 41 | 9.5 | 87.1 | 3.4 |
| Madhya Pradesh | 39 | 10.1 | 68 | 21.9 |
| Maharashtra | 42 | 2.9 | 88.7 | 8.4 |
| Orissa | 39 | 21.8 | 70.9 | 7.3 |
| Punjab | 39 | 13.6 | 78.6 | 7.8 |
| Rajasthan | 36 | 14.3 | 77.5 | 8.3 |
| Tamil Nadu | 47 | 8.1 | 86.8 | 5.1 |
| Uttar Pradesh | 37 | 6.8 | 83.5 | 9.6 |
| Uttarakhand | 33 | 6.8 | 93.2 | 0 |
| West Bengal | 42 | 12.4 | 85.4 | 2.2 |
| Delhi | 43 | 21.7 | 78.3 | 0 |
| Chandigarh | 47 | 0 | 60 | 40 |
| Arunachal Pradesh | 28 | 0 | 100 | 0 |
| Manipur | 45 | 0 | 84 | 16 |
| Meghalaya | 42 | 0 | 86.5 | 13.5 |
| Mizoram | 40 | 0 | 80 | 20 |
| Nagaland | 35 | 13.8 | 72.5 | 13.8 |

Appendix Table 6.31: Average Age of AWWs and Distribution of AWW by Marital Status (Continued...)

| States/UTs | Age | Marital status | | |
|-------------------------------------|-----------|----------------|-------------|--------------------|
| | | Unmarried | Married | Widowed / Divorced |
| Tripura | 41 | 0 | 82.7 | 17.3 |
| Sikkim | 33 | 25.7 | 74.3 | 0 |
| Dadar & Nagar Haveli | 43 | 0 | 100 | 0 |
| Daman & Diu | 44 | 0 | 60 | 40 |
| Goa | 46 | 0 | 100 | 0 |
| Puducherry | 49 | 0 | 60 | 40 |
| Andaman & Nicobar Island | 40 | 20 | 80 | 0 |
| All India | 39 | 8.5 | 83.8 | 7.8 |

Appendix Table 6.32: Percentage Distribution of AWW by Level of Education

| States/UTs | Illiterate | Below primary | Primary | Middle | Matric/High school | HS | Graduate & Above |
|-------------------|------------|---------------|---------|--------|--------------------|------|------------------|
| Andhra Pradesh | 1.2 | 0.7 | 9.3 | 13.7 | 48 | 10.5 | 16.8 |
| Assam | 2.2 | 0 | 0 | 11.1 | 56 | 26.1 | 4.6 |
| Bihar | 4.5 | 0.7 | 1.5 | 3.9 | 43.7 | 28.2 | 17.5 |
| Chhattisgarh | 0 | 0 | 27 | 16.3 | 18.2 | 25.2 | 13.4 |
| Gujarat | 0 | 3.1 | 9.5 | 11.2 | 30.9 | 27.9 | 17.6 |
| Haryana | 1.7 | 0 | 0 | 2 | 58.1 | 35.1 | 3.2 |
| Himachal Pradesh | 0 | 0 | 8.7 | 9.9 | 62.7 | 18.8 | 0 |
| Jammu and Kashmir | 0 | 0 | 0.5 | 18.3 | 37.3 | 43.1 | 0.8 |
| Jharkhand | 0 | 0 | 0 | 7.8 | 50.1 | 32.6 | 9.5 |
| Karnataka | 1.3 | 0 | 6.4 | 6.5 | 50.7 | 29.3 | 5.9 |
| Kerala | 3.1 | 0 | 1.6 | 1.7 | 43.9 | 43.4 | 6.2 |
| Madhya Pradesh | 1.2 | 0 | 3.3 | 17.6 | 33.7 | 29.4 | 14.8 |
| Maharashtra | 0 | 0 | 7.6 | 18.8 | 50.8 | 12.6 | 10.2 |
| Orissa | 0 | 0 | 1 | 15.7 | 36.6 | 11.8 | 35.1 |
| Punjab | 7 | 0 | 0 | 5.2 | 38.4 | 30.3 | 19.2 |
| Rajasthan | 0 | 3.1 | 19.2 | 48.8 | 17.1 | 10.6 | 1.2 |
| Tamil Nadu | 3.7 | 0 | 0 | 11 | 65.1 | 9.5 | 10.8 |
| Uttar Pradesh | 4.3 | 0 | 0 | 8.6 | 28.1 | 27 | 32.1 |
| Uttrakhand | 0 | 0 | 0 | 1.9 | 11.7 | 20.4 | 66 |
| West Bengal | 0 | 0 | 0 | 22.1 | 52.5 | 20 | 5.4 |
| Delhi | 0 | 0 | 0 | 9.2 | 21.7 | 41.7 | 27.5 |
| Chandigarh | 0 | 0 | 0 | 0 | 60 | 20 | 20 |
| Arunachal Pradesh | 15.3 | 0 | 50.8 | 9.4 | 24.6 | 0 | 0 |
| Manipur | 0 | 0 | 4 | 16 | 56 | 0 | 24 |
| Meghalaya | 0 | 0 | 0 | 80 | 20 | 0 | 0 |
| Mizoram | 0 | 0 | 0 | 20 | 80 | 0 | 0 |
| Nagaland | 0 | 0 | 0 | 40 | 46.3 | 13.8 | 0 |
| Tripura | 0 | 0 | 1.9 | 40.8 | 38.1 | 0 | 19.2 |

Appendix Table 6.32: Percentage Distribution of AWW by Level of Education (Continued...)

| States/UTs | Illiterate | Below primary | Primary | Middle | Matric/High school | HS | Graduate & Above |
|--------------------------|------------|---------------|---------|--------|--------------------|------|------------------|
| Sikkim | 14.3 | 28.7 | 28.7 | 22.6 | 0 | 5.7 | 0 |
| Dadar & Nagar Haveli | 0 | 0 | 0 | 0 | 80 | 20 | 0 |
| Daman & Diu | 0 | 0 | 0 | 20 | 60 | 0 | 20 |
| Goa | 0 | 0 | 0 | 20 | 80 | 0 | 0 |
| Puducherry | 20 | 0 | 0 | 0 | 60 | 20 | 0 |
| Andaman & Nicobar Island | 8.4 | 0 | 0 | 49.6 | 33.7 | 8.4 | 0 |
| All India | 1.8 | 0.4 | 4.6 | 14.2 | 41.4 | 22.5 | 15 |

Appendix Table 6.33: Percentage Distribution of AWW by Residence

| States/UTs | Within the village | Other village within 5 Km | Other village more than 5 Km | Nearby town | Total |
|-------------------|--------------------|---------------------------|------------------------------|-------------|-------|
| Andhra Pradesh | 92.7 | 6.4 | 1 | 0 | 100 |
| Assam | 87.1 | 10.7 | 0 | 2.2 | 100 |
| Bihar | 98.6 | 1.4 | 0 | 0 | 100 |
| Chhattisgarh | 89 | 4.8 | 0 | 6.2 | 100 |
| Gujarat | 77.7 | 17.4 | 4.9 | 0 | 100 |
| Haryana | 96.7 | 1.7 | 0.8 | 0.8 | 100 |
| Himachal Pradesh | 69.9 | 30.1 | 0 | 0 | 100 |
| Jammu and Kashmir | 90.6 | 5.1 | 3.3 | 1 | 100 |
| Jharkhand | 87.8 | 10.4 | 1.8 | 0 | 100 |
| Karnataka | 96.8 | 3.2 | 0 | 0 | 100 |
| Kerala | 72.8 | 25.8 | 1.4 | 0 | 100 |
| Madhya Pradesh | 96.4 | 1.5 | 1.6 | 0.5 | 100 |
| Maharashtra | 88.9 | 7.2 | 2 | 2 | 100 |
| Orissa | 79.8 | 15.3 | 3.1 | 1.8 | 100 |
| Punjab | 85 | 8.9 | 3.4 | 2.7 | 100 |
| Rajasthan | 84.9 | 6.2 | 3.4 | 5.6 | 100 |
| Tamil Nadu | 43.9 | 29.2 | 13.9 | 13.1 | 100 |
| Uttar Pradesh | 80.3 | 17.5 | 1 | 1.2 | 100 |
| Uttrakhand | 68.8 | 31.2 | 0 | 0 | 100 |
| West Bengal | 52.9 | 23.1 | 17.1 | 6.9 | 100 |
| Delhi | 29.2 | 41.7 | 9.2 | 20 | 100 |
| Chandigarh | 60 | 40 | 0 | 0 | 100 |
| Arunachal Pradesh | 100 | 0 | 0 | 0 | 100 |
| Manipur | 84 | 0 | 0 | 16 | 100 |
| Meghalaya | 100 | 0 | 0 | 0 | 100 |
| Mizoram | 80 | 0 | 0 | 20 | 100 |
| Nagaland | 100 | 0 | 0 | 0 | 100 |

Appendix Table 6.33: Percentage Distribution of AWW by Residence (Continued...)

| States/UTs | Within the village | Other village within 5 Km | Other village more than 5 Km | Nearby town | Total |
|-------------------------------------|--------------------|---------------------------|------------------------------|-------------|------------|
| Tripura | 26.2 | 73 | 0.8 | 0 | 100 |
| Sikkim | 85.7 | 0 | 14.3 | 0 | 100 |
| Dadar & Nagar Haveli | 60 | 0 | 40 | 0 | 100 |
| Daman & Diu | 80 | 20 | 0 | 0 | 100 |
| Goa | 40 | 40 | 20 | 0 | 100 |
| Puducherry | 40 | 40 | 20 | 0 | 100 |
| Andaman & Nicobar Island | 94.3 | 5.7 | 0 | 0 | 100 |
| All India | 81.5 | 12.5 | 3.5 | 2.5 | 100 |

Appendix Table 6.34: Percentage of AWW Attended Training & Duration (In Days)

| States/UTs | Job training | | Refresher course in growth monitoring | | Refresher course in pre-school education | | Joint training with health worker | | Skill training/special training | |
|--------------------------|-------------------|--------------------|---------------------------------------|--------------------|--|--------------------|-----------------------------------|--------------------|---------------------------------|--------------------|
| | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) |
| Andhra Pradesh | 100 | 69 | 85.7 | 9 | 76.6 | 7 | 26.7 | 4 | 30.6 | 5 |
| Assam | 97.2 | 68 | 39.2 | 8 | 61.7 | 9 | 30.1 | 4 | 25.4 | 6 |
| Bihar | 91.7 | 51 | 84.2 | 11 | 95.2 | 11 | 94.9 | 2 | 2.2 | 6 |
| Chhattisgarh | 58.5 | 52 | 74.8 | 12 | 79.7 | 11 | 48.9 | 5 | 43.5 | 7 |
| Gujarat | 95.1 | 73 | 73.6 | 11 | 70.4 | 8 | 63.1 | 6 | 26.8 | 4 |
| Haryana | 100 | 62 | 82.8 | 14 | 76.8 | 11 | 91.9 | 6 | 28.4 | 4 |
| Himachal Pradesh | 52.5 | 88 | 73.9 | 11 | 73.9 | 10 | 47.9 | 5 | 43.7 | 4 |
| Jammu and Kashmir | 62 | 70 | 33 | 13 | 45.1 | 14 | 38.8 | 5 | 7.3 | 7 |
| Jharkhand | 100 | 45 | 46.3 | 10 | 33.9 | 8 | 12 | 7 | 11.3 | 7 |
| Karnataka | 64.1 | 42 | 64.4 | 4 | 63.8 | 7 | 70.8 | 4 | 29.1 | 2 |
| Kerala | 90.6 | 55 | 78.8 | 11 | 77.8 | 8 | 6.5 | 7 | 29.4 | 3 |
| Madhya Pradesh | 80.9 | 51 | 68.3 | 9 | 74 | 11 | 69 | 4 | 30.6 | 5 |
| Maharashtra | 99.7 | 72 | 81.7 | 12 | 82.1 | 12 | 69.7 | 7 | 45.3 | 5 |
| Orissa | 98.3 | 71 | 92.4 | 12 | 91.5 | 11 | 71.4 | 6 | 37.7 | 6 |
| Punjab | 29.2 | 61 | 92.8 | 14 | 90.1 | 14 | 90.1 | 10 | 93.9 | 10 |
| Rajasthan | 100 | 48 | 58.5 | 6 | 72.1 | 6 | 57.8 | 3 | 34.7 | 5 |
| Tamil Nadu | 96 | 33 | 83.4 | 7 | 94.3 | 8 | 75.7 | 5 | 62.7 | 4 |
| Uttar Pradesh | 57.1 | 43 | 46 | 7 | 64.3 | 12 | 58.4 | 3 | 29.7 | 6 |
| Uttarakhand | 85.4 | 37 | 89.2 | 7 | 98.1 | 10 | 56.4 | 5 | 36.4 | 5 |
| West Bengal | 98 | 66 | 77.2 | 8 | 84 | 7 | 23.2 | 5 | 7.4 | 5 |

Appendix Table 6.34: Percentage of AWW Attended Training & Duration (In Days) (Continued...)

| States/UTs | Job training | | Refresher course in growth monitoring | | Refresher course in pre-school education | | Joint training with health worker | | Skill training/special training | |
|-------------------------------------|-------------------|--------------------|---------------------------------------|--------------------|--|--------------------|-----------------------------------|--------------------|---------------------------------|--------------------|
| | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) | % of AWW attended | Duration (in days) |
| Delhi | 69.2 | 85 | 80 | 14 | 21.7 | 12 | 50.8 | 2 | 20 | 2 |
| Chandigarh | 80 | 90 | 100 | 15 | 100 | 15 | 100 | 1 | 60 | 11 |
| Arunachal Pradesh | 87.7 | 30 | 15.6 | 3 | 17.1 | 2 | 18.4 | 1 | 18.4 | 6 |
| Manipur | 96 | 76 | 76 | 6 | 80 | 7 | 16 | 1 | 64.1 | 6 |
| Meghalaya | 86.5 | 68 | 100 | 12 | 100 | 13 | 86.5 | 6 | 72.9 | 5 |
| Mizoram | 100 | 66 | 100 | 2 | 100 | 1 | 0 | | 0 | |
| Nagaland | 100 | 60 | 100 | 7 | 100 | 7 | 66.3 | 3 | 31.3 | 3 |
| Tripura | 63.8 | 55 | 98.4 | 8 | 79.4 | 6 | 6.2 | 2 | 21.1 | 3 |
| Sikkim | 100 | 83 | 100 | 12 | 100 | 7 | 34.3 | 4 | 20 | 5 |
| Dadar & Nagar Haveli | 100 | 78 | 100 | 9 | 100 | 8 | 100 | 3 | 0 | |
| Daman & Diu | 60 | 80 | 60 | 4 | 80 | 6 | 60 | 2 | 0 | |
| Goa | 100 | 90 | 100 | 14 | 100 | 10 | 100 | 3 | 100 | 7 |
| Puducherry | 100 | 73 | 20 | 15 | 80 | 13 | 20 | 20 | 20 | 1 |
| Andaman & Nicobar Island | 83.3 | 47 | 57.3 | 8 | 0 | | 0 | | 0 | |
| All India | 84 | 58 | 70.2 | 9 | 75.2 | 10 | 55.2 | 5 | 29.9 | 5 |

Appendix Table 6.35: Percentage of AWW Received ICDS Handbook and Reasons for Not Used

| States/UTs | Received ICDS hand book | Referred ICDS hand book | | Reasons for not referring | | | |
|-------------------|-------------------------|-------------------------|------|---------------------------|------------------|-------------------|---------------|
| | | Yes | No | Not relevant | Difficult to use | Know it very well | Other reasons |
| Andhra Pradesh | 41.2 | 71 | 29 | 1.1 | 96.1 | 0 | 2.9 |
| Assam | 78.9 | 97.3 | 2.7 | 0 | 86.8 | 0 | 13.2 |
| Bihar | 59.2 | 66.1 | 33.9 | 0 | 98 | 0 | 2 |
| Chhattisgarh | 74.5 | 100 | 0 | 0 | 100 | 0 | 0 |
| Gujarat | 97.5 | 100 | 0 | 0 | 50.4 | 0 | 49.6 |
| Haryana | 84 | 70.2 | 29.8 | 0 | 100 | 0 | 0 |
| Himachal Pradesh | 88.7 | 100 | 0 | 0 | 100 | 0 | 0 |
| Jammu and Kashmir | 43 | 92.7 | 7.3 | 0 | 97.7 | 0 | 2.3 |
| Jharkhand | 21.4 | 100 | 0 | 1.4 | 98.6 | 0 | 0 |
| Karnataka | 75.7 | 56.1 | 43.9 | 25.7 | 66.5 | 7.9 | 0 |
| Kerala | 17.1 | 74.6 | 25.4 | 7.3 | 92.7 | 0 | 0 |
| Madhya Pradesh | 54 | 96.7 | 3.3 | 0 | 70 | 30 | 0 |
| Maharashtra | 71.7 | 90.7 | 9.3 | 2.6 | 86.6 | 4.8 | 5.9 |
| Orissa | 39.6 | 74.9 | 25.1 | 0 | 98 | 0 | 2 |
| Punjab | 3.4 | 100 | 0 | 0 | 100 | 0 | 0 |
| Rajasthan | 94.4 | 93.9 | 6.1 | 0 | 100 | 0 | 0 |
| Tamil Nadu | 88.4 | 97.1 | 2.9 | 7 | 82.8 | 0 | 10.2 |
| Uttar Pradesh | 75.4 | 87.8 | 12.2 | 2.1 | 88.6 | 0 | 9.3 |
| Uttrakhand | 89.2 | 100 | 0 | 0 | 100 | 0 | 0 |
| West Bengal | 40.1 | 86.6 | 13.4 | 7.4 | 90.6 | 2.1 | 0 |
| Delhi | 89.2 | 100 | 0 | 0 | 0 | 100 | 0 |
| Chandigarh | 80 | 100 | 0 | 0 | 100 | 0 | 0 |
| Arunachal Pradesh | 37 | 58.6 | 41.4 | 53.6 | 46.4 | 0 | 0 |
| Manipur | 8 | 100 | 0 | 17.4 | 78.3 | 0 | 4.3 |
| Meghalaya | 72.9 | 81.4 | 18.6 | 0 | 100 | 0 | 0 |
| Mizoram | 80 | 100 | 0 | 0 | 100 | 0 | 0 |
| Nagaland | 43.6 | 100 | 0 | 0 | 100 | 0 | 0 |

Appendix Table 6.35: Percentage of AWW Received ICDS Handbook and Reasons for Not Used (Continued...)

| States/UTs | Received ICDS hand book | Referred ICDS hand book | | Reasons for not referring | | | |
|-------------------------------------|-------------------------|-------------------------|-------------|---------------------------|------------------|-------------------|---------------|
| | | Yes | No | Not relevant | Difficult to use | Know it very well | Other reasons |
| Tripura | 41.1 | 100 | 0 | 29.4 | 70.6 | 0 | 0 |
| Sikkim | 28.7 | 0 | 100 | 0 | 100 | 0 | 0 |
| Dadar & Nagar Haveli | 60 | 100 | 0 | 0 | 100 | 0 | 0 |
| Daman & Diu | 100 | 80 | 20 | 0 | 0 | 0 | 0 |
| Goa | 100 | 100 | 0 | 0 | 0 | 0 | 0 |
| Puducherry | 80 | 75 | 25 | 0 | 100 | 0 | 0 |
| Andaman & Nicobar Island | 40.6 | 85.3 | 14.7 | 0 | 100 | 0 | 0 |
| All India | 62.1 | 86.8 | 13.2 | 4.1 | 90 | 3.4 | 2.5 |

Appendix Table 6.36: Average Age of AWHs and Percentage Distribution Marital Status

| States/UTs | Age | Marital status | | |
|-------------------|-----|----------------|---------|--------------------|
| | | Unmarried | Married | Widowed / Divorced |
| Assam | 37 | 7 | 93.1 | 0 |
| Bihar | 36 | 10.3 | 77.6 | 12.2 |
| Chhattisgarh | 45 | 14 | 62 | 24 |
| Gujarat | 41 | 3.8 | 87.4 | 8.8 |
| Haryana | 44 | 0.8 | 79.9 | 19.3 |
| Himachal Pradesh | 41 | 0 | 86.1 | 13.9 |
| Jammu and Kashmir | 40 | 17.7 | 76.8 | 5.5 |
| Jharkhand | 35 | 11.5 | 77.8 | 10.7 |
| Karnataka | 43 | 7.5 | 64.1 | 28.4 |
| Kerala | 44 | 15.2 | 81.4 | 3.4 |
| Madhya Pradesh | 40 | 10.1 | 68.8 | 21.1 |
| Maharashtra | 43 | 2.4 | 74.9 | 22.6 |
| Orissa | 45 | 9.4 | 49.1 | 41.5 |
| Punjab | 45 | 9.3 | 65.2 | 25.5 |
| Rajasthan | 43 | 3.7 | 58.1 | 38.3 |
| Tamil Nadu | 43 | 11.5 | 64.1 | 24.4 |
| Uttar Pradesh | 36 | 10.9 | 78.2 | 10.9 |
| Uttrakhand | 36 | 3.4 | 81.9 | 14.7 |
| West Bengal | 39 | 3.8 | 72.2 | 24 |
| Delhi | 40 | 0 | 90.8 | 9.2 |
| Chandigarh | 49 | 0 | 80 | 20 |
| Arunachal Pradesh | 28 | 3.2 | 96.8 | 0 |
| Manipur | 39 | 12 | 56 | 32 |
| Meghalaya | 30 | 20 | 80 | 0 |
| Mizoram | 44 | 0 | 80 | 20 |
| Nagaland | 34 | 27.5 | 70.1 | 2.4 |

Appendix Table 6.36: Average Age of AWHs and Percentage Distribution Marital Status (Continued...)

| States/UTs | Age | Marital status | | |
|-------------------------------------|-----------|----------------|-------------|--------------------|
| | | Unmarried | Married | Widowed / Divorced |
| Tripura | 35 | 34.6 | 65.4 | 0 |
| Sikkim | 30 | 34.3 | 65.7 | 0 |
| Dadar & Nagar Haveli | 40 | 0 | 60 | 40 |
| Daman & Diu | 30 | 60 | 40 | 0 |
| Goa | 38 | 0 | 100 | 0 |
| Puducherry | 44 | 0 | 80 | 20 |
| Andaman & Nicobar Island | 32 | 14 | 86 | 0 |
| All India | 40 | 8.4 | 71.6 | 20 |

Appendix Table 6.37: Percentage Distribution of AWH by Level of Education

| States/UTs | Illiterate | Below primary | Primary | Middle | Matric/High school | HS & above |
|-------------------|------------|---------------|---------|--------|--------------------|------------|
| Andhra Pradesh | 64.7 | 24.4 | 6.8 | 2.1 | 2 | 0 |
| Assam | 1.2 | 1.2 | 0 | 77.2 | 14.1 | 6.2 |
| Bihar | 42.5 | 12.9 | 11.3 | 15.8 | 16.5 | 1.1 |
| Chhattisgarh | 5.7 | 63.3 | 24.4 | 6 | 0 | 0.6 |
| Gujarat | 25.9 | 14.8 | 25.5 | 26.1 | 0 | 7.8 |
| Haryana | 60.5 | 2.4 | 17.2 | 17.3 | 2.7 | 0 |
| Himachal Pradesh | 9.9 | 8.7 | 36.5 | 18.9 | 26.1 | 0 |
| Jammu and Kashmir | 59.3 | 2.1 | 2.6 | 17.8 | 2.7 | 15.5 |
| Jharkhand | 4.4 | 13.5 | 17.4 | 48.6 | 12 | 4.2 |
| Karnataka | 55 | 35.4 | 9.6 | 0 | 0 | 0 |
| Kerala | 6.1 | 0 | 2.1 | 37.7 | 49.9 | 4.3 |
| Madhya Pradesh | 29.1 | 21.1 | 18.8 | 16.3 | 8.3 | 6.5 |
| Maharashtra | 10.3 | 20.8 | 23.8 | 38.1 | 5.8 | 1.3 |
| Orissa | 14.1 | 40.6 | 28.1 | 14.9 | 2.4 | 0 |
| Punjab | 56.8 | 6.1 | 15 | 11.7 | 10.4 | 0 |
| Rajasthan | 48.9 | 25.3 | 19.4 | 3.9 | 2.5 | 0 |
| Tamil Nadu | 31.1 | 15.8 | 21.5 | 19.6 | 9 | 3 |
| Uttar Pradesh | 18.3 | 0.5 | 19 | 52.4 | 7.1 | 2.7 |
| Uttrakhand | 1.9 | 3.9 | 14.5 | 71 | 5.3 | 3.4 |
| West Bengal | 2.3 | 7 | 23.2 | 64.6 | 2.9 | 0 |
| Delhi | 18.3 | 32.5 | 29.2 | 9.2 | 10.8 | 0 |
| Chandigarh | 40 | 0 | 40 | 20 | 0 | 0 |
| Arunachal Pradesh | 30.7 | 49.1 | 9.4 | 10.8 | 0 | 0 |
| Manipur | 0 | 0 | 4 | 68.1 | 0 | 28 |
| Meghalaya | 0 | 6.5 | 33.5 | 46.5 | 13.5 | 0 |
| Mizoram | 0 | 20 | 0 | 80 | 0 | 0 |
| Nagaland | 0 | 22.6 | 30.1 | 22.3 | 11.3 | 13.8 |
| Tripura | 35.4 | 2.7 | 3.5 | 58.4 | 0 | 0 |

Appendix Table 6.37: Percentage Distribution of AWH by Level of Education (Continued...)

| States/UTs | Illiterate | Below primary | Primary | Middle | Matric/High school | HS & above |
|--------------------------|-------------|---------------|-------------|-------------|--------------------|------------|
| Sikkim | 20 | 25.7 | 40 | 14.3 | 0 | 0 |
| Dadar & Nagar Haveli | 60 | 0 | 40 | 0 | 0 | 0 |
| Daman & Diu | 0 | 0 | 20 | 60 | 0 | 20 |
| Goa | 0 | 0 | 40 | 20 | 40 | 0 |
| Puducherry | 20 | 0 | 40 | 20 | 20 | 0 |
| Andaman & Nicobar Island | 14 | 0 | 22.7 | 63.3 | 0 | 0 |
| All India | 26.2 | 15.8 | 17.3 | 30.4 | 7.8 | 2.6 |

Appendix Table 6.38: Percentage Distribution of AWH by Residence

| States/UTs | Within the village | Other village within 5 Km | Other village more than 5 Km | Nearby town | Total |
|-------------------|--------------------|---------------------------|------------------------------|-------------|-------|
| Andhra Pradesh | 99.6 | 0.4 | 0 | 0 | 100 |
| Assam | 74 | 23 | 3.1 | 0 | 100 |
| Bihar | 98.6 | 0.7 | 0.7 | 0 | 100 |
| Chhattisgarh | 98.6 | 0 | 0 | 1.5 | 100 |
| Gujarat | 97 | 3.1 | 0 | 0 | 100 |
| Haryana | 95.9 | 0 | 1.7 | 2.5 | 100 |
| Himachal Pradesh | 72.5 | 10.1 | 0 | 17.4 | 100 |
| Jammu and Kashmir | 96 | 2.6 | 0.8 | 0.5 | 100 |
| Jharkhand | 91.7 | 8.3 | 0 | 0 | 100 |
| Karnataka | 90.4 | 9.6 | 0 | 0 | 100 |
| Kerala | 78.5 | 17.7 | 3.8 | 0 | 100 |
| Madhya Pradesh | 96.7 | 2.8 | 0 | 0.5 | 100 |
| Maharashtra | 95.9 | 3.5 | 0.6 | 0 | 100 |
| Orissa | 97.4 | 2.6 | 0 | 0 | 100 |
| Punjab | 100 | 0 | 0 | 0 | 100 |
| Rajasthan | 93.6 | 2.7 | 0 | 3.8 | 100 |
| Tamil Nadu | 81 | 16.1 | 0 | 2.9 | 100 |
| Uttar Pradesh | 83.8 | 14.5 | 1.7 | 0 | 100 |
| Uttrakhand | 79.9 | 20.1 | 0 | 0 | 100 |
| West Bengal | 67.2 | 26.1 | 5.9 | 0.8 | 100 |
| Delhi | 78.3 | 21.7 | 0 | 0 | 100 |
| Chandigarh | 100 | 0 | 0 | 0 | 100 |
| Arunachal Pradesh | 66.3 | 3.1 | 15.3 | 15.3 | 100 |
| Manipur | 80 | 4 | 0 | 16 | 100 |
| Meghalaya | 100 | 0 | 0 | 0 | 100 |
| Mizoram | 80 | 0 | 0 | 20 | 100 |
| Nagaland | 100 | 0 | 0 | 0 | 100 |

Appendix Table 6.38: Percentage Distribution of AWH by Residence (Continued...)

| States/UTs | Within the village | Other village within 5 Km | Other village more than 5 Km | Nearby town | Total |
|-------------------------------------|--------------------|---------------------------|------------------------------|-------------|------------|
| Tripura | 44.3 | 55.7 | 0 | 0 | 100 |
| Sikkim | 85.7 | 0 | 14.3 | 0 | 100 |
| Dadar & Nagar Haveli | 100 | 0 | 0 | 0 | 100 |
| Daman & Diu | 100 | 0 | 0 | 0 | 100 |
| Goa | 100 | 0 | 0 | 0 | 100 |
| Puducherry | 20 | 60 | 20 | 0 | 100 |
| Andaman & Nicobar Island | 100 | 0 | 0 | 0 | 100 |
| All India | 88.6 | 9.2 | 1.2 | 1 | 100 |

Appendix Table 6.39: Investigators' Observations on Accuracy of Maintenance of Different Records (%AWC)

| States/UTs | Maintenance registers | Maintenance of attendance | Recording individual growth cards |
|-------------------|-----------------------|---------------------------|-----------------------------------|
| Andhra Pradesh | 43.9 | 45.2 | 44.6 |
| Assam | 37.5 | 44.4 | 19.2 |
| Bihar | 10.8 | 21.8 | 1.7 |
| Chhattisgarh | 10 | 43.1 | 18.7 |
| Gujarat | 30.4 | 45.7 | 22.2 |
| Haryana | 94 | 95.1 | 95.5 |
| Himachal Pradesh | 60 | 71.3 | 54 |
| Jammu and Kashmir | 26.9 | 29 | 2.6 |
| Jharkhand | 59.6 | 73.9 | 36.9 |
| Karnataka | 36.4 | 52.8 | 28.2 |
| Kerala | 62.8 | 74.8 | 65.8 |
| Madhya Pradesh | 21.4 | 30.6 | 10.5 |
| Maharashtra | 73.4 | 88.1 | 70.8 |
| Orissa | 52.9 | 50.5 | 50 |
| Punjab | 71.3 | 71.3 | 0 |
| Rajasthan | 8.7 | 14.7 | 3.9 |
| Tamil Nadu | 71.3 | 69.8 | 58.8 |
| Uttar Pradesh | 33.5 | 55.4 | 7.3 |
| Uttarakhand | 49.7 | 55.4 | 9.7 |
| West Bengal | 56.4 | 75.4 | 27.1 |
| Delhi | 36.7 | 100 | 100 |
| Chandigarh | 0 | 0 | 0 |
| Arunachal Pradesh | 1.6 | 3.2 | 0 |
| Manipur | 44 | 80 | 0 |
| Meghalaya | 26.5 | 13.5 | 13.5 |
| Mizoram | 100 | 100 | 40 |
| Nagaland | 66.3 | 72.5 | 18.8 |

Appendix Table 6.39: Investigators' Observations on Accuracy of Maintenance of Different Records (%AWC) (Continued...)

| States/UTs | Maintenance registers | Maintenance of attendance | Recording individual growth cards |
|--------------------------|-----------------------|---------------------------|-----------------------------------|
| Tripura | 1.9 | 26.7 | 1.9 |
| Sikkim | 14.3 | 14.3 | 0 |
| Dadar & Nagar Haveli | 100 | 100 | 80 |
| Daman & Diu | 80 | 100 | 100 |
| Goa | 0 | 20 | 0 |
| Puducherry | 80 | 100 | 40 |
| Andaman & Nicobar Island | 25.4 | 33.7 | 5.7 |
| All India | 41.4 | 53.9 | 28.2 |

Appendix Table 6.40: Observation of the Investigator about Cleanliness of the AWC (% AWC)

| States/UTs | Very clean | Satisfactory | Unclean/ Unhygienic |
|-------------------|------------|--------------|---------------------|
| Andhra Pradesh | 43.9 | 43.7 | 12.4 |
| Assam | 5.8 | 84.6 | 9.6 |
| Bihar | 7.8 | 77.4 | 14.8 |
| Chhattisgarh | 63.9 | 33 | 3.1 |
| Gujarat | 56.6 | 32.4 | 11 |
| Haryana | 59.1 | 40.9 | 0 |
| Himachal Pradesh | 57.6 | 42.4 | 0 |
| Jammu and Kashmir | 24.1 | 74.1 | 1.8 |
| Jharkhand | 17.5 | 62.6 | 19.9 |
| Karnataka | 37.4 | 57.9 | 4.7 |
| Kerala | 75.7 | 19.4 | 4.9 |
| Madhya Pradesh | 15.6 | 79.1 | 5.3 |
| Maharashtra | 45 | 50.7 | 4.3 |
| Orissa | 38.8 | 55.8 | 5.4 |
| Punjab | 16.2 | 80.5 | 3.4 |
| Rajasthan | 33.9 | 53.5 | 12.6 |
| Tamil Nadu | 61.4 | 27.5 | 11.1 |
| Uttar Pradesh | 21.4 | 73.8 | 4.8 |
| Uttarakhand | 54.6 | 45.4 | 0 |
| West Bengal | 11 | 60.9 | 28.1 |
| Delhi | 49.2 | 50.8 | 0 |
| Chandigarh | 20 | 80 | 0 |
| Arunachal Pradesh | 3.1 | 30.8 | 66.1 |
| Manipur | 76 | 20 | 4 |
| Meghalaya | 13.5 | 86.5 | 0 |
| Mizoram | 0 | 100 | 0 |
| Nagaland | 4.9 | 83.8 | 11.3 |

Appendix Table 6.40: Observation of the Investigator about Cleanliness of the AWC (% AWC) (Continued...)

| States/UTs | Very clean | Satisfactory | Unclean/ Unhygienic |
|--------------------------|------------|--------------|---------------------|
| Tripura | 0 | 96.7 | 3.3 |
| Sikkim | 48.7 | 37 | 14.3 |
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 100 | 0 | 0 |
| Goa | 0 | 80 | 20 |
| Puducherry | 60 | 40 | 0 |
| Andaman & Nicobar Island | 40 | 37.6 | 22.4 |
| All India | 32 | 58.4 | 9.6 |

Appendix Table 6.41: Observation of the Investigator about Cleanliness of Toilet (% AWC)

| States/UTs | Very clean | Satisfactory | Unclean/Unhygienic |
|-------------------|------------|--------------|--------------------|
| Andhra Pradesh | 12.5 | 29.1 | 58.5 |
| Assam | 11.4 | 28 | 60.7 |
| Bihar | 0.4 | 4.9 | 94.8 |
| Chhattisgarh | 4.8 | 28.2 | 67 |
| Gujarat | 13.8 | 29.4 | 56.8 |
| Haryana | 3.6 | 37.3 | 59.1 |
| Himachal Pradesh | 44.8 | 41.4 | 13.9 |
| Jammu and Kashmir | 16.2 | 53.1 | 30.8 |
| Jharkhand | 5 | 27.4 | 67.6 |
| Karnataka | 17.4 | 24.4 | 58.2 |
| Kerala | 58.8 | 28.8 | 12.3 |
| Madhya Pradesh | 5.1 | 32.7 | 62.2 |
| Maharashtra | 14.1 | 38.1 | 47.8 |
| Orissa | 7.8 | 18.3 | 73.9 |
| Punjab | 0 | 35.4 | 64.6 |
| Rajasthan | 1.3 | 21.6 | 77.1 |
| Tamil Nadu | 31.6 | 29.1 | 39.3 |
| Uttar Pradesh | 1.1 | 24.7 | 74.3 |
| Uttarakhand | 5.3 | 25.3 | 69.4 |
| West Bengal | 2.7 | 44.5 | 52.9 |
| Delhi | 9.2 | 29.2 | 61.7 |
| Chandigarh | 20 | 80 | 0 |
| Arunachal Pradesh | 0 | 3.1 | 96.9 |
| Manipur | 8 | 48.1 | 44 |
| Meghalaya | 0 | 60 | 40 |
| Mizoram | 0 | 100 | 0 |
| Nagaland | 2.4 | 28.7 | 68.9 |

Appendix Table 6.41: Observation of the Investigator about Cleanliness of Toilet (% AWC) (Continued...)

| States/UTs | Very clean | Satisfactory | Unclean/Unhygienic |
|-------------------------------------|-------------------|---------------------|---------------------------|
| Tripura | 0 | 2.7 | 97.3 |
| Sikkim | 5.7 | 80 | 14.3 |
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 60 | 20 | 20 |
| Goa | 0 | 40 | 60 |
| Puducherry | 20 | 0 | 80 |
| Andaman & Nicobar Island | 11.6 | 49.3 | 39.1 |
| All India | 9.9 | 28.7 | 61.3 |

Appendix Table 6.42: Observation of the Investigator about Cleanliness of the Cooking Area (% AWC)

| States/UTs | Very clean | Satisfactory | Unclean/Unhygienic |
|-------------------|------------|--------------|--------------------|
| Andhra Pradesh | 25.1 | 58.8 | 16.1 |
| Assam | 5.9 | 26.8 | 67.3 |
| Bihar | 3.2 | 51.2 | 45.7 |
| Chhattisgarh | 26.9 | 54.4 | 18.7 |
| Gujarat | 53.8 | 24 | 22.2 |
| Haryana | 6.7 | 9.2 | 84.1 |
| Himachal Pradesh | 40.2 | 59.8 | 0 |
| Jammu and Kashmir | 24.1 | 74.1 | 1.8 |
| Jharkhand | 4.6 | 60.1 | 35.4 |
| Karnataka | 14.2 | 66.7 | 19 |
| Kerala | 70.9 | 26 | 3.2 |
| Madhya Pradesh | 7.3 | 73.9 | 18.8 |
| Maharashtra | 20.5 | 55.6 | 23.9 |
| Orissa | 9.8 | 68.8 | 21.4 |
| Punjab | 0 | 88.3 | 11.7 |
| Rajasthan | 19.6 | 65 | 15.4 |
| Tamil Nadu | 51.5 | 36.2 | 12.3 |
| Uttar Pradesh | 4.9 | 34.9 | 60.2 |
| Uttarakhand | 12.6 | 40.2 | 47.2 |
| West Bengal | 2.8 | 53.2 | 44.1 |
| Delhi | 0 | 0 | 100 |
| Chandigarh | 0 | 40 | 60 |
| Arunachal Pradesh | 0 | 15.3 | 84.7 |
| Manipur | 56 | 20 | 24 |
| Meghalaya | 13.5 | 66.5 | 20 |
| Mizoram | 0 | 100 | 0 |
| Nagaland | 13.8 | 41.2 | 45.1 |

Appendix Table 6.42: Observation of the Investigator about Cleanliness of the Cooking Area (% AWC) (Continued...)

| States/UTs | Very clean | Satisfactory | Unclean/Unhygienic |
|--------------------------|------------|--------------|--------------------|
| Tripura | 0 | 60.3 | 39.8 |
| Sikkim | 0 | 31.3 | 68.7 |
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 100 | 0 | 0 |
| Goa | 0 | 80 | 20 |
| Puducherry | 60 | 40 | 0 |
| Andaman & Nicobar Island | 14.3 | 54.9 | 30.8 |
| All India | 17 | 50.4 | 32.5 |

Appendix Table 6.43: Investigators Observations on about Items of PSE (% AWC)

| States/UTs | Toys | Building blocks | Counting frames | Paint/brushes | Posters/charts | Learning aids/kits for non-formal education | Pamphlets | Story books/picture books | Material made by AWW |
|-------------------|------|-----------------|-----------------|---------------|----------------|---|-----------|---------------------------|----------------------|
| Andhra Pradesh | 53.1 | 36.1 | 40.6 | 30.8 | 82.4 | 71.4 | 63.5 | 69.2 | 40.3 |
| Assam | 48.5 | 44.1 | 60.6 | 49.7 | 83.5 | 57.1 | 53.4 | 76.8 | 50.7 |
| Bihar | 10.4 | 0 | 15.1 | 4.3 | 50.3 | 7.9 | 14.3 | 21.3 | 3.8 |
| Chhattisgarh | 75.2 | 49.5 | 68.9 | 16.8 | 75.6 | 58.4 | 60.5 | 62.8 | 14.8 |
| Gujarat | 85.7 | 68.1 | 62.6 | 33.8 | 75.8 | 45.8 | 20.8 | 32.4 | 27.3 |
| Haryana | 84.3 | 63.9 | 94.3 | 27.1 | 98.8 | 97.3 | 96 | 96.8 | 44.3 |
| Himachal Pradesh | 100 | 83.5 | 98.8 | 60.3 | 98.8 | 97.6 | 87.5 | 96.2 | 82.4 |
| Jammu and Kashmir | 60.2 | 44.8 | 48.3 | 3.3 | 85.4 | 51.5 | 76.2 | 79.5 | 78.8 |
| Jharkhand | 30.8 | 7 | 26 | 11.8 | 78.1 | 47 | 28.9 | 35.9 | 5.9 |
| Karnataka | 79.1 | 53.3 | 82.2 | 41.5 | 89.9 | 78.7 | 63.7 | 78.1 | 34.5 |
| Kerala | 96.9 | 95.1 | 96.9 | 69.3 | 95.1 | 96.9 | 79.9 | 87.7 | 29.6 |
| Madhya Pradesh | 44.3 | 19.8 | 48.9 | 8.8 | 73.9 | 47.1 | 39.9 | 38.7 | 30.1 |
| Maharashtra | 87.3 | 82 | 95.7 | 67.1 | 96.3 | 84.3 | 83.2 | 85.5 | 67.2 |
| Orissa | 86.8 | 77.6 | 89.8 | 56.9 | 91.3 | 87.4 | 84.5 | 87.3 | 40.9 |
| Punjab | 47.8 | 22.5 | 12.7 | 0 | 89.5 | 17.1 | 5.1 | 42.3 | 28.9 |
| Rajasthan | 69.4 | 27.6 | 36 | 8.3 | 81.5 | 41.8 | 52.6 | 52.8 | 40.5 |
| Tamil Nadu | 73.4 | 78.9 | 76.5 | 57.2 | 77.1 | 78.3 | 65.8 | 75.3 | 66.5 |
| Uttar Pradesh | 73.9 | 62.3 | 83.6 | 23.1 | 80.5 | 57.5 | 25.6 | 52.1 | 25.2 |
| Uttarakhand | 57.2 | 56.9 | 64.4 | 19.6 | 87.7 | 62.2 | 28.8 | 52.6 | 51.4 |
| West Bengal | 41.6 | 21.8 | 25.5 | 8.1 | 47.8 | 20.5 | 16.6 | 30.8 | 4.8 |
| Delhi | 60 | 18.3 | 49.2 | 0 | 70.8 | 60 | 60 | 49.2 | 10.8 |
| Chandigarh | 80 | 80 | 80 | 0 | 100 | 100 | 20 | 100 | 40 |
| Arunachal Pradesh | 9.4 | 3.1 | 3.1 | 0 | 15.5 | 6.2 | 0 | 3.1 | 0 |
| Manipur | 72 | 56 | 60 | 16 | 88.1 | 56 | 68.1 | 36 | 36 |
| Meghalaya | 93.5 | 93.5 | 100 | 40 | 86.5 | 86.5 | 52.9 | 86.5 | 87.1 |
| Mizoram | 100 | 100 | 40 | 0 | 80 | 0 | 0 | 100 | 20 |
| Nagaland | 53.8 | 62.6 | 65.1 | 4.9 | 68.7 | 43.8 | 2.4 | 13.8 | 72.5 |

Appendix Table 6.43: Investigators Observations on about Items of PSE (% AWC) (Continued...)

| States/UTs | Toys | Building blocks | Counting frames | Paint/brushes | Posters/charts | Learning aids/kits for non-formal education | Pamphlets | Story books/picture books | Material made by AWW |
|--------------------------|-------------|-----------------|-----------------|---------------|----------------|---|-------------|---------------------------|----------------------|
| Tripura | 17.3 | 18.1 | 37.9 | 34.6 | 62.7 | 38.1 | 26.5 | 78.4 | 20 |
| Sikkim | 25.7 | 31.3 | 74.3 | 0 | 85.7 | 74.3 | 14.3 | 65.7 | 5.7 |
| Dadar & Nagar Haveli | 40 | 80 | 100 | 100 | 100 | 100 | 100 | 100 | 80 |
| Daman & Diu | 60 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 80 |
| Goa | 80 | 0 | 80 | 0 | 100 | 0 | 100 | 100 | 0 |
| Puducherry | 40 | 80 | 80 | 40 | 100 | 60 | 40 | 40 | 60 |
| Andaman & Nicobar Island | 94.3 | 63.6 | 80.3 | 60.6 | 100 | 94.3 | 52.2 | 100 | 66.3 |
| All India | 62.3 | 47 | 60 | 28.5 | 77.7 | 55.8 | 46.5 | 57.5 | 33.2 |

Appendix Table 6.44: Investigators' Observations on Medical Kits (%AWC)

| States/UTs | % AWC having medical kits | % AWC found medical kits in proper order | % AWC found medical kits expired |
|--------------------------|----------------------------------|---|---|
| Andhra Pradesh | 83.2 | 60.3 | 7.2 |
| Assam | 79.9 | 77 | 26.3 |
| Bihar | 14.8 | 60.2 | 26 |
| Chhattisgarh | 0 | | |
| Gujarat | 95.7 | 91.7 | 18.2 |
| Haryana | 76.6 | 97.8 | 2.2 |
| Himachal Pradesh | 100 | 97.6 | 18.6 |
| Jammu and Kashmir | 0 | | |
| Jharkhand | 8 | 100 | 28.2 |
| Karnataka | 94.6 | 84.6 | 9.5 |
| Kerala | 6.3 | 100 | 52.8 |
| Madhya Pradesh | 22.3 | 64.6 | 16.2 |
| Maharashtra | 84.3 | 86.2 | 8.8 |
| Orissa | 76.7 | 70.8 | 13.7 |
| Punjab | 5.5 | 50 | 50 |
| Rajasthan | 64.9 | 84.5 | 20.8 |
| Tamil Nadu | 93.3 | 91.6 | 40.9 |
| Uttar Pradesh | 51.4 | 85.6 | 0 |
| Uttrakhand | 91.1 | 95.7 | 0 |
| West Bengal | 73.3 | 61.3 | 4.8 |
| Delhi | 49.2 | 100 | 0 |
| Chandigarh | 60 | 100 | 33.3 |
| Arunachal Pradesh | 58.4 | 60.5 | 0 |
| Manipur | 56 | 100 | 0 |
| Meghalaya | 72.9 | 91.1 | 0 |
| Mizoram | 100 | 40 | 0 |
| Nagaland | 66.1 | 96.3 | 17.1 |

Appendix Table 6.44: Investigators' Observations on Medical Kits (%AWC) (Continued...)

| States/UTs | % AWC having medical kits | % AWC found medical kits in proper order | % AWC found medical kits expired |
|--------------------------|---------------------------|--|----------------------------------|
| Tripura | 93 | 18.6 | 57.9 |
| Sikkim | 0 | | |
| Dadar & Nagar Haveli | 100 | | 0 |
| Daman & Diu | 100 | 100 | 40 |
| Goa | 0 | | |
| Puducherry | 0 | | |
| Andaman & Nicobar Island | 0 | | |
| All India | 58 | 79 | 13.1 |

Appendix Table 6.45: Investigation about the Display of Important Information on the Blackboards.

| States/UTs | Full information written | Partial information written | Information not written |
|-------------------|--------------------------|-----------------------------|-------------------------|
| Andhra Pradesh | 19.8 | 22.6 | 57.7 |
| Assam | 8.3 | 43.3 | 48.5 |
| Bihar | 1.8 | 13.9 | 84.4 |
| Chhattisgarh | 39.7 | 23.6 | 36.8 |
| Gujarat | 22.6 | 5.5 | 71.9 |
| Haryana | 22.5 | 1.7 | 75.9 |
| Himachal Pradesh | 56.2 | 2.4 | 41.4 |
| Jammu and Kashmir | 6.7 | 15.5 | 77.8 |
| Jharkhand | 11.6 | 11.9 | 76.5 |
| Karnataka | 31.3 | 35.9 | 32.8 |
| Kerala | 70.7 | 18.4 | 10.9 |
| Madhya Pradesh | 22.3 | 31.2 | 46.5 |
| Maharashtra | 39.1 | 46.4 | 14.5 |
| Orissa | 36.1 | 23.6 | 40.4 |
| Punjab | 0 | 0 | 100 |
| Rajasthan | 9.6 | 12.2 | 78.2 |
| Tamil Nadu | 60 | 27.4 | 12.6 |
| Uttar Pradesh | 8.7 | 13 | 78.3 |
| Uttrakhand | 11.1 | 7.3 | 81.6 |
| West Bengal | 4.5 | 19 | 76.5 |
| Delhi | 10.8 | 0 | 89.2 |
| Chandigarh | 20 | 0 | 80 |
| Arunachal Pradesh | 3.1 | 0 | 96.9 |
| Manipur | 0 | 52 | 48 |
| Meghalaya | 40.6 | 59.4 | 0 |
| Mizoram | 0 | 100 | 0 |
| Nagaland | 6.3 | 32.4 | 61.4 |

Appendix Table 6.45: Investigation about the Display of Important Information on the Blackboards (Continued...)

| States/UTs | Full information written | Partial information written | Information not written |
|-------------------------------------|---------------------------------|------------------------------------|--------------------------------|
| Tripura | 0 | 19.2 | 80.8 |
| Sikkim | 0 | 20 | 80 |
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 100 | 0 | 0 |
| Goa | 0 | 0 | 100 |
| Puducherry | 80 | 0 | 20 |
| Andaman & Nicobar Island | 8.4 | 49.6 | 42.1 |
| All India | 20.9 | 21.5 | 57.6 |

Appendix Table 6.46: Percentage of AWC Has Been Beneficial to the Community

| States/UTs | Very beneficial | To some extent | Not at all beneficial |
|--------------------------|------------------------|-----------------------|------------------------------|
| Andhra Pradesh | 88.8 | 9 | 2.1 |
| Assam | 39 | 58.5 | 2.4 |
| Bihar | 38.6 | 52.9 | 8.5 |
| Chhattisgarh | 87 | 11.7 | 1.3 |
| Gujarat | 93.3 | 5 | 1.7 |
| Haryana | 67.9 | 23.2 | 8.9 |
| Himachal Pradesh | 90 | 10 | 0 |
| Jammu and Kashmir | 72.9 | 24.3 | 2.9 |
| Jharkhand | 54.6 | 43.6 | 1.8 |
| Karnataka | 84.7 | 14.3 | 1 |
| Kerala | 91.7 | 8.3 | 0 |
| Madhya Pradesh | 79.9 | 17.8 | 2.4 |
| Maharashtra | 74.1 | 25.9 | 0 |
| Orissa | 40.5 | 51.8 | 7.7 |
| Punjab | 69.6 | 26.1 | 4.4 |
| Rajasthan | 76.2 | 18.5 | 5.4 |
| Tamil Nadu | 88.5 | 10 | 1.5 |
| Uttar Pradesh | 70.7 | 26.8 | 2.5 |
| Uttrakhand | 92 | 6 | 2 |
| West Bengal | 66.7 | 32.2 | 1.1 |
| Delhi | 100 | 0 | 0 |
| Chandigarh | 100 | 0 | 0 |
| Arunachal Pradesh | 4 | 92 | 4 |
| Manipur | 30 | 40 | 30 |
| Meghalaya | 56.3 | 43.8 | 0 |
| Mizoram | 30 | 60 | 10 |
| Nagaland | 75 | 25 | 0 |

Appendix Table 6.46: Percentage of AWC Has Been Beneficial to the Community (Continued...)

| States/UTs | Very beneficial | To some extent | Not at all beneficial |
|--------------------------|-----------------|----------------|-----------------------|
| Tripura | 65.2 | 26.1 | 8.7 |
| Sikkim | 50 | 45 | 5 |
| Dadar & Nagar Haveli | 100 | 0 | 0 |
| Daman & Diu | 80 | 20 | 0 |
| Goa | 0 | 100 | 0 |
| Puducherry | 100 | 0 | 0 |
| Andaman & Nicobar Island | 73.3 | 26.7 | 0 |
| All India | 70.4 | 26.5 | 3 |

Appendix Table 6.47: Percentage of Children (Aged Below 6 Year) Suffered from the Most Common Diseases during Last One Year

| States/UTs | None | Diarrhea/dysentery | Cough/Cold & common fever | Others |
|-------------------|------|--------------------|---------------------------|--------|
| Andhra Pradesh | 32.5 | 15.4 | 45.2 | 6.9 |
| Assam | 4.9 | 9.8 | 73.2 | 12.2 |
| Bihar | 31.8 | 14.8 | 45 | 8.5 |
| Chhattisgarh | 35.1 | 11.7 | 49.4 | 3.9 |
| Gujarat | 28.3 | 23.3 | 35 | 13.3 |
| Haryana | 48.2 | 7.1 | 41.1 | 3.6 |
| Himachal Pradesh | 57.5 | 10 | 30 | 2.5 |
| Jammu and Kashmir | 44.3 | 10 | 30 | 15.7 |
| Jharkhand | 1.8 | 0.9 | 90 | 7.3 |
| Karnataka | 10.2 | 17.4 | 71.4 | 1 |
| Kerala | 16.7 | 2.8 | 80.6 | 0 |
| Madhya Pradesh | 50.9 | 7.7 | 38.5 | 3 |
| Maharashtra | 23.9 | 7.6 | 62.4 | 6.1 |
| Orissa | 5.4 | 17.9 | 72.6 | 4.2 |
| Punjab | 75.4 | 2.9 | 18.8 | 2.9 |
| Rajasthan | 79.2 | 3.1 | 13.1 | 4.6 |
| Tamil Nadu | 53.5 | 4.5 | 37.5 | 4.5 |
| Uttar Pradesh | 33.8 | 18.4 | 39 | 8.9 |
| Uttrakhand | 26 | 6 | 60 | 8 |
| West Bengal | 1.7 | 7.2 | 87.2 | 3.9 |
| Delhi | 80 | 0 | 15 | 5 |
| Chandigarh | 50 | 0 | 50 | 0 |
| Arunachal Pradesh | 0 | 56 | 36 | 8 |
| Manipur | 30 | 10 | 60 | 0 |
| Meghalaya | 0 | 18.8 | 81.3 | 0 |
| Mizoram | 0 | 0 | 100 | 0 |
| Nagaland | 12.5 | 12.5 | 43.8 | 31.3 |
| Tripura | 17.4 | 30.4 | 52.2 | 0 |

**Appendix Table 6.47: Percentage of Children (Aged Below 6 Year) Suffered from the Most Common Diseases during Last One Year
(Continued...)**

| States/UTs | None | Diarrhea/dysentery | Cough/Cold & common fever | Others |
|-------------------------------------|-------------|--------------------|---------------------------|------------|
| Sikkim | 0 | 30 | 65 | 5 |
| Dadar & Nagar Haveli | 40 | 10 | 50 | 0 |
| Daman & Diu | 50 | 0 | 50 | 0 |
| Goa | 0 | 0 | 100 | 0 |
| Puducherry | 80 | 10 | 10 | 0 |
| Andaman & Nicobar Island | 0 | 0 | 100 | 0 |
| All India | 31.1 | 11.7 | 50.9 | 6.2 |

Appendix Table 6.48: Community Leader's Perception about Percentage of IMR of Change during Last One Year

| States/UTs | Can't say | Increased | Decreased | Remained same |
|-------------------|-----------|-----------|-----------|---------------|
| Andhra Pradesh | 1.1 | 0.5 | 95.7 | 2.7 |
| Assam | 1.2 | 0 | 97.6 | 1.2 |
| Bihar | 4.8 | 2.7 | 88.4 | 4.2 |
| Chhattisgarh | 3.9 | 1.3 | 92.2 | 2.6 |
| Gujarat | 2.5 | 2.5 | 90.8 | 4.2 |
| Haryana | 5.4 | 0 | 82.1 | 12.5 |
| Himachal Pradesh | 12.5 | 0 | 50 | 37.5 |
| Jammu and Kashmir | 4.3 | 1.4 | 80 | 14.3 |
| Jharkhand | 0 | 0 | 100 | 0 |
| Karnataka | 9.2 | 5.1 | 82.7 | 3.1 |
| Kerala | 8.3 | 0 | 86.1 | 5.6 |
| Madhya Pradesh | 8.3 | 0 | 79.3 | 12.4 |
| Maharashtra | 16.8 | 4.1 | 77.7 | 1.5 |
| Orissa | 0.6 | 0 | 92.9 | 6.6 |
| Punjab | 11.6 | 0 | 85.5 | 2.9 |
| Rajasthan | 13.1 | 1.5 | 80.8 | 4.6 |
| Tamil Nadu | 21 | 9.5 | 60.5 | 9 |
| Uttar Pradesh | 3.2 | 2 | 83.1 | 11.7 |
| Uttrakhand | 2 | 0 | 98 | 0 |
| West Bengal | 0.6 | 0 | 98.9 | 0.6 |
| Delhi | 0 | 0 | 90 | 10 |
| Chandigarh | 10 | 0 | 90 | 0 |
| Arunachal Pradesh | 4 | 0 | 96 | 0 |
| Manipur | 0 | 30 | 60 | 10 |
| Meghalaya | 18.8 | 0 | 75 | 6.3 |
| Mizoram | 50 | 0 | 50 | 0 |
| Nagaland | 12.5 | 6.3 | 12.5 | 68.8 |
| Tripura | 8.7 | 0 | 91.3 | 0 |
| Sikkim | 0 | 0 | 100 | 0 |

Appendix Table 6.48: Community Leader's Perception about Percentage of IMR of Change during Last One Year (Continued...)

| States/UTs | Can't say | Increased | Decreased | Remained same |
|--------------------------|-----------|-----------|-----------|---------------|
| Dadar & Nagar Haveli | 10 | 0 | 90 | 0 |
| Daman & Diu | 0 | 0 | 90 | 10 |
| Goa | 0 | 0 | 100 | 0 |
| Puducherry | 0 | 0 | 100 | 0 |
| Andaman & Nicobar Island | 0 | 0 | 100 | 0 |
| All India | 6.5 | 2 | 85.1 | 6.4 |

Appendix Table 6.49: Community Leader's Perception about Percentage of CMR of Change during Last One Year

| States/UTs | Can't say | Increased | Decreased | Remained same |
|-------------------|-----------|-----------|-----------|---------------|
| Andhra Pradesh | 1.1 | 0.5 | 96.3 | 2.1 |
| Assam | 0 | 0 | 98.8 | 1.2 |
| Bihar | 3.7 | 2.7 | 88.9 | 4.8 |
| Chhattisgarh | 3.9 | 1.3 | 93.5 | 1.3 |
| Gujarat | 2.5 | 2.5 | 90.8 | 4.2 |
| Haryana | 5.4 | 0 | 85.7 | 8.9 |
| Himachal Pradesh | 10 | 0 | 57.5 | 32.5 |
| Jammu and Kashmir | 2.9 | 0 | 81.4 | 15.7 |
| Jharkhand | 0 | 0 | 100 | 0 |
| Karnataka | 8.2 | 6.1 | 82.7 | 3.1 |
| Kerala | 8.3 | 0 | 86.1 | 5.6 |
| Madhya Pradesh | 8.3 | 0.6 | 79.9 | 11.2 |
| Maharashtra | 15.7 | 5.1 | 76.1 | 3.1 |
| Orissa | 0.6 | 0 | 93.5 | 6 |
| Punjab | 7.3 | 0 | 89.9 | 2.9 |
| Rajasthan | 13.9 | 2.3 | 79.2 | 4.6 |
| Tamil Nadu | 9.5 | 5 | 76 | 9.5 |
| Uttar Pradesh | 2.2 | 1 | 85.1 | 11.7 |
| Uttrakhand | 4 | 0 | 96 | 0 |
| West Bengal | 0 | 0 | 100 | 0 |
| Delhi | 0 | 0 | 90 | 10 |
| Chandigarh | 10 | 0 | 90 | 0 |
| Arunachal Pradesh | 0 | 0 | 100 | 0 |
| Manipur | 0 | 30 | 60 | 10 |
| Meghalaya | 6.3 | 0 | 87.5 | 6.3 |
| Mizoram | 50 | 10 | 40 | 0 |
| Nagaland | 12.5 | 6.3 | 18.8 | 62.5 |

Appendix Table 6.49: Community Leader's Perception about Percentage of CMR of Change during Last One Year (Continued...)

| States/UTs | Can't say | Increased | Decreased | Remained same |
|-------------------------------------|------------------|------------------|------------------|----------------------|
| Tripura | 8.7 | 0 | 87 | 4.4 |
| Sikkim | 0 | 0 | 100 | 0 |
| Dadar & Nagar Haveli | 0 | 0 | 100 | 0 |
| Daman & Diu | 20 | 0 | 80 | 0 |
| Goa | 0 | 0 | 100 | 0 |
| Puducherry | 0 | 0 | 100 | 0 |
| Andaman & Nicobar Island | 0 | 0 | 100 | 0 |
| All India | 5.2 | 1.7 | 86.9 | 6.2 |

Appendix Table 6.50: Percentage of Community Leader Help in AWCs Activities

| States/UTs | Yes | No |
|-------------------|------|------|
| Andhra Pradesh | 60.6 | 39.4 |
| Assam | 42.7 | 57.3 |
| Bihar | 18 | 82 |
| Chhattisgarh | 85.7 | 14.3 |
| Gujarat | 31.7 | 68.3 |
| Haryana | 37.5 | 62.5 |
| Himachal Pradesh | 65 | 35 |
| Jammu and Kashmir | 57.1 | 42.9 |
| Jharkhand | 48.2 | 51.8 |
| Karnataka | 49 | 51 |
| Kerala | 13.9 | 86.1 |
| Madhya Pradesh | 47.9 | 52.1 |
| Maharashtra | 64 | 36 |
| Orissa | 20.8 | 79.2 |
| Punjab | 30.4 | 69.6 |
| Rajasthan | 43.9 | 56.2 |
| Tamil Nadu | 36.5 | 63.5 |
| Uttar Pradesh | 67.5 | 32.5 |
| Uttrakhand | 70 | 30 |
| West Bengal | 52.8 | 47.2 |
| Delhi | 40 | 60 |
| Chandigarh | 70 | 30 |
| Arunachal Pradesh | 12 | 88 |
| Manipur | 70 | 30 |
| Meghalaya | 56.3 | 43.8 |
| Mizoram | 40 | 60 |
| Nagaland | 75 | 25 |

Appendix Table 6.50: Percentage of Community Leader Help in AWCs Activities (Continued...)

| States/UTs | Yes | No |
|--------------------------|------|------|
| Tripura | 69.6 | 30.4 |
| Sikkim | 15 | 85 |
| Dadar & Nagar Haveli | 50 | 50 |
| Daman & Diu | 80 | 20 |
| Goa | 80 | 20 |
| Puducherry | 0 | 100 |
| Andaman & Nicobar Island | 20 | 80 |
| All India | 48.1 | 51.9 |

Appendix Table 6.51: Community Leaders Contribution Regarding the Following Activities

| States/UTs | Selection of location of AWC and providing space | Getting space for AWC | Selection of beneficiaries | Provided fans, chairs, durries/mattresses, etc | providing fuel | Help & support in construction, repair and maintenance of AWC/toilets | Storage facilities for ration/equipment | Solving problems/difficulties of AWCs | provided aids/materials to conduct pre-school activities | Motivating community to avail services | Admitting children in school |
|-------------------|--|-----------------------|----------------------------|--|----------------|---|---|---------------------------------------|--|--|------------------------------|
| Andhra Pradesh | 56.1 | 54.4 | 49.1 | 43 | 31.6 | 32.5 | 47.4 | 67.5 | 61.4 | 71.9 | 80.7 |
| Assam | 48.6 | 25.7 | 42.9 | 17.1 | 14.3 | 25.7 | 17.1 | 82.9 | 37.1 | 68.6 | 62.9 |
| Bihar | 50 | 41.2 | 44.1 | 29.4 | 26.5 | 11.8 | 20.6 | 41.2 | 29.4 | 58.8 | 64.7 |
| Chhattisgarh | 68.2 | 68.2 | 56.1 | 77.3 | 68.2 | 63.6 | 68.2 | 57.6 | 81.8 | 60.6 | 60.6 |
| Gujarat | 44.7 | 39.5 | 55.3 | 39.5 | 18.4 | 34.2 | 13.2 | 68.4 | 23.7 | 39.5 | 57.9 |
| Haryana | 71.4 | 61.9 | 76.2 | 42.9 | 23.8 | 23.8 | 23.8 | 61.9 | 38.1 | 66.7 | 66.7 |
| Himachal Pradesh | 73.1 | 53.9 | 53.9 | 69.2 | 61.5 | 57.7 | 65.4 | 88.5 | 46.2 | 65.4 | 65.4 |
| Jammu and Kashmir | 55 | 52.5 | 50 | 32.5 | 47.5 | 35 | 42.5 | 72.5 | 45 | 85 | 82.5 |
| Jharkhand | 5.7 | 3.8 | 26.4 | 9.4 | 1.9 | 0 | 5.7 | 88.7 | 5.7 | 41.5 | 49.1 |
| Karnataka | 83.3 | 81.3 | 60.4 | 64.6 | 62.5 | 77.1 | 68.8 | 81.3 | 62.5 | 72.9 | 79.2 |
| Kerala | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 100 | 80 | 80 |
| Madhya Pradesh | 53.1 | 58 | 65.4 | 59.3 | 38.3 | 45.7 | 45.7 | 72.8 | 39.5 | 67.9 | 81.5 |
| Maharashtra | 45.2 | 45.2 | 40.5 | 32.5 | 17.5 | 43.7 | 27 | 60.3 | 31.8 | 44.4 | 61.9 |
| Orissa | 51.4 | 45.7 | 37.1 | 28.6 | 17.1 | 37.1 | 48.6 | 57.1 | 37.1 | 60 | 68.6 |
| Punjab | 19.1 | 38.1 | 19.1 | 61.9 | 61.9 | 33.3 | 47.6 | 28.6 | 33.3 | 61.9 | 28.6 |
| Rajasthan | 38.6 | 35.1 | 47.4 | 17.5 | 24.6 | 26.3 | 29.8 | 68.4 | 50.9 | 91.2 | 86 |
| Tamil Nadu | 46.6 | 41.1 | 34.3 | 52.1 | 31.5 | 48 | 30.1 | 50.7 | 50.7 | 48 | 53.4 |
| Uttar Pradesh | 30.2 | 29.4 | 58.8 | 32 | 11 | 12.9 | 21.3 | 48.5 | 29.4 | 77.6 | 77.2 |
| Uttarakhand | 28.6 | 31.4 | 62.9 | 22.9 | 31.4 | 14.3 | 31.4 | 31.4 | 22.9 | 74.3 | 57.1 |
| West Bengal | 21.1 | 13.7 | 53.7 | 15.8 | 2.1 | 6.3 | 9.5 | 86.3 | 0 | 35.8 | 55.8 |

Appendix Table 6.51: Community Leaders Contribution Regarding the Following Activities (Continued...)

| States/UTs | Selection of location of AWC and providing space | Getting space for AWC | Selection of beneficiaries | Provided fans, chairs, durries/mattresses, etc | providing fuel | Help & support in construction, repair and maintenance of | Storage facilities for ration/equipment | Solving problems/difficulties of AWCs | provided aids/ materials to conduct pre-school activities | Motivating community to avail services | Admitting children in school |
|-------------------------------------|--|-----------------------|----------------------------|--|----------------|---|---|---------------------------------------|---|--|------------------------------|
| Delhi | 37.5 | 50 | 87.5 | 25 | 12.5 | 25 | 12.5 | 75 | 25 | 87.5 | 75 |
| Chandigarh | 100 | 100 | 100 | 100 | 14.3 | 100 | 100 | 100 | 100 | 100 | 100 |
| Arunachal Pradesh | 100 | 100 | 0 | 0 | 33.3 | 0 | 0 | 33.3 | 0 | 0 | 33.3 |
| Manipur | 57.1 | 42.9 | 28.6 | 14.3 | 14.3 | 28.6 | 0 | 57.1 | 57.1 | 28.6 | 85.7 |
| Meghalaya | 77.8 | 22.2 | 11.1 | 11.1 | 11.1 | 0 | 11.1 | 77.8 | 66.7 | 55.6 | 77.8 |
| Mizoram | 50 | 75 | 50 | 0 | 0 | 100 | 75 | 100 | 0 | 75 | 50 |
| Nagaland | 91.7 | 75 | 25 | 33.3 | 33.3 | 66.7 | 58.3 | 83.3 | 33.3 | 41.7 | 50 |
| Tripura | 81.3 | 68.8 | 68.8 | 50 | 18.8 | 75 | 37.5 | 87.5 | 25 | 81.3 | 75 |
| Sikkim | 0 | 0 | 0 | 0 | 0 | 66.7 | 0 | 66.7 | 33.3 | 100 | 33.3 |
| Dadar & Nagar Haveli | 60 | 80 | 60 | 60 | 40 | 60 | 40 | 80 | 80 | 100 | 100 |
| Daman & Diu | 75 | 62.5 | 62.5 | 25 | 12.5 | 50 | 37.5 | 75 | 37.5 | 100 | 87.5 |
| Goa | 100 | 100 | 50 | 12.5 | 0 | 0 | 0 | 100 | 37.5 | 100 | 50 |
| Andaman & Nicobar Island | 0 | 0 | 33.3 | 0 | 0 | 0 | 0 | 100 | 0 | 0 | 66.7 |
| All India | 45.2 | 42.2 | 50.6 | 37.2 | 25.1 | 31.5 | 32.2 | 64.2 | 37.6 | 63.9 | 68.8 |

Appendix Table 7.1: Status of Supplementary Nutrition (Food)

| States/UTs | Receiving food | | Awareness of food entitlement (%) |
|-------------------|----------------|------------------------|-----------------------------------|
| | % Child | Average number of days | |
| Andhra Pradesh | 73.7 | 16.0 | 86.2 |
| Assam | 73.5 | 2.0 | 40.1 |
| Bihar | 52.6 | 14.0 | 16.4 |
| Chhattisgarh | 85.6 | 19.0 | 18.0 |
| Gujarat | 86.5 | 19.0 | 66.5 |
| Haryana | 51.9 | 21.0 | 14.6 |
| Himachal Pradesh | 77.1 | 17.0 | 31.6 |
| Jammu and Kashmir | 91.5 | 18.0 | 10.1 |
| Jharkhand | 88.3 | 18.0 | 20.1 |
| Karnataka | 80.4 | 21.0 | 90.0 |
| Kerala | 75.8 | 20.0 | 95.1 |
| Madhya Pradesh | 68.2 | 14.0 | 14.5 |
| Maharashtra | 69.6 | 21.0 | 67.7 |
| Orissa | 69.9 | 21.0 | 17.5 |
| Punjab | 59.1 | 17.0 | 18.3 |
| Rajasthan | 55.6 | 15.0 | 25.9 |
| Tamil Nadu | 75.8 | 21.0 | 87.7 |
| Uttar Pradesh | 40.6 | 14.0 | 11.5 |
| Uttarakhand | 81.9 | 8.0 | 19.4 |
| West Bengal | 78.3 | 21.0 | 14.5 |
| Delhi | 56.4 | 22.0 | 14.1 |
| Chandigarh | 68.0 | 22.0 | 0.0 |
| Arunachal Pradesh | 94.4 | 8.0 | 0.4 |
| Manipur | 44.9 | 12.0 | 12.6 |
| Meghalaya | 79.8 | 18.0 | 63.6 |
| Mizoram | 91.8 | 19.0 | 89.9 |
| Nagaland | 82.4 | 6.0 | 93.6 |

Appendix Table 7.1: Status of Supplementary Nutrition (Food) (Continued...)

| States/UTs | Receiving food | | Awareness of food entitlement(%) |
|--------------------------------------|----------------|------------------------|----------------------------------|
| | % Child | Average number of days | |
| Tripura | 77.6 | 17.0 | 17.0 |
| Sikkim | 93.8 | 14.0 | 9.3 |
| Dadar& Nagar Haveli | 60.0 | 24.0 | 92.4 |
| Daman & Diu | 54.7 | 23.0 | 81.2 |
| Goa | 73.4 | 20.0 | 100.0 |
| Puducherry | 56.7 | 22.0 | 100.0 |
| Andaman & Nicobar Islands | - | 24.0 | 6.9 |
| All India | 64.0 | 16.0 | 33.8 |

Appendix Table 7.2: Immunization Status of Children (12-23 months)

(Figures in %)

| States/UTs | BCG | Measels | All vaccination |
|--------------------------|------------|----------------|------------------------|
| Andhra Pradesh | 95.3 | 74.9 | 49.6 |
| Assam | 73.0 | 66.6 | 37.0 |
| Bihar | 73.9 | 53.1 | 39.8 |
| Chhattisgarh | 88.3 | 70.7 | 54.0 |
| Gujarat | 91.6 | 74.0 | 55.2 |
| Haryana | 82.3 | 80.7 | 74.8 |
| Himachal Pradesh | 100.0 | 88.6 | 73.0 |
| Jammu and Kashmir | 97.0 | 86.7 | 78.0 |
| Jharkhand | 83.7 | 65.9 | 51.1 |
| Karnataka | 88.6 | 75.4 | 63.4 |
| Kerala | 100.0 | 88.4 | 79.7 |
| Madhya Pradesh | 86.1 | 65.5 | 48.9 |
| Maharashtra | 100.0 | 88.3 | 65.1 |
| Orissa | 83.2 | 73.7 | 59.1 |
| Punjab | 88.4 | 79.7 | 67.9 |
| Rajasthan | 70.5 | 58.4 | 31.9 |
| Tamil Nadu | 99.1 | 90.9 | 86.7 |
| Uttar Pradesh | 71.0 | 41.5 | 29.9 |
| Uttarakhand | 91.4 | 75.6 | 63.6 |
| West Bengal | 94.0 | 82.2 | 67.4 |
| Delhi | 89.6 | 89.6 | 63.6 |
| Chandigarh | 100.0 | 100.0 | 100.0 |
| Arunachal Pradesh | 65.1 | 34.6 | 19.1 |
| Manipur | 100.0 | 100.0 | 100.0 |
| Meghalaya | 82.8 | 100.0 | 82.8 |
| Mizoram | 75.4 | 100.0 | 75.4 |
| Nagaland | 96.8 | 81.2 | 78.0 |

Appendix Table 7.2: Immunization Status of Children (12-23 months) (Continued..)

(Figures in %)

| States/UTs | BCG | Measels | All vaccination |
|---------------------------|-------------|-------------|-----------------|
| Tripura | 80.1 | 72.8 | 69.4 |
| Sikkim | 100.0 | 100.0 | 100.0 |
| Dadar& Nagar Haveli | 100.0 | 100.0 | 100.0 |
| Daman & Diu | 100.0 | 100.0 | 100.0 |
| Goa | 100.0 | 59.3 | 59.3 |
| Puducherry | 100.0 | 100.0 | 100.0 |
| Andaman & Nicobar Islands | 100.0 | 95.0 | 95.0 |
| All India | 84.4 | 67.2 | 51.2 |

Note: * Children who are fully vaccinated i.e. those who have received BCG, measles and three doses of DPT and Polio vaccine

Appendix Table 7.3: Status of Children's Weight

(Figures in %)

| States/UTs | Weighed at birth | Whether child is getting weighed regularly | | |
|--------------------------|------------------|--|---------------------------------|--------|
| | | Yes, once in every month | Yes, once in every three months | Others |
| Andhra Pradesh | 74.6 | 80.2 | 3.3 | 16.6 |
| Assam | 55.3 | 20.3 | 29.4 | 50.3 |
| Bihar | 13.8 | 6.6 | 0.1 | 93.3 |
| Chattisgarh | 65.6 | 86.0 | 0.8 | 13.2 |
| Gujarat | 59.8 | 79.2 | 11.8 | 9.0 |
| Haryana | 60.6 | 46.3 | 2.0 | 51.7 |
| Himachal Pradesh | 82.2 | 71.5 | 6.4 | 22.2 |
| Jammu and Kashmir | 14.6 | 12.9 | 3.4 | 83.7 |
| Jharkhand | 39.3 | 50.4 | 4.1 | 45.5 |
| Karnataka | 47.1 | 31.3 | 12.1 | 56.7 |
| Kerala | 99.6 | 75.5 | 10.8 | 13.7 |
| Madhya Pradesh | 49.6 | 58.3 | 8.6 | 33.1 |
| Maharashtra | 88.8 | 93.0 | 2.3 | 4.8 |
| Orissa | 69.4 | 93.9 | 3.5 | 2.7 |
| Punjab | 55.4 | 7.7 | 2.0 | 90.4 |
| Rajasthan | 36.4 | 35.6 | 13.5 | 50.9 |
| Tamil Nadu | 95.5 | 76.0 | 8.7 | 15.3 |
| Uttar Pradesh | 10.5 | 2.1 | 2.5 | 95.4 |
| Uttarakhand | 7.0 | 25.7 | 1.3 | 73.0 |
| West Bengal | 58.8 | 55.6 | 17.3 | 27.1 |
| Delhi | 48.4 | 69.0 | 0.0 | 31.0 |
| Chandigarh | 65.5 | 91.3 | 8.7 | 0.0 |
| Arunachal Pradesh | 0.5 | 0.0 | 0.0 | 100.0 |
| Manipur | 74.4 | 32.5 | 1.3 | 66.2 |
| Meghalaya | 52.2 | 37.5 | 11.4 | 51.1 |
| Mizoram | 83.0 | 74.0 | 17.5 | 8.5 |
| Nagaland | 41.2 | 11.4 | 14.1 | 74.5 |

Appendix Table 7.3: Status of Children's Weight (Continued...)

(Figures in %)

| States/UTs | Weighed at birth | Whether child is getting weighed regularly | | |
|--------------------------------------|------------------|--|---------------------------------|-------------|
| | | Yes, once in every month | Yes, once in every three months | Others |
| Tripura | 73.8 | 56.3 | 7.6 | 36.1 |
| Sikkim | 68.4 | 79.7 | 15.8 | 4.5 |
| Dadar& Nagar Haveli | 80.5 | 95.4 | 0.0 | 4.7 |
| Daman & Diu | 89.2 | 95.8 | 0.0 | 4.2 |
| Goa | 96.4 | 84.7 | 0.0 | 15.3 |
| Puducherry | 96.9 | 34.3 | 37.2 | 28.6 |
| Andaman & Nicobar Islands | 94.5 | 70.7 | 10.9 | 18.4 |
| All India | 46.5 | 43.17 | 6.83 | 50.0 |

Appendix Table 7.4: Child had Diarrhea and Action Taken by Mother

(Figures in %)

| States/UTs | Child had diarrhea | Action taken reported by mother | | | | | |
|-------------------|--------------------|---------------------------------|------------------------------|----------------------------|---------------------|-----------------------|---------------------------------------|
| | | Increased the intake of fluids | Reduced the intake of fluids | Reduced the intake of food | Gave homemade 'ORS' | Procured ORS from AWC | Continued with normal food and fluids |
| Andhra Pradesh | 23.6 | 16.6 | 6.5 | 10.7 | 3.6 | 7.8 | 6.3 |
| Assam | 20.0 | 6.2 | 2.3 | 3.0 | 8.5 | 2.8 | 10.5 |
| Bihar | 16.1 | 1.5 | 2.4 | 4.7 | 3.6 | 3.2 | 3.6 |
| Chhattisgarh | 34.1 | 12.8 | 4.9 | 12.2 | 18.6 | 11.1 | 9.3 |
| Gujarat | 51.7 | 12.6 | 11.0 | 15.5 | 9.9 | 17.2 | 14.8 |
| Haryana | 24.9 | 15.1 | 15.4 | 19.6 | 4.9 | 8.1 | 11.2 |
| Himachal Pradesh | 9.6 | 6.8 | 0.0 | 2.4 | 7.7 | 6.8 | 5.3 |
| Jammu and Kashmir | 26.3 | 24.2 | 15.4 | 24.9 | 21.2 | 11.0 | 14.6 |
| Jharkhand | 5.2 | 3.0 | 2.0 | 2.3 | 1.8 | 1.2 | 1.6 |
| Karnataka | 25.2 | 11.4 | 2.1 | 5.9 | 6.7 | 9.2 | 0.2 |
| Kerala | 18.0 | 14.6 | 3.1 | 7.6 | 5.7 | 10.8 | 10.9 |
| Madhya Pradesh | 32.7 | 11.4 | 8.5 | 9.6 | 9.2 | 13.2 | 16.4 |
| Maharashtra | 28.2 | 14.2 | 4.5 | 10.5 | 18.3 | 11.8 | 8.2 |
| Orissa | 22.3 | 18.7 | 4.4 | 14.7 | 10.3 | 7.0 | 5.2 |
| Punjab | 20.9 | 13.0 | 2.9 | 4.6 | 1.8 | 2.1 | 9.2 |
| Rajasthan | 66.5 | 30.0 | 6.1 | 4.0 | 5.4 | 36.2 | 27.4 |
| Tamil Nadu | 48.4 | 14.6 | 9.9 | 12.6 | 17.4 | 13.6 | 9.7 |
| Uttar Pradesh | 41.4 | 20.2 | 9.5 | 21.9 | 22.4 | 2.2 | 9.4 |
| Uttarakhand | 45.5 | 0.4 | 5.4 | 19.5 | 15.2 | 3.3 | 4.6 |
| West Bengal | 6.1 | 4.8 | 1.8 | 1.7 | 2.7 | 1.4 | 3.8 |
| Delhi | 10.9 | 10.9 | 4.5 | 10.9 | 8.6 | 10.9 | 10.9 |
| Chandigarh | 4.4 | 4.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Arunachal Pradesh | 55.1 | 12.8 | 5.9 | 16.8 | 18.8 | 0.7 | 23.8 |
| Manipur | 36.4 | 16.9 | 3.5 | 18.2 | 15.5 | 0.0 | 13.9 |
| Meghalaya | 32.3 | 24.7 | 15.9 | 24.1 | 32.3 | 35.5 | 35.5 |
| Mizoram | 33.9 | 3.6 | 10.0 | 10.0 | 10.0 | 7.3 | 12.4 |
| Nagaland | 40.0 | 11.9 | 11.6 | 19.3 | 23.4 | 7.7 | 11.9 |

Appendix Table 7.4: Child had Diarrhea and Action Taken by Mother (Continued...)

(Figures in %)

| States/UTs | Child had diarrhea | Action taken reported by mother | | | | | |
|--------------------------------------|--------------------|---------------------------------|------------------------------|----------------------------|---------------------|-----------------------|---------------------------------------|
| | | Increased the intake of fluids | Reduced the intake of fluids | Reduced the intake of food | Gave homemade 'ORS' | Procured ORS from AWC | Continued with normal food and fluids |
| Tripura | 14.2 | 4.2 | 1.8 | 5.2 | 2.3 | 9.4 | 6.1 |
| Sikkim | 61.2 | 52.3 | 26.4 | 27.9 | 48.2 | 17.3 | 12.9 |
| Dadar& Nagar Haveli | 15.2 | 9.3 | 0.0 | 0.0 | 4.7 | 6.0 | 12.3 |
| Daman & Diu | 25.7 | 22.2 | 3.5 | 7.7 | 11.1 | 0.0 | 19.6 |
| Goa | 35.2 | 10.9 | 10.9 | 0.0 | 11.9 | 10.9 | 28.0 |
| Puducherry | 21.1 | 6.3 | 0.0 | 0.0 | 5.7 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 1.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 |
| All India | 30.7 | 14.3 | 6.3 | 12.2 | 12.4 | 7.7 | 9.2 |

Appendix Table 7.5: About Child's Deworming (For Children above 12 Months of Age)

(Figures in %)

| States/UTs | Child started deworming | Source | | If no, why? | | |
|-------------------|-------------------------|---------|--------|------------------------|-----------|--------|
| | | AWC/ANM | Others | AWW/ANM didn't provide | Not aware | Others |
| Andhra Pradesh | 19.6 | 84.1 | 15.9 | 12.2 | 19.4 | 68.3 |
| Assam | 44.3 | 14.5 | 85.5 | 7.6 | 14.4 | 78.0 |
| Bihar | 39.1 | 17.4 | 82.6 | 19.3 | 42.8 | 37.9 |
| Chattisgarh | 30.9 | 81.1 | 18.9 | 12.0 | 38.0 | 50.0 |
| Gujarat | 12.0 | 84.9 | 15.1 | 4.8 | 12.6 | 82.5 |
| Haryana | 24.8 | 87.1 | 12.9 | 7.7 | 12.7 | 79.5 |
| Himachal Pradesh | 18.8 | 81.9 | 18.1 | 22.7 | 36.8 | 40.6 |
| Jammu and Kashmir | 14.8 | 72.8 | 27.2 | 32.4 | 33.7 | 34.0 |
| Jharkhand | 43.7 | 85.8 | 14.2 | 4.8 | 19.1 | 76.2 |
| Karnataka | 19.0 | 83.2 | 16.8 | 9.5 | 23.6 | 66.9 |
| Kerala | 80.8 | 15.7 | 84.3 | 6.4 | 36.8 | 56.7 |
| Madhya Pradesh | 18.8 | 95.3 | 4.8 | 10.6 | 44.1 | 45.4 |
| Maharashtra | 46.9 | 99.0 | 1.1 | 7.6 | 16.1 | 76.3 |
| Orissa | 45.2 | 65.3 | 34.7 | 6.3 | 17.4 | 76.3 |
| Punjab | 7.4 | 45.6 | 54.4 | 41.0 | 45.1 | 13.9 |
| Rajasthan | 16.1 | 92.1 | 7.9 | 4.4 | 53.0 | 42.6 |
| Tamil Nadu | 32.6 | 54.4 | 45.6 | 11.0 | 49.1 | 39.9 |
| Uttar Pradesh | 11.8 | 73.9 | 26.1 | 24.7 | 42.1 | 33.3 |
| Uttarakhand | 10.5 | 100.0 | 0.0 | 35.6 | 49.3 | 15.2 |
| West Bengal | 31.4 | 56.0 | 44.0 | 9.6 | 14.0 | 76.4 |
| Delhi | 18.8 | 87.8 | 12.2 | 10.3 | 17.7 | 72.0 |
| Chandigarh | 77.4 | 100.0 | 0.0 | 26.9 | 0.0 | 73.1 |
| Arunachal Pradesh | 15.9 | 44.4 | 55.6 | 13.3 | 5.9 | 80.8 |
| Manipur | 71.5 | 0.0 | 100.0 | 2.5 | 0.0 | 97.5 |
| Meghalaya | 9.7 | 100.0 | 0.0 | 4.6 | 3.8 | 91.5 |
| Mizoram | 47.3 | 48.6 | 51.5 | 10.4 | 14.5 | 75.1 |
| Nagaland | 38.3 | 59.6 | 40.4 | 9.6 | 30.3 | 60.1 |
| Tripura | 71.8 | 8.8 | 91.2 | 28.1 | 17.3 | 54.6 |

Appendix Table 7.5: About Child's Deworming (For Children above 12 Months of Age) (Continued...)

(Figures in %)

| States/UTs | Child started deworming | Source | | If no, why? | | |
|--------------------------------------|-------------------------|-------------|-------------|------------------------|-------------|-------------|
| | | AWC/ANM | Others | AWW/ANM didn't provide | Not aware | Others |
| Sikkim | 30.7 | 90.7 | 9.3 | 10.7 | 2.1 | 87.2 |
| Dadar& Nagar Haveli | 83.8 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| Daman & Diu | 79.3 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| Goa | 3.8 | 0.0 | 100.0 | 48.2 | 4.0 | 47.9 |
| Puducherry | 17.4 | 54.1 | 45.9 | 18.0 | 12.0 | 70.0 |
| Andaman & Nicobar Islands | 37.4 | 98.0 | 2.0 | 5.5 | 5.6 | 88.9 |
| All India | 26.8 | 64.0 | 36.0 | 15.1 | 31.5 | 53.4 |

Appendix Table 7.6: Children Consuming Iron and Folic Acid Tablets

(Figures in %)

| States/UTs | Child took tablets regularly | Child getting IFA tablets from AWC |
|-------------------|------------------------------|------------------------------------|
| Andhra Pradesh | 29.1 | 34.0 |
| Assam | 0.0 | 0.7 |
| Bihar | 0.7 | 3.1 |
| Chattisgarh | 14.0 | 33.3 |
| Gujarat | 16.8 | 22.1 |
| Haryana | 16.4 | 33.6 |
| Himachal Pradesh | 38.5 | 43.8 |
| Jammu and Kashmir | 10.1 | 11.3 |
| Jharkhand | 8.6 | 11.2 |
| Karnataka | 29.7 | 39.6 |
| Kerala | 0.7 | 6.6 |
| Madhya Pradesh | 13.8 | 17.9 |
| Maharashtra | 39.3 | 46.6 |
| Orissa | 8.1 | 13.3 |
| Punjab | 2.3 | 6.3 |
| Rajasthan | 7.1 | 10.6 |
| Tamil Nadu | 14.3 | 18.3 |
| Uttar Pradesh | 4.2 | 8.1 |
| Uttrakhand | 2.7 | 6.7 |
| West Bengal | 4.5 | 6.2 |
| Delhi | 18.7 | 23.9 |
| Chandigarh | 6.1 | 10.5 |
| Arunachal Pradesh | 0.7 | 1.6 |
| Manipur | 8.7 | 8.7 |
| Meghalaya | 6.6 | 10.0 |
| Mizoram | 31.2 | 31.2 |
| Nagaland | 11.2 | 12.8 |

Appendix Table 7.6: Children Consuming Iron and Folic Acid Tablets

(Figures in %)

| States/UTs | Child took tablets regularly | Child getting IFA tablets from AWC |
|---------------------------|------------------------------|------------------------------------|
| Tripura | 1.0 | 4.9 |
| Sikkim | 0.0 | 0.0 |
| Dadar& Nagar Haveli | 28.8 | 28.8 |
| Daman & Diu | 37.1 | 46.6 |
| Goa | 0.0 | 3.8 |
| Puducherry | 6.3 | 26.0 |
| Andaman & Nicobar Islands | 16.5 | 39.8 |
| All India | 11.9 | 16.7 |

Appendix Table 7.7 : Mothers Reporting Initiated Breastfeeding After Child Birth

(Figures in %)

| States/UTs | Within one hour | Within one day |
|-------------------|-----------------|----------------|
| Andhra Pradesh | 75.0 | 14.1 |
| Assam | 73.2 | 20.8 |
| Bihar | 7.7 | 54.5 |
| Chhattisgarh | 41.6 | 45.2 |
| Gujarat | 38.5 | 50.1 |
| Haryana | 31.8 | 49.6 |
| Himachal Pradesh | 60.6 | 27.8 |
| Jammu and Kashmir | 42.6 | 36.6 |
| Jharkhand | 27.8 | 56.9 |
| Karnataka | 61.5 | 17.2 |
| Kerala | 73.0 | 25.4 |
| Madhya Pradesh | 45.4 | 39.9 |
| Maharashtra | 74.3 | 18.4 |
| Orissa | 77.5 | 20.7 |
| Punjab | 9.3 | 19.9 |
| Rajasthan | 23.1 | 50.3 |
| Tamil Nadu | 65.1 | 29.6 |
| Uttar Pradesh | 20.6 | 28.0 |
| Uttrakhand | 28.3 | 29.9 |
| West Bengal | 30.8 | 62.3 |
| Delhi | 39.3 | 24.1 |
| Chandigarh | 25.3 | 69.9 |
| Arunachal Pradesh | 75.2 | 20.8 |
| Manipur | 75.7 | 19.3 |
| Meghalaya | 75.8 | 24.2 |
| Mizoram | 100.0 | 0.0 |
| Nagaland | 37.7 | 32.0 |

Appendix Table 7.7: Mothers Reporting Initiated Breastfeeding After Child Birth

(Figures in %)

| States/UTs | Within one hour | Within one day |
|---------------------------|-----------------|----------------|
| Tripura | 32.3 | 44.1 |
| Sikkim | 85.6 | 13.1 |
| Dadar& Nagar Haveli | 70.7 | 29.3 |
| Daman & Diu | 50.0 | 45.8 |
| Goa | 96.4 | 3.6 |
| Puducherry | 60.0 | 33.7 |
| Andaman & Nicobar Islands | 5.0 | 84.0 |
| All India | 42.8 | 33.0 |

Appendix Table 7.8: Children Aged 3-6 Years Attending PSE Able to do the Following PSE Activities

(Figures in %)

| States/UTs | Read simple words | Count numbers | Write alphabets/words | Tell stories | Recite poems | Drawing/painting/clay modelling |
|-------------------|-------------------|---------------|-----------------------|--------------|--------------|---------------------------------|
| Andhra Pradesh | 89.0 | 93.5 | 78.7 | 79.0 | 65.6 | 33.1 |
| Assam | 92.1 | 91.4 | 82.3 | 57.7 | 40.6 | 52.2 |
| Bihar | 54.2 | 71.1 | 39.7 | 27.5 | 33.5 | 2.3 |
| Chhattisgarh | 73.2 | 84.6 | 32.9 | 34.5 | 71.2 | 7.7 |
| Gujarat | 55.7 | 87.1 | 32.9 | 33.2 | 64.3 | 34.7 |
| Haryana | 70.7 | 70.2 | 41.4 | 44.0 | 31.2 | 9.7 |
| Himachal Pradesh | 94.9 | 94.9 | 51.4 | 84.3 | 91.1 | 37.8 |
| Jammu and Kashmir | 87.5 | 87.2 | 71.2 | 76.9 | 87.5 | 15.7 |
| Jharkhand | 88.5 | 90.6 | 74.5 | 52.6 | 69.5 | 14.8 |
| Karnataka | 88.2 | 93.7 | 74.9 | 83.4 | 89.7 | 39.1 |
| Kerala | 93.0 | 97.0 | 81.1 | 89.1 | 92.0 | 84.1 |
| Madhya Pradesh | 87.6 | 84.2 | 45.4 | 79.2 | 66.5 | 33.2 |
| Maharashtra | 93.2 | 94.1 | 47.0 | 77.0 | 92.1 | 36.6 |
| Orissa | 74.4 | 88.2 | 54.0 | 73.8 | 64.7 | 23.8 |
| Punjab | 85.1 | 83.6 | 57.8 | 58.5 | 65.2 | 6.6 |
| Rajasthan | 63.7 | 84.1 | 25.6 | 59.3 | 58.5 | 21.7 |
| Tamil Nadu | 91.4 | 94.3 | 51.1 | 91.9 | 92.8 | 51.2 |
| Uttar Pradesh | 42.9 | 79.0 | 31.8 | 45.0 | 30.7 | 13.7 |
| Uttarakhand | 80.9 | 93.6 | 54.7 | 27.5 | 44.7 | 16.6 |
| West Bengal | 93.4 | 94.7 | 66.1 | 68.2 | 94.8 | 18.3 |
| Delhi | 54.2 | 82.6 | 50.5 | 50.5 | 63.2 | 36.0 |
| Chandigarh | 100.0 | 100.0 | 32.8 | 14.6 | 100.0 | 7.3 |
| Arunachal Pradesh | 64.7 | 54.1 | 43.4 | 22.1 | 16.7 | 21.3 |
| Manipur | 91.6 | 94.0 | 86.2 | 45.8 | 62.8 | 30.8 |
| Meghalaya | 73.1 | 87.2 | 75.3 | 21.9 | 29.4 | 63.6 |
| Mizoram | 73.0 | 77.8 | 53.0 | 35.8 | 44.4 | 41.8 |
| Nagaland | 84.6 | 74.8 | 66.1 | 59.0 | 49.4 | 63.0 |

Appendix Table 7.8: Children Aged 3-6 Years Attending PSE Able to do the Following PSE Activities (Continued...)

(Figures in %)

| States/UTs | Read simple words | Count numbers | Write alphabets/words | Tell stories | Recite poems | Drawing/painting/clay modelling |
|---------------------------|-------------------|---------------|-----------------------|--------------|--------------|---------------------------------|
| Tripura | 76.7 | 74.9 | 38.4 | 25.9 | 33.1 | 15.6 |
| Sikkim | 60.4 | 95.1 | 96.9 | 62.2 | 81.4 | 47.4 |
| Dadar& Nagar Haveli | 75.8 | 95.3 | 48.3 | 31.6 | 90.6 | 31.6 |
| Daman & Diu | 87.9 | 100.0 | 45.7 | 45.7 | 100.0 | 33.4 |
| Goa | 45.4 | 100.0 | 25.7 | 79.5 | 100.0 | 73.4 |
| Puducherry | 51.5 | 100.0 | 35.3 | 67.7 | 67.7 | 35.3 |
| Andaman & Nicobar Islands | 100.0 | 100.0 | 87.6 | 53.0 | 85.2 | 52.0 |
| All India | 71.1 | 85.7 | 49.0 | 58.6 | 58.7 | 24.8 |

Appendix Table 7.9: Children Aged 3-6 Years Attending PSE Carrying the Following Good Habits

(Figures in %)

| States/UTs | Wash hands after using toilet | Wash hands before & after meals | Use soap to wash hands | Respect elders |
|-------------------|-------------------------------|---------------------------------|------------------------|----------------|
| Andhra Pradesh | 85.7 | 88.4 | 57.7 | 58.4 |
| Assam | 61.9 | 90.2 | 77.4 | 88.5 |
| Bihar | 76.0 | 70.8 | 53.2 | 70.9 |
| Chhattisgarh | 55.1 | 84.3 | 38.0 | 65.8 |
| Gujarat | 87.8 | 92.1 | 63.2 | 62.5 |
| Haryana | 67.3 | 69.0 | 66.4 | 56.3 |
| Himachal Pradesh | 87.9 | 83.2 | 78.0 | 75.9 |
| Jammu and Kashmir | 92.4 | 92.9 | 86.0 | 91.0 |
| Jharkhand | 98.6 | 97.8 | 64.8 | 84.8 |
| Karnataka | 58.0 | 75.8 | 32.2 | 71.7 |
| Kerala | 75.7 | 87.2 | 75.2 | 84.7 |
| Madhya Pradesh | 82.5 | 84.4 | 70.9 | 86.9 |
| Maharashtra | 89.2 | 94.4 | 70.3 | 78.6 |
| Orissa | 58.7 | 75.0 | 40.3 | 54.1 |
| Punjab | 72.3 | 70.7 | 67.4 | 66.3 |
| Rajasthan | 83.2 | 86.9 | 53.4 | 54.8 |
| Tamil Nadu | 74.9 | 91.0 | 69.5 | 82.6 |
| Uttar Pradesh | 92.4 | 88.4 | 63.4 | 72.4 |
| Uttrakhand | 98.7 | 96.2 | 70.1 | 78.7 |
| West Bengal | 93.6 | 97.1 | 52.3 | 80.4 |
| Delhi | 82.7 | 82.7 | 84.9 | 77.2 |
| Chandigarh | 89.9 | 100.0 | 84.4 | 76.7 |
| Arunachal Pradesh | 68.1 | 59.9 | 69.7 | 48.6 |
| Manipur | 95.8 | 96.7 | 94.3 | 88.8 |
| Meghalaya | 93.2 | 100.0 | 100.0 | 100.0 |
| Mizoram | 79.5 | 84.3 | 32.7 | 86.9 |
| Nagaland | 85.0 | 85.8 | 73.2 | 73.3 |

Appendix Table 7.9: Children Aged 3-6 Years Attending PSE Carrying the Following Good Habits (Continued...)

(Figures in %)

| States/UTs | Wash hands after using toilet | Wash hands before & after meals | Use soap to wash hands | Respect elders |
|---------------------------|-------------------------------|---------------------------------|------------------------|----------------|
| Tripura | 97.4 | 100.0 | 85.8 | 73.4 |
| Sikkim | 93.5 | 98.7 | 71.6 | 89.9 |
| Dadar& Nagar Haveli | 95.3 | 95.3 | 95.3 | 95.3 |
| Daman & Diu | 100.0 | 100.0 | 100.0 | 100.0 |
| Goa | 100.0 | 100.0 | 100.0 | 100.0 |
| Puducherry | 67.7 | 67.7 | 100.0 | 67.7 |
| Andaman & Nicobar Islands | 100.0 | 100.0 | 46.1 | 100.0 |
| All India | 82.4 | 86.9 | 61.2 | 73.1 |

Appendix Table 7.10: Status of Supplementary Nutrition (Food)

| States/UTs | Receiving food | | Awareness of food entitlement (%) |
|--------------------------|----------------|------------------------|-----------------------------------|
| | % PW/LM | Average number of days | |
| Andhra Pradesh | 87.8 | 10 | 70.4 |
| Assam | 7.7 | 0 | 6.8 |
| Bihar | 68.0 | 10 | 14.3 |
| Chhattisgarh | 76.8 | 16 | 17.0 |
| Gujarat | 76.5 | 14 | 42.1 |
| Haryana | 93.1 | 18 | 0.7 |
| Himachal Pradesh | 75.3 | 16 | 23.1 |
| Jammu and Kashmir | 90.4 | 16 | 21.6 |
| Jharkhand | 91.4 | 20 | 14.2 |
| Karnataka | 90.7 | 11 | 74.8 |
| Kerala | 93.8 | 19 | 87.7 |
| Madhya Pradesh | 78.4 | 8 | 8.1 |
| Maharashtra | 93.3 | 20 | 57.3 |
| Orissa | 90.1 | 20 | 15.1 |
| Punjab | 87.8 | 16 | 27.4 |
| Rajasthan | 83.8 | 4 | 24.0 |
| Tamil Nadu | 89.5 | 13 | 71.9 |
| Uttar Pradesh | 69.5 | 9 | 10.0 |
| Uttarakhand | 92.3 | 10 | 13.7 |
| West Bengal | 96.9 | 20 | 12.4 |
| Delhi | 89.4 | 14 | 8.1 |
| Chandigarh | 100.0 | 20 | - |
| Arunachal Pradesh | 63.3 | 7 | 0.0 |
| Manipur | 23.6 | 2 | 1.7 |
| Meghalaya | 66.5 | 14 | 32.8 |
| Mizoram | 100.0 | 17 | 100.0 |
| Nagaland | 92.3 | 7 | 82.5 |

Appendix Table 7.10: Status of Supplementary Nutrition (Food) (Continued...)

| States/UTs | Receiving food | | Awareness of food entitlement (%) |
|--------------------------------------|----------------|------------------------|-----------------------------------|
| | % PW/LM | Average number of days | |
| Tripura | 66.8 | 7 | 13.9 |
| Sikkim | 86.8 | 13 | 25.7 |
| Dadar & Nagar Haveli | 100.0 | 24 | 83.1 |
| Daman & Diu | 100.0 | 22 | 72.2 |
| Goa | 100.0 | 24 | 94.0 |
| Puducherry | 100.0 | 24 | 100.0 |
| Andaman & Nicobar Islands | 74.2 | 15 | 1.2 |
| All India | 78.3 | 12 | 26.8 |

Appendix Table 7.11: Status of TT Vaccine during Pregnancy

| States/UTs | PW aware about pre-natal care at AWC | PW took TT | Source | | | If no, why? | | |
|-------------------|--------------------------------------|------------|---------|---------------------|--------|------------------------|-----------|--------|
| | | | AWC/ANM | Government hospital | Others | Not available with ANM | Not aware | Others |
| Andhra Pradesh | 87.2 | 87.2 | 72.0 | 18.0 | 10.0 | 26.7 | 9.5 | 63.7 |
| Assam | 82.3 | 82.3 | 42.6 | 22.9 | 34.5 | 51.6 | 5.1 | 43.3 |
| Bihar | 59.1 | 59.1 | 78.3 | 12.3 | 9.4 | 40.0 | 50.3 | 9.7 |
| Chhattisgarh | 77.1 | 77.1 | 78.4 | 15.6 | 5.9 | 56.8 | 37.8 | 5.5 |
| Gujarat | 85.0 | 85.0 | 59.4 | 31.2 | 9.4 | 58.1 | 16.4 | 25.5 |
| Haryana | 84.9 | 84.9 | 78.6 | 2.1 | 19.3 | 6.3 | 19.5 | 74.2 |
| Himachal Pradesh | 86.4 | 86.4 | 40.2 | 52.8 | 7.0 | 90.4 | 0.0 | 9.6 |
| Jammu and Kashmir | 62.9 | 62.9 | 7.7 | 78.8 | 13.5 | 9.2 | 23.8 | 67.0 |
| Jharkhand | 82.5 | 82.5 | 79.6 | 15.5 | 5.0 | 68.3 | 5.8 | 25.9 |
| Karnataka | 95.8 | 95.8 | 65.2 | 25.6 | 9.2 | 0.0 | 9.9 | 90.1 |
| Kerala | 100.0 | 100 | 0.0 | 62.3 | 37.8 | 0.0 | 0.0 | 0.0 |
| Madhya Pradesh | 79.6 | 79.6 | 69.9 | 24.3 | 5.8 | 52.1 | 22.9 | 25.0 |
| Maharashtra | 95.8 | 95.8 | 68.0 | 16.3 | 15.7 | 0.0 | 56.2 | 43.8 |
| Orissa | 86.7 | 86.7 | 79.6 | 15.3 | 5.1 | 55.8 | 14.7 | 29.5 |
| Punjab | 82.5 | 82.5 | 30.4 | 36.6 | 33.0 | 22.0 | 8.8 | 69.2 |
| Rajasthan | 65.9 | 65.9 | 78.1 | 20.6 | 1.4 | 49.7 | 35.4 | 14.9 |
| Tamil Nadu | 94.6 | 94.6 | 14.0 | 72.7 | 13.3 | 0.0 | 41.3 | 58.7 |
| Uttar Pradesh | 58.1 | 58.1 | 62.0 | 22.3 | 15.7 | 39.7 | 33.9 | 26.4 |
| Uttrakhand | 81.9 | 81.9 | 53.2 | 30.1 | 16.7 | 17.1 | 46.3 | 36.6 |
| West Bengal | 84.9 | 84.9 | 44.9 | 53.5 | 1.6 | 36.6 | 0.0 | 63.4 |

Appendix Table 7.11: Status of TT Vaccine during Pregnancy (Continued...)

| States/UTs | PW aware about pre-natal care at AWC | PW took TT | Source | | | If no, why? | | |
|-------------------------------------|--------------------------------------|-------------|-------------|---------------------|-------------|------------------------|-------------|-------------|
| | | | AWC/ANM | Government hospital | Others | Not available with ANM | Not aware | Others |
| Delhi | 81.0 | 81.0 | 39.3 | 19.9 | 40.8 | 0.0 | 0.0 | 100 |
| Chandigarh | 82.1 | 82.1 | 0.0 | 100 | 0.0 | 0.0 | 0.0 | 100 |
| Arunachal Pradesh | 23.1 | 23.1 | 0.0 | 23.3 | 76.7 | 3.2 | 67.9 | 28.9 |
| Manipur | 74.3 | 74.3 | 36.2 | 34.0 | 29.8 | 6.1 | 7.7 | 86.2 |
| Meghalaya | 84.0 | 84.0 | 66.3 | 33.7 | 0.0 | 0.0 | 0.0 | 100 |
| Mizoram | 70.2 | 70.2 | 0.0 | 47.5 | 52.5 | 0.0 | 35.3 | 64.7 |
| Nagaland | 88.5 | 88.5 | 0.0 | 19.6 | 80.4 | 0.0 | 29.0 | 71.0 |
| Tripura | 94.2 | 94.2 | 25.7 | 43.4 | 30.9 | 11.8 | 36.1 | 52.1 |
| Sikkim | 66.5 | 66.5 | 63.9 | 36.1 | 0.0 | 100 | 0.0 | 0.0 |
| Dadar & Nagar Haveli | 100.0 | 100 | 43.5 | 56.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| Daman & Diu | 74.6 | 74.6 | 35.9 | 44.1 | 20.0 | 0.0 | 0.0 | 100 |
| Goa | 89.8 | 89.8 | 0.0 | 48.1 | 51.9 | 0.0 | 0.0 | 100 |
| Puducherry | 100.0 | 100 | 0.0 | 84.7 | 15.3 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Island | 97.3 | 97.3 | 84.9 | 15.1 | 0.0 | 0.0 | 100 | 0.0 |
| All India | 76.7 | 76.7 | 61.2 | 26.0 | 12.8 | 40.2 | 29.2 | 30.7 |

Appendix Table 7.12: About IFA Tablets

(Figures in %)

| States/UTs | PW consumed IFA tablets | Source | | If no, why? | | |
|-------------------|-------------------------|---------|--------|---------------|-----------|--------|
| | | AWC/ANM | Others | Not available | Not aware | Others |
| Andhra Pradesh | 74.9 | 80.2 | 19.8 | 24.9 | 29.0 | 46.1 |
| Assam | 62.6 | 87.4 | 12.6 | 17.7 | 25.7 | 56.7 |
| Bihar | 9.4 | 90.9 | 9.1 | 52.4 | 26.1 | 21.6 |
| Chhattisgarh | 82.3 | 96.6 | 3.4 | 24.2 | 6.4 | 69.4 |
| Gujarat | 86.8 | 92.2 | 7.8 | 29.3 | 25.2 | 45.5 |
| Haryana | 80.6 | 100.0 | 0.0 | 9.1 | 69.5 | 21.4 |
| Himachal Pradesh | 86.6 | 80.9 | 19.1 | 8.2 | 0.0 | 91.8 |
| Jammu and Kashmir | 44.8 | 62.6 | 37.5 | 27.4 | 21.6 | 51.0 |
| Jharkhand | 85.2 | 94.3 | 5.7 | 53.6 | 28.4 | 18.0 |
| Karnataka | 84.1 | 91.9 | 8.1 | 13.5 | 41.7 | 44.8 |
| Kerala | 100.0 | 6.2 | 93.8 | 0.0 | 0.0 | 0.0 |
| Madhya Pradesh | 72.7 | 98.7 | 1.4 | 31.1 | 31.8 | 37.1 |
| Maharashtra | 91.0 | 87.0 | 13.0 | 18.0 | 33.9 | 48.1 |
| Orissa | 86.5 | 100.0 | 0.0 | 19.6 | 17.9 | 62.6 |
| Punjab | 70.5 | 94.8 | 5.2 | 6.1 | 9.0 | 85.0 |
| Rajasthan | 70.3 | 96.7 | 3.3 | 30.8 | 16.4 | 52.8 |
| Tamil Nadu | 80.5 | 78.6 | 21.4 | 43.0 | 18.9 | 38.1 |
| Uttar Pradesh | 32.1 | 93.7 | 6.3 | 25.8 | 27.1 | 47.1 |
| Uttarakhand | 45.8 | 100.0 | 0.0 | 21.5 | 23.2 | 55.3 |
| West Bengal | 84.1 | 80.4 | 19.6 | 3.5 | 1.4 | 95.2 |

Appendix Table 7.12: About IFA Tablets (Continued...)

(Figures in %)

| States/UTs | PW consumed IFA tablets | Source | | If no, why? | | |
|-------------------------------------|-------------------------|-------------|-------------|---------------|-------------|-------------|
| | | AWC/ANM | Others | Not available | Not aware | Others |
| Delhi | 73.5 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| Chandigarh | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Arunachal Pradesh | 16.5 | 0.0 | 100.0 | 7.9 | 3.2 | 88.9 |
| Manipur | 91.7 | 27.6 | 72.4 | 76.3 | 0.0 | 23.7 |
| Meghalaya | 84.4 | 89.0 | 11.0 | 51.2 | 16.3 | 32.5 |
| Mizoram | 89.5 | 62.8 | 37.3 | 0.0 | 0.0 | 100.0 |
| Nagaland | 34.5 | 43.1 | 56.9 | 15.5 | 13.1 | 71.4 |
| Tripura | 93.5 | 31.5 | 68.5 | 21.0 | 0.0 | 79.0 |
| Sikkim | 88.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 |
| Dadar & Nagar Haveli | 64.1 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| Daman & Diu | 56.7 | 71.0 | 29.0 | 0.0 | 0.0 | 100.0 |
| Goa | 58.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| Puducherry | 73.0 | 29.0 | 71.0 | 0.0 | 0.0 | 100.0 |
| Andaman & Nicobar Island | 95.4 | 95.2 | 4.8 | 0.0 | 0.0 | 100.0 |
| All India | 63.6 | 88.7 | 11.3 | 28.2 | 25.6 | 46.2 |

Appendix Table 7.13: About Regular Check-Ups - Blood Pressure

(Figures in %)

| States/UTs | PW checked | Awareness about advantages | | | How many times (number) | Check-up from where | | | If not checked, why | |
|-------------------|------------|-------------------------------|--------------------------------|------------|-------------------------|---------------------|---------------------|----------------|---------------------|--------|
| | | Knowledge about foetus growth | Knowledge about pregnancy risk | Don't know | | AWC/ANM | Government hospital | Private clinic | Not aware | Others |
| Andhra Pradesh | 88.7 | 41.4 | 36.0 | 22.6 | 2 | 24.5 | 38.1 | 37.5 | 25.1 | 74.9 |
| Assam | 50.8 | 14.7 | 22.3 | 63.1 | 1 | 31.9 | 58.4 | 9.8 | 39.2 | 60.8 |
| Bihar | 19.0 | 4.9 | 8.7 | 86.4 | 0 | 18.1 | 17.4 | 64.5 | 29.3 | 70.7 |
| Chhattisgarh | 72.7 | 42.6 | 29.8 | 27.6 | 1 | 65.4 | 22.9 | 11.6 | 1.7 | 98.4 |
| Gujarat | 96.0 | 27.5 | 40.2 | 32.3 | 3 | 50.4 | 37.0 | 12.5 | 86.1 | 13.9 |
| Haryana | 63.8 | 9.8 | 24.1 | 66.2 | 1 | 0.9 | 57.2 | 41.8 | 9.9 | 90.1 |
| Himachal Pradesh | 86.6 | 25.8 | 6.3 | 67.9 | 2 | 16.0 | 75.4 | 8.6 | 8.1 | 91.9 |
| Jammu and Kashmir | 65.3 | 38.6 | 3.8 | 57.6 | 1 | 0.7 | 85.8 | 13.6 | 26.0 | 74.0 |
| Jharkhand | 53.1 | 4.9 | 25.8 | 69.4 | 1 | 55.7 | 25.8 | 18.4 | 36.9 | 63.1 |
| Karnataka | 84.8 | 53.3 | 16.4 | 30.3 | 2 | 3.6 | 65.2 | 31.2 | 27.2 | 72.8 |
| Kerala | 98.8 | 72.3 | 23.9 | 3.8 | 3 | 11.5 | 58.9 | 29.6 | 28.3 | 71.7 |
| Madhya Pradesh | 64.6 | 36.3 | 20.8 | 42.9 | 1 | 43.1 | 31.4 | 25.5 | 63.2 | 36.8 |
| Maharashtra | 88.2 | 49.4 | 27.2 | 23.4 | 2 | 52.2 | 20.5 | 27.3 | 58.0 | 42.0 |
| Orissa | 77.0 | 12.0 | 52.8 | 35.2 | 2 | 30.9 | 56.2 | 12.9 | 16.2 | 83.9 |
| Punjab | 70.1 | 52.6 | 19.3 | 28.1 | 1 | 4.8 | 43.7 | 51.5 | 49.5 | 50.5 |
| Rajasthan | 56.4 | 9.9 | 29.8 | 60.4 | 1 | 42.7 | 41.2 | 16.1 | 28.1 | 72.0 |
| Tamil Nadu | 94.0 | 69.8 | 19.0 | 11.3 | 3 | 6.9 | 78.9 | 14.2 | 41.6 | 58.5 |
| Uttar Pradesh | 8.1 | 3.6 | 3.3 | 93.1 | 0 | 11.8 | 44.3 | 44.0 | 46.7 | 53.3 |
| Uttarakhand | 15.1 | 2.2 | 5.6 | 92.2 | 0 | 0.0 | 22.8 | 77.2 | 30.2 | 69.9 |
| West Bengal | 82.2 | 15.6 | 25.5 | 58.9 | 2 | 28.9 | 64.8 | 6.2 | 15.8 | 84.2 |

Appendix Table 7.13: About Regular Check-Ups - Blood Pressure (Continued...)

(Figures in %)

| States/UTs | PW checked | Awareness about advantages | | | How many times (number) | Check-up from where | | | If not checked, why | |
|--------------------------|------------|-------------------------------|--------------------------------|------------|-------------------------|---------------------|---------------------|----------------|---------------------|--------|
| | | Knowledge about foetus growth | Knowledge about pregnancy risk | Don't know | | AWC/ANM | Government hospital | Private clinic | Not aware | Others |
| Delhi | 81.5 | 57.7 | 23.8 | 18.5 | 2 | 10.5 | 73.4 | 16.1 | 43.5 | 56.5 |
| Chandigarh | 100.0 | 84.6 | 15.4 | 0.0 | 2 | 0.0 | 100.0 | 0.0 | - | - |
| Arunachal Pradesh | 10.2 | 0.0 | 1.3 | 98.7 | 0 | 0.0 | 13.2 | 86.8 | 0.0 | 100.0 |
| Manipur | 100.0 | 0.0 | 91.0 | 9.0 | 5 | 3.2 | 47.5 | 49.4 | 0.0 | 100.0 |
| Meghalaya | 46.2 | 17.3 | 13.1 | 69.6 | 1 | 56.1 | 43.9 | 0.0 | 14.9 | 85.2 |
| Mizoram | 73.7 | 33.3 | 29.8 | 36.8 | 2 | 14.3 | 85.7 | 0.0 | 0.0 | 100.0 |
| Nagaland | 51.9 | 19.6 | 12.0 | 68.4 | 1 | 13.9 | 29.6 | 56.5 | 79.3 | 20.7 |
| Tripura | 87.7 | 20.1 | 0.0 | 79.9 | 2 | 0.0 | 26.6 | 73.4 | 71.6 | 28.4 |
| Sikkim | 100.0 | 0.0 | 0.0 | 100.0 | 3 | 49.5 | 50.6 | 0.0 | - | - |
| Dadar & Nagar Haveli | 100.0 | 54.3 | 17.4 | 28.3 | 3 | 0.0 | 82.6 | 17.4 | - | - |
| Daman & Diu | 100.0 | 59.7 | 40.3 | 0.0 | 2 | 0.0 | 85.1 | 14.9 | - | - |
| Goa | 100.0 | 100.0 | 0.0 | 0.0 | 2 | 0.0 | 18.2 | 81.8 | - | - |
| Puducherry | 100.0 | 100.0 | 0.0 | 0.0 | 3 | 0.0 | 100.0 | 0.0 | - | - |
| Andaman & Nicobar Island | 100.0 | 65.7 | 27.6 | 6.7 | 3 | 82.5 | 17.5 | 0.0 | - | - |
| All India | 55.0 | 23.4 | 20.4 | 56.2 | 1 | 29.5 | 46.2 | 24.3 | 40.0 | 60.0 |

Appendix Table 7.14: About Regular Check-Ups – Weight

(Figures in %)

| States/UTs | PW checked | Awareness about advantages | | | How many times (number) | Check-up from where | | | If not checked, why | |
|-------------------|------------|-------------------------------|--------------------------------|------------|-------------------------|---------------------|---------------------|----------------|---------------------|--------|
| | | Knowledge about foetus growth | Knowledge about pregnancy risk | Don't know | | AWC/ANM | Government hospital | Private clinic | Not aware | Others |
| Andhra Pradesh | 87.7 | 55.3 | 19.6 | 25.2 | 2 | 26.6 | 36.6 | 36.9 | 26.0 | 74.0 |
| Assam | 67.6 | 35.4 | 25.4 | 39.2 | 1 | 32.8 | 59.6 | 7.6 | 21.9 | 78.1 |
| Bihar | 8.5 | 7.0 | 2.2 | 90.8 | 0 | 46.2 | 11.8 | 42.0 | 42.1 | 57.9 |
| Chhattisgarh | 86.0 | 55.1 | 33.7 | 11.3 | 1 | 77.5 | 13.3 | 9.3 | 0.0 | 100.0 |
| Gujarat | 97.0 | 48.8 | 21.1 | 30.1 | 2 | 57.2 | 30.1 | 12.7 | 12.1 | 87.9 |
| Haryana | 62.5 | 29.6 | 31.0 | 39.5 | 1 | 48.3 | 29.0 | 22.7 | 7.9 | 92.1 |
| Himachal Pradesh | 73.5 | 39.9 | 1.3 | 58.9 | 2 | 25.0 | 71.5 | 3.5 | 9.1 | 90.9 |
| Jammu and Kashmir | 51.7 | 30.6 | 7.8 | 61.5 | 1 | 0.0 | 87.0 | 13.1 | 28.4 | 71.6 |
| Jharkhand | 47.5 | 8.3 | 24.6 | 67.1 | 1 | 51.5 | 29.6 | 19.0 | 30.1 | 69.9 |
| Karnataka | 80.7 | 53.5 | 16.0 | 30.5 | 1 | 10.5 | 66.8 | 22.8 | 9.6 | 90.4 |
| Kerala | 97.0 | 70.7 | 27.5 | 1.8 | 2 | 12.3 | 51.9 | 35.8 | - | - |
| Madhya Pradesh | 85.9 | 53.4 | 17.7 | 28.9 | 2 | 58.0 | 24.2 | 17.7 | 71.5 | 28.5 |
| Maharashtra | 91.4 | 59.3 | 24.9 | 15.8 | 2 | 62.6 | 12.8 | 24.7 | 70.6 | 29.4 |
| Orissa | 80.1 | 41.6 | 30.0 | 28.4 | 2 | 53.8 | 36.5 | 9.7 | 21.7 | 78.3 |
| Punjab | 58.3 | 33.6 | 16.3 | 50.1 | 1 | 13.0 | 44.5 | 42.5 | 55.7 | 44.3 |
| Rajasthan | 70.0 | 43.4 | 14.0 | 42.6 | 1 | 75.0 | 21.5 | 3.5 | 25.7 | 74.3 |
| Tamil Nadu | 96.7 | 78.2 | 15.5 | 6.3 | 3 | 21.1 | 65.3 | 13.6 | 32.1 | 67.9 |
| Uttar Pradesh | 6.2 | 5.0 | 0.9 | 94.2 | 0 | 25.7 | 41.1 | 33.3 | 49.3 | 50.7 |
| Uttarakhand | 15.4 | 0.0 | 9.0 | 91.0 | 0 | 36.2 | 23.8 | 39.9 | 23.3 | 76.7 |
| West Bengal | 74.2 | 21.6 | 20.7 | 57.8 | 2 | 32.3 | 65.6 | 2.1 | 7.5 | 92.5 |

Appendix Table 7.14: About Regular Check-Ups – Weight (Continued...)

(Figures in %)

| States/UTs | PW checked | Awareness about advantages | | | How many times (number) | Check-up from where | | | If not checked, why | |
|--------------------------|------------|-------------------------------|--------------------------------|------------|-------------------------|---------------------|---------------------|----------------|---------------------|--------|
| | | Knowledge about foetus growth | Knowledge about pregnancy risk | Don't know | | AWC/ANM | Government hospital | Private clinic | Not aware | Others |
| Delhi | 62.5 | 52.0 | 10.5 | 37.5 | 2 | 10.5 | 73.4 | 16.1 | 0.0 | 100.0 |
| Chandigarh | 100.0 | 57.7 | 42.3 | 0.0 | 3 | 17.9 | 82.1 | 0.0 | - | - |
| Arunachal Pradesh | 12.9 | 0.0 | 4.0 | 96.0 | 0 | 0.0 | 31.4 | 68.6 | 0.0 | 100.0 |
| Manipur | 98.4 | 57.8 | 23.7 | 18.5 | 5 | 1.6 | 48.2 | 50.2 | - | - |
| Meghalaya | 64.9 | 21.5 | 19.4 | 59.1 | 2 | 74.7 | 25.3 | 0.0 | 0.0 | 100.0 |
| Mizoram | 100.0 | 100.0 | 0.0 | 0.0 | 3 | 36.8 | 63.2 | 0.0 | - | - |
| Nagaland | 58.2 | 30.2 | 13.5 | 56.3 | 1 | 5.8 | 49.2 | 45.0 | 82.8 | 17.3 |
| Tripura | 72.8 | 32.1 | 0.0 | 67.9 | 2 | 22.7 | 26.3 | 51.1 | 38.0 | 62.0 |
| Sikkim | 100.0 | 10.7 | 0.0 | 89.3 | 3 | 49.5 | 50.6 | 0.0 | - | - |
| Dadar & Nagar Haveli | 100.0 | 54.3 | 17.4 | 28.3 | 3 | 0.0 | 82.6 | 17.4 | - | - |
| Daman & Diu | 100.0 | 85.1 | 14.9 | 0.0 | 2 | 0.0 | 85.1 | 14.9 | - | - |
| Goa | 100.0 | 100.0 | 0.0 | 0.0 | 2 | 0.0 | 18.2 | 81.8 | - | - |
| Puducherry | 100.0 | 100.0 | 0.0 | 0.0 | 1 | 0.0 | 100.0 | 0.0 | - | - |
| Andaman & Nicobar Island | 100.0 | 79.1 | 14.3 | 6.7 | 3 | 82.5 | 17.5 | 0.0 | - | - |
| All India | 56.4 | 33.1 | 14.9 | 52.0 | 1 | 42.5 | 38.8 | 18.7 | 40.7 | 59.3 |

Appendix Table 7.15: About Regular Check-Ups - Abdominal Examination

(Figures in %)

| States/UTs | PW checked | Awareness about advantages | | | How many times (number) | Check-up from where | | | If not checked, why | |
|-------------------|------------|-------------------------------|--------------------------------|------------|-------------------------|---------------------|---------------------|----------------|---------------------|--------|
| | | Knowledge about foetus growth | Knowledge about pregnancy risk | Don't know | | AWC/ANM | Government hospital | Private clinic | Not aware | Others |
| Andhra Pradesh | 90.4 | 54.9 | 23.9 | 21.2 | 2.0 | 24.8 | 37.2 | 38.0 | 23.4 | 76.6 |
| Assam | 33.8 | 17.2 | 12.9 | 69.9 | 1.0 | 13.5 | 67.8 | 18.7 | 47.0 | 53.1 |
| Bihar | 6.2 | 1.9 | 1.4 | 96.7 | 0.0 | 8.3 | 7.0 | 84.7 | 25.8 | 74.2 |
| Chhattisgarh | 52.2 | 22.4 | 28.7 | 48.9 | 1.0 | 35.9 | 44.4 | 19.7 | 8.0 | 92.1 |
| Gujarat | 78.1 | 32.5 | 29.9 | 37.6 | 1.0 | 43.0 | 31.7 | 25.2 | 1.4 | 98.6 |
| Haryana | 65.8 | 10.2 | 45.8 | 44.1 | 1.0 | 14.1 | 42.4 | 43.5 | 27.3 | 72.7 |
| Himachal Pradesh | 87.1 | 43.9 | 1.3 | 54.8 | 2.0 | 34.4 | 62.6 | 3.0 | 45.9 | 54.2 |
| Jammu and Kashmir | 64.4 | 30.9 | 11.5 | 57.6 | 1.0 | 0.7 | 87.0 | 12.4 | 21.5 | 78.5 |
| Jharkhand | 40.6 | 9.6 | 24.0 | 66.4 | 1.0 | 51.7 | 36.5 | 11.8 | 41.6 | 58.4 |
| Karnataka | 84.8 | 62.3 | 9.7 | 28.0 | 2.0 | 3.2 | 64.0 | 32.9 | 26.4 | 73.6 |
| Kerala | 95.4 | 76.7 | 18.7 | 4.7 | 1.0 | 9.8 | 53.8 | 36.4 | 25.8 | 74.2 |
| Madhya Pradesh | 63.2 | 43.1 | 8.4 | 48.5 | 1.0 | 38.2 | 34.6 | 27.2 | 68.7 | 31.4 |
| Maharashtra | 72.3 | 42.9 | 20.8 | 36.3 | 1.0 | 19.3 | 36.6 | 44.1 | 56.3 | 43.7 |
| Orissa | 78.6 | 39.5 | 35.6 | 25.0 | 2.0 | 28.6 | 53.8 | 17.7 | 28.4 | 71.6 |
| Punjab | 64.5 | 41.1 | 21.6 | 37.3 | 1.0 | 8.1 | 47.3 | 44.5 | 69.3 | 30.7 |
| Rajasthan | 59.2 | 22.1 | 27.8 | 50.1 | 1.0 | 46.8 | 31.6 | 21.6 | 31.2 | 68.8 |
| Tamil Nadu | 84.3 | 64.4 | 18.5 | 17.1 | 2.0 | 7.5 | 69.1 | 23.4 | 23.1 | 76.9 |
| Uttar Pradesh | 20.0 | 11.0 | 4.3 | 84.8 | 0.0 | 43.2 | 34.3 | 22.5 | 48.1 | 51.9 |
| Uttarakhand | 20.0 | 3.4 | 16.7 | 80.0 | 0.0 | 3.2 | 16.8 | 80.0 | 32.4 | 67.7 |
| West Bengal | 36.6 | 16.6 | 9.4 | 74.0 | 1.0 | 6.4 | 76.3 | 17.3 | 16.3 | 83.7 |

Appendix Table 7.15: About Regular Check-Ups - Abdominal Examination (Continued...)

(Figures in %)

| States/UTs | PW checked | Awareness about advantages | | | How many times (number) | Check-up from where | | | If not checked, why | |
|--------------------------|-------------|-------------------------------|--------------------------------|-------------|-------------------------|---------------------|---------------------|----------------|---------------------|-------------|
| | | Knowledge about foetus growth | Knowledge about pregnancy risk | Don't know | | AWC/ANM | Government hospital | Private clinic | Not aware | Others |
| Delhi | 89.5 | 29.5 | 60.1 | 10.5 | 1.0 | 0.0 | 50.9 | 49.1 | 0.0 | 100.0 |
| Chandigarh | 66.7 | 39.8 | 26.9 | 33.3 | 1.0 | 0.0 | 100.0 | 0.0 | 53.9 | 46.2 |
| Arunachal Pradesh | 4.0 | 0.0 | 4.0 | 96.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 | 100.0 |
| Manipur | 96.9 | 21.4 | 42.7 | 36.0 | 4.0 | 0.0 | 49.0 | 51.0 | 0.0 | 100.0 |
| Meghalaya | 24.9 | 19.8 | 5.1 | 75.1 | 0.0 | 18.7 | 81.3 | 0.0 | 10.7 | 89.3 |
| Mizoram | 100.0 | 59.7 | 0.0 | 40.4 | 2.0 | 26.3 | 73.7 | 0.0 | - | - |
| Nagaland | 42.1 | 12.1 | 30.0 | 57.9 | 1.0 | 8.6 | 16.9 | 74.5 | 69.8 | 30.2 |
| Tripura | 58.4 | 48.8 | 2.5 | 48.7 | 1.0 | 34.4 | 39.9 | 25.7 | 8.8 | 91.2 |
| Sikkim | 48.1 | 0.0 | 0.0 | 100.0 | 1.0 | 80.6 | 19.4 | 0.0 | 66.8 | 33.2 |
| Dadar & Nagar Haveli | 100.0 | 54.3 | 17.4 | 28.3 | 2.0 | 0.0 | 82.6 | 17.4 | - | - |
| Daman & Diu | 100.0 | 59.7 | 40.3 | 0.0 | 2.0 | 0.0 | 85.1 | 14.9 | - | - |
| Goa | 100.0 | 100.0 | 0.0 | 0.0 | 1.0 | 0.0 | 18.2 | 81.8 | - | - |
| Puducherry | 100.0 | 100.0 | 0.0 | 0.0 | 2.0 | 0.0 | 100.0 | 0.0 | - | - |
| Andaman & Nicobar Island | 14.1 | 7.4 | 0.0 | 92.6 | 0.0 | 0.0 | 100.0 | 0.0 | 84.6 | 15.4 |
| All India | 51.2 | 28.1 | 15.8 | 56.1 | 1.0 | 25.2 | 45.8 | 29.0 | 39.7 | 60.3 |

Appendix Table 7.16: Pregnant Women Ever Referred to SC/PHC

(Figures in %)

| States/UTs | During current pregnancy | During last pregnancy | This is first pregnancy |
|-------------------|--------------------------|-----------------------|-------------------------|
| Andhra Pradesh | 72.2 | 63.3 | 34.6 |
| Assam | 21.4 | 39.4 | 40.4 |
| Bihar | 2.0 | 39.2 | 30.1 |
| Chhattisgarh | 15.8 | 47.0 | 49.3 |
| Gujarat | 18.7 | 70.5 | 28.0 |
| Haryana | 6.5 | 47.1 | 45.0 |
| Himachal Pradesh | 33.1 | 58.4 | 37.7 |
| Jammu and Kashmir | 3.5 | 69.4 | 18.5 |
| Jharkhand | 16.2 | 46.0 | 43.4 |
| Karnataka | 38.9 | 52.3 | 44.6 |
| Kerala | 3.8 | 46.1 | 38.5 |
| Madhya Pradesh | 7.2 | 61.6 | 35.7 |
| Maharashtra | 40.3 | 68.0 | 25.2 |
| Orissa | 11.3 | 61.2 | 37.6 |
| Punjab | 4.0 | 49.2 | 45.6 |
| Rajasthan | 10.8 | 65.0 | 27.6 |
| Tamil Nadu | 49.3 | 51.9 | 41.9 |
| Uttar Pradesh | 4.5 | 60.3 | 17.4 |
| Uttrakhand | 7.8 | 62.8 | 28.3 |
| West Bengal | 17.1 | 52.9 | 44.1 |
| Delhi | 0.0 | 28.9 | 51.1 |
| Chandigarh | 0.0 | 82.1 | 17.9 |
| Arunachal Pradesh | 2.0 | 32.4 | 19.8 |
| Manipur | 12.6 | 63.3 | 36.7 |
| Meghalaya | 13.3 | 63.8 | 28.3 |
| Mizoram | 0.0 | 0.0 | 100.0 |
| Nagaland | 9.0 | 31.8 | 35.7 |

Appendix Table 7.16: Pregnant Women Ever Referred To SC/PHC (Continued...)

(Figures in %)

| States/UTs | During current pregnancy | During last pregnancy | This is first pregnancy |
|-------------------------------------|--------------------------|-----------------------|-------------------------|
| Tripura | 20.1 | 15.8 | 75.0 |
| Sikkim | 27.9 | 12.0 | 88.0 |
| Dadar & Nagar Haveli | 71.8 | 60.9 | 39.1 |
| Daman & Diu | 100.0 | 73.2 | 26.8 |
| Goa | 0.0 | 68.2 | 31.8 |
| Puducherry | 55.3 | 37.6 | 47.1 |
| Andaman & Nicobar Island | 0.0 | 42.2 | 48.0 |
| All India | 18.9 | 56.3 | 32.2 |

Appendix Table 7.17: Pregnant Women Attended NHE Meetings

(Figures in %)

| States/UTs | PW |
|-------------------|------|
| Andhra Pradesh | 45.7 |
| Assam | 7.5 |
| Bihar | 13.7 |
| Chhattisgarh | 32.5 |
| Gujarat | 38.5 |
| Haryana | 32.5 |
| Himachal Pradesh | 51.1 |
| Jammu and Kashmir | 11.8 |
| Jharkhand | 30.8 |
| Karnataka | 21.5 |
| Kerala | 50.1 |
| Madhya Pradesh | 17.5 |
| Maharashtra | 31.2 |
| Orissa | 42.2 |
| Punjab | 9.6 |
| Rajasthan | 19.1 |
| Tamil Nadu | 32.9 |
| Uttar Pradesh | 11.2 |
| Uttrakhand | 13.0 |
| West Bengal | 17.3 |
| Delhi | 14.2 |
| Chandigarh | 82.1 |
| Arunachal Pradesh | 0.0 |
| Manipur | 12.7 |
| Meghalaya | 35.6 |
| Mizoram | 10.5 |
| Nagaland | 7.9 |

Appendix Table 7.17: Pregnant Women Attended NHE Meetings (Continued...)**(Figures in %)**

| States/UTs | PW |
|-------------------------------------|-------------|
| Tripura | 19.4 |
| Sikkim | 21.8 |
| Dadar & Nagar Haveli | 17.4 |
| Daman & Diu | 40.3 |
| Goa | 30.7 |
| Puducherry | 5.9 |
| Andaman & Nicobar Island | 4.6 |
| All India | 22.4 |

Appendix Table 7.18: Pregnant Women Following Advices Regarding Services/Activities about Child Care Discussed During NHE

| States/UTs | Taking care and monitoring of child's growth | Timely immunization | About breast feeding | About colostrum feeding | About treatment of diarrhoea/ minor illness | About preparation of nutritious food/feeding practices | Provide medicine/ consult AWW during illness | Importance of education of the child | Cleanliness and hygiene |
|--------------------------|--|---------------------|----------------------|-------------------------|---|--|--|--------------------------------------|-------------------------|
| Andhra Pradesh | 53.5 | 53.5 | 54.0 | 54.0 | 53.5 | 52.2 | 55.1 | 52.3 | 53.4 |
| Assam | 9.0 | 9.0 | 8.1 | 7.2 | 12.3 | 9.0 | 12.3 | 9.0 | 10.5 |
| Bihar | 11.7 | 12.8 | 12.8 | 10.5 | 12.3 | 7.4 | 9.9 | 11.8 | 10.4 |
| Chhattisgarh | 28.7 | 39.0 | 34.3 | 33.9 | 54.2 | 14.0 | 13.1 | 31.6 | 41.8 |
| Gujarat | 37.1 | 42.7 | 33.5 | 28.8 | 36.5 | 21.1 | 32.3 | 30.9 | 38.0 |
| Haryana | 32.5 | 32.5 | 32.5 | 30.9 | 31.7 | 32.5 | 31.7 | 32.5 | 32.5 |
| Himachal Pradesh | 51.1 | 51.1 | 51.1 | 44.6 | 51.1 | 51.1 | 44.6 | 51.1 | 43.7 |
| Jammu and Kashmir | 11.8 | 11.8 | 11.8 | 11.4 | 10.7 | 11.8 | 11.4 | 11.8 | 11.4 |
| Jharkhand | 28.8 | 35.2 | 26.0 | 31.6 | 22.9 | 17.3 | 30.3 | 37.5 | 26.7 |
| Karnataka | 21.6 | 21.2 | 20.6 | 18.0 | 20.6 | 19.8 | 20.2 | 20.4 | 21.2 |
| Kerala | 53.4 | 53.4 | 51.2 | 51.2 | 51.2 | 51.2 | 48.1 | 50.4 | 53.4 |
| Madhya Pradesh | 20.8 | 20.8 | 20.8 | 20.5 | 18.5 | 18.8 | 20.8 | 18.5 | 20.5 |
| Maharashtra | 46.8 | 48.1 | 43.8 | 43.9 | 39.4 | 41.4 | 39.0 | 44.8 | 38.9 |
| Orissa | 39.7 | 41.5 | 38.5 | 30.9 | 26.5 | 21.1 | 26.0 | 30.1 | 34.9 |
| Punjab | 11.9 | 11.9 | 11.9 | 10.1 | 7.4 | 7.4 | 10.1 | 10.1 | 10.1 |
| Rajasthan | 19.6 | 21.0 | 21.3 | 20.4 | 14.7 | 13.0 | 15.4 | 20.6 | 18.2 |
| Tamil Nadu | 34.7 | 36.5 | 34.1 | 34.1 | 35.3 | 35.6 | 35.3 | 33.3 | 36.3 |
| Uttar Pradesh | 7.7 | 10.9 | 10.4 | 9.3 | 7.3 | 7.9 | 7.2 | 7.9 | 7.8 |
| Uttrakhand | 13.4 | 13.4 | 9.9 | 9.9 | 13.4 | 13.0 | 9.9 | 13.4 | 13.4 |
| West Bengal | 24.8 | 33.2 | 21.8 | 22.9 | 19.1 | 16.7 | 19.4 | 28.4 | 24.1 |

**Appendix Table 7.18: Pregnant Women Following Advices Regarding Services/Activities about Child Care Discussed During NHE
(Continued...)**

| States/UTs | Taking care and monitoring of child's growth | Timely immunization | About breastfeeding | About colostrum feeding | About treatment of diarrhoea/ minor illness | About preparation of nutritious food/feeding practices | Provide medicine/ consult AWW during illness | Importance of education of the child | Cleanliness and hygiene |
|-------------------------------------|--|---------------------|---------------------|-------------------------|---|--|--|--------------------------------------|-------------------------|
| Delhi | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 |
| Chandigarh | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 |
| Arunachal Pradesh | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Manipur | 12.7 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 |
| Meghalaya | 10.1 | 10.1 | 10.1 | 10.1 | 10.1 | 2.5 | 10.1 | 10.1 | 2.5 |
| Mizoram | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 |
| Nagaland | 0.0 | 7.9 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 7.9 | 0.0 |
| Tripura | 3.8 | 22.9 | 5.6 | 4.7 | 3.8 | 3.0 | 21.2 | 5.6 | 3.0 |
| Sikkim | 35.9 | 46.1 | 46.1 | 34.6 | 20.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| Dadar & Nagar Haveli | 45.7 | 45.7 | 45.7 | 45.7 | 31.5 | 45.7 | 45.7 | 31.5 | 31.5 |
| Daman & Diu | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 |
| Goa | 30.7 | 30.7 | 18.2 | 18.2 | 30.7 | 30.7 | 30.7 | 30.7 | 30.7 |
| Puducherry | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 |
| Andaman & Nicobar Island | 0.0 | 4.6 | 4.6 | 2.8 | 2.8 | 0.0 | 0.0 | 4.6 | 2.8 |
| All India | 23.3 | 25.8 | 23.6 | 22.6 | 21.9 | 19.3 | 20.9 | 22.9 | 22.7 |

Appendix Table 7.19: Pregnant Women Following Advices Regarding Services/Activities about Mother Care Discussed During NHE (%)

| States/UTs | About immunization during pregnancy | About institutional delivery | Precautions in case of home delivery | About feeding practices during pregnancy and lactating period | About correct posture during pregnancy | About correct posture during breast feeding | About self care & health (cleanliness & hygiene) | About diseases/ illness | About nipple hygiene | About family planning |
|-------------------|-------------------------------------|------------------------------|--------------------------------------|---|--|---|--|-------------------------|----------------------|-----------------------|
| Andhra Pradesh | 57.6 | 57.1 | 48.4 | 57.6 | 57.3 | 56.7 | 58.4 | 57.9 | 54.8 | 39.9 |
| Assam | 10.2 | 10.2 | 9.3 | 9.3 | 11.7 | 10.5 | 8.1 | 9.0 | 8.4 | 12.3 |
| Bihar | 8.5 | 9.8 | 9.8 | 9.8 | 11.0 | 11.0 | 9.6 | 12.0 | 9.6 | 12.0 |
| Chhattisgarh | 61.0 | 48.7 | 49.2 | 21.0 | 24.9 | 24.5 | 37.4 | 55.3 | 11.5 | 4.1 |
| Gujarat | 42.7 | 32.6 | 33.4 | 30.0 | 21.3 | 20.6 | 36.8 | 32.3 | 31.5 | 28.7 |
| Haryana | 32.5 | 32.5 | 32.5 | 32.5 | 31.7 | 32.5 | 31.7 | 31.7 | 31.7 | 30.9 |
| Himachal Pradesh | 51.1 | 50.2 | 43.7 | 43.7 | 50.2 | 50.2 | 51.1 | 50.2 | 39.8 | 50.2 |
| Jammu and Kashmir | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.4 | 11.8 | 11.8 | 11.4 | 11.4 |
| Jharkhand | 33.8 | 26.7 | 31.8 | 21.1 | 26.8 | 26.5 | 21.6 | 25.3 | 21.5 | 24.1 |
| Karnataka | 20.6 | 20.2 | 18.4 | 19.7 | 20.2 | 20.6 | 19.4 | 21.0 | 15.3 | 20.2 |
| Kerala | 51.2 | 50.2 | 9.6 | 51.2 | 51.2 | 51.2 | 51.2 | 48.1 | 50.6 | 46.2 |
| Madhya Pradesh | 20.8 | 20.8 | 20.8 | 20.5 | 20.5 | 20.8 | 20.8 | 20.8 | 20.5 | 20.5 |
| Maharashtra | 47.7 | 44.6 | 40.2 | 35.0 | 41.3 | 43.2 | 40.1 | 34.9 | 39.0 | 38.5 |
| Orissa | 45.0 | 39.9 | 27.5 | 34.3 | 40.1 | 34.4 | 37.8 | 38.9 | 29.0 | 21.6 |
| Punjab | 11.9 | 11.9 | 11.9 | 10.1 | 7.8 | 11.9 | 7.4 | 9.2 | 10.1 | 10.1 |
| Rajasthan | 22.6 | 16.8 | 17.6 | 21.9 | 20.0 | 16.1 | 21.7 | 17.4 | 11.4 | 15.7 |
| Tamil Nadu | 37.2 | 35.8 | 34.1 | 34.5 | 36.9 | 34.2 | 36.9 | 37.3 | 34.8 | 33.6 |
| Uttar Pradesh | 10.2 | 7.6 | 5.9 | 7.9 | 7.0 | 6.4 | 7.7 | 6.8 | 7.2 | 8.6 |
| Uttaranchal | 13.4 | 9.5 | 13.4 | 13.4 | 13.4 | 13.4 | 13.4 | 13.4 | 13.4 | 13.4 |
| West Bengal | 35.6 | 34.6 | 29.8 | 19.6 | 23.3 | 18.9 | 17.5 | 26.5 | 17.0 | 25.4 |

Appendix Table 7.19: Pregnant Women Following Advices Regarding Services/Activities about Mother Care Discussed During NHE (%)
(Continued...)

| States/UTs | About immunization during pregnancy | About institutional delivery | Precautions in case of home delivery | About feeding practices during pregnancy and lactating period | About correct posture during pregnancy | About correct posture during breast feeding | About self care & health (cleanliness & hygiene) | About diseases/illness | About nipple hygiene | About family planning |
|--------------------------------------|-------------------------------------|------------------------------|--------------------------------------|---|--|---|--|------------------------|----------------------|-----------------------|
| Delhi | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 | 14.2 |
| Chandigarh | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 | 82.1 |
| Arunachal Pradesh | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Manipur | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 19.0 | 12.7 |
| Meghalaya | 10.1 | 10.1 | 10.1 | 6.3 | 2.5 | 2.5 | 2.5 | 6.3 | 2.5 | 10.1 |
| Mizoram | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 | 10.5 |
| Nagaland | 0.0 | 0.0 | 7.9 | 7.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Tripura | 5.6 | 3.8 | 3.8 | 3.8 | 3.0 | 3.8 | 3.8 | 2.1 | 3.0 | 22.9 |
| Sikkim | 69.4 | 46.1 | 46.1 | 10.3 | 0.0 | 0.0 | 21.8 | 33.3 | 21.8 | 42.3 |
| Dadar & Nagar Haveli | 45.7 | 45.7 | 31.5 | 45.7 | 31.5 | 31.5 | 45.7 | 45.7 | 45.7 | 45.7 |
| Daman & Diu | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 | 40.3 |
| Goa | 30.7 | 30.7 | 30.7 | 18.2 | 18.2 | 18.2 | 30.7 | 30.7 | 18.2 | 30.7 |
| Puducherry | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 |
| Anadaman & Nicobar Island | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 1.9 | 0.0 | 0.0 | 4.6 |
| Total | 26.6 | 24.0 | 21.6 | 21.4 | 22.3 | 21.4 | 22.5 | 23.0 | 19.7 | 19.7 |

Appendix Table 7.20: Awareness and Use of Boil Water (%)

| States/UTs | % of PW using iodized salt | % of PW know method of delay/avoid of pregnancy | Legal of age for marriage (year): reported by PW | % of PW using boiled water |
|-------------------|----------------------------|---|--|----------------------------|
| Andhra Pradesh | 69.2 | 41.1 | 19 | 59.6 |
| Assam | 90.0 | 96.0 | 19 | 75.5 |
| Bihar | 83.7 | 57.9 | 18 | 26.5 |
| Chhattisgarh | 78.2 | 81.3 | 18 | 70.0 |
| Gujarat | 79.6 | 81.3 | 18 | 47.9 |
| Haryana | 100.0 | 28.3 | 18 | 44.1 |
| Himachal Pradesh | 98.9 | 72.7 | 18 | 91.9 |
| Jammu and Kashmir | 92.6 | 50.2 | 20 | 80.9 |
| Jharkhand | 95.1 | 76.5 | 18 | 38.9 |
| Karnataka | 58.4 | 20.2 | 18 | 75.3 |
| Kerala | 100.0 | 92.8 | 19 | 95.4 |
| Madhya Pradesh | 92.4 | 59.0 | 18 | 68.5 |
| Maharashtra | 94.8 | 83.6 | 18 | 49.2 |
| Orissa | 83.1 | 93.4 | 20 | 55.1 |
| Punjab | 39.1 | 87.2 | 18 | 37.1 |
| Rajasthan | 93.6 | 96.6 | 18 | 36.7 |
| Tamil Nadu | 89.3 | 56.1 | 21 | 88.0 |
| Uttar Pradesh | 51.8 | 76.6 | 18 | 46.3 |
| Uttarakhand | 74.9 | 84.9 | 19 | 54.7 |
| West Bengal | 87.0 | 83.6 | 18 | 24.1 |

Appendix Table 7.20: Awareness and Use of Boil Water (%) (Continued...)

| States/UTs | % of PW using iodized salt | % of PW know method of delay/avoid of pregnancy | Legal of age for marriage (year): reported by PW | % of PW using boiled water |
|--------------------------|----------------------------|---|--|----------------------------|
| Delhi | 100.0 | 54.9 | 18 | 51.3 |
| Chandigarh | 100.0 | 100.0 | 18 | 100.0 |
| Arunachal Pradesh | 81.8 | 63.9 | 18 | 81.8 |
| Manipur | 100.0 | 96.9 | 19 | 97.6 |
| Meghalaya | 100.0 | 65.7 | 18 | 43.9 |
| Mizoram | 100.0 | 100.0 | 18 | 29.8 |
| Nagaland | 85.5 | 70.5 | 18 | 90.0 |
| Tripura | 98.3 | 18.3 | 18 | 53.5 |
| Sikkim | 100.0 | 100.0 | 21 | 61.2 |
| Dadar & Nagar Haveli | 100.0 | 85.9 | 19 | 85.9 |
| Daman & Diu | 100.0 | 100.0 | 18 | 100.0 |
| Goa | 100.0 | 100.0 | 18 | 90.9 |
| Puducherry | 100.0 | 84.7 | 21 | 74.1 |
| Andaman & Nicobar Island | 100.0 | 97.3 | 18 | 1.9 |
| All India | 76.0 | 71.0 | 19 | 52.8 |

Appendix Table 7.21: Pregnant Women's Perception about Ideal Birth Interval

| States/UTs | 1 to 2 Years | 3 to 4 Years | 5 to 6 Years | More than 6 years | Don't know |
|-------------------|--------------|--------------|--------------|-------------------|------------|
| Andhra Pradesh | 13.9 | 62.5 | 8.6 | 2.3 | 12.7 |
| Assam | 1.9 | 61.5 | 28.5 | 0.0 | 8.2 |
| Bihar | 13.3 | 43.0 | 10.6 | 0.0 | 33.1 |
| Chhattisgarh | 19.0 | 54.4 | 3.1 | 0.0 | 23.5 |
| Gujarat | 32.1 | 52.5 | 2.3 | 0.0 | 13.2 |
| Haryana | 19.6 | 47.7 | 8.1 | 1.4 | 23.2 |
| Himachal Pradesh | 11.2 | 83.0 | 4.7 | 0.0 | 1.1 |
| Jammu and Kashmir | 12.9 | 61.9 | 16.7 | 0.0 | 8.5 |
| Jharkhand | 2.0 | 54.7 | 19.5 | 1.9 | 21.9 |
| Karnataka | 34.1 | 28.3 | 0.0 | 0.0 | 37.6 |
| Kerala | 7.3 | 71.6 | 15.5 | 0.0 | 5.6 |
| Madhya Pradesh | 9.1 | 64.3 | 11.2 | 0.7 | 14.7 |
| Maharashtra | 17.9 | 64.0 | 13.6 | 0.0 | 4.6 |
| Orissa | 3.4 | 42.7 | 46.0 | 0.3 | 7.7 |
| Punjab | 2.5 | 64.0 | 7.0 | 0.0 | 26.5 |
| Rajasthan | 14.1 | 63.4 | 15.5 | 0.0 | 7.0 |
| Tamil Nadu | 20.0 | 61.0 | 13.5 | 0.6 | 4.9 |
| Uttar Pradesh | 5.2 | 54.9 | 21.3 | 0.1 | 18.6 |
| Uttrakhand | 6.5 | 27.8 | 50.5 | 3.3 | 12.0 |
| West Bengal | 1.2 | 41.9 | 31.0 | 9.4 | 16.5 |

Appendix Table 7.21: Pregnant Women's Perception about Ideal Birth Interval (Continued...)

| States/UTs | 1 to 2 Years | 3 to 4 Years | 5 to 6 Years | More than 6 years | Don't know |
|--------------------------|--------------|--------------|--------------|-------------------|-------------|
| Delhi | 8.6 | 67.9 | 16.9 | 0.0 | 6.7 |
| Chandigarh | 0.0 | 76.9 | 0.0 | 0.0 | 23.1 |
| Arunachal Pradesh | 3.1 | 5.2 | 2.0 | 0.0 | 89.7 |
| Manipur | 7.9 | 75.1 | 17.0 | 0.0 | 0.0 |
| Meghalaya | 51.1 | 34.2 | 4.2 | 0.0 | 10.5 |
| Mizoram | 73.7 | 26.3 | 0.0 | 0.0 | 0.0 |
| Nagaland | 8.6 | 43.6 | 3.4 | 0.0 | 44.5 |
| Tripura | 0.0 | 16.5 | 58.7 | 21.0 | 3.8 |
| Sikkim | 0.0 | 21.3 | 28.1 | 0.0 | 50.6 |
| Dadar & Nagar Haveli | 0.0 | 81.5 | 18.5 | 0.0 | 0.0 |
| Daman & Diu | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 |
| Goa | 18.2 | 81.8 | 0.0 | 0.0 | 0.0 |
| Puducherry | 21.2 | 78.8 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Island | 0.0 | 35.0 | 44.5 | 0.0 | 20.5 |
| All India | 11.3 | 54.2 | 17.1 | 1.0 | 16.5 |

Appendix Table 7.22: Status of TT Vaccine During Pregnancy

(Figures in %)

| States/UTs | LM aware about post natal care services at AWC | LM took TT | Source | | | If no, why? | | |
|-------------------|--|------------|---------|---------------------|--------|----------------------|-----------|--------|
| | | | AWC/ANM | Government hospital | Others | Not available at AWC | Not aware | Others |
| Andhra Pradesh | 85.5 | 97.2 | 71.3 | 20.5 | 8.3 | 0.0 | 0.0 | 100.0 |
| Assam | 95.1 | 95.2 | 39.9 | 17.2 | 42.9 | 21.9 | 0.0 | 78.1 |
| Bihar | 30.5 | 94.1 | 71.7 | 14.9 | 13.4 | 9.3 | 58.5 | 32.2 |
| Chhattisgarh | 67.2 | 100.0 | 80.8 | 17.7 | 1.5 | - | - | - |
| Gujarat | 89.4 | 95.8 | 54.9 | 23.4 | 21.7 | 0.0 | 33.5 | 66.6 |
| Haryana | 66.5 | 100.0 | 62.8 | 1.8 | 35.4 | - | - | - |
| Himachal Pradesh | 35.9 | 100.0 | 11.7 | 70.8 | 17.6 | - | - | - |
| Jammu and Kashmir | 47.5 | 100.0 | 2.8 | 78.0 | 19.3 | - | - | - |
| Jharkhand | 73.8 | 99.4 | 74.7 | 21.6 | 3.6 | 0.0 | 0.0 | 100.0 |
| Karnataka | 57.9 | 97.1 | 55.3 | 40.4 | 4.3 | 57.0 | 0.0 | 43.0 |
| Kerala | 85.3 | 100.0 | 0.6 | 84.1 | 15.4 | - | - | - |
| Madhya Pradesh | 61.2 | 95.0 | 67.7 | 28.4 | 4.0 | 26.2 | 50.7 | 23.1 |
| Maharashtra | 99.7 | 98.7 | 65.1 | 21.1 | 13.8 | 63.6 | 0.0 | 36.4 |
| Orissa | 99.9 | 98.8 | 76.9 | 16.1 | 7.0 | 0.0 | 0.0 | 100.0 |
| Punjab | 63.6 | 96.0 | 32.5 | 28.8 | 38.7 | 0.0 | 0.0 | 100.0 |
| Rajasthan | 94.7 | 99.1 | 88.0 | 9.3 | 2.7 | 0.0 | 0.0 | 100.0 |
| Tamil Nadu | 89.3 | 94.0 | 13.2 | 72.8 | 14.0 | 0.6 | 40.1 | 59.3 |
| Uttar Pradesh | 47.9 | 85.5 | 58.6 | 26.9 | 14.6 | 17.3 | 35.3 | 47.4 |
| Uttarkhand | 90.6 | 81.6 | 54.5 | 23.3 | 22.3 | 46.8 | 0.0 | 53.2 |
| West Bengal | 68.5 | 82.6 | 28.8 | 67.9 | 3.2 | 0.0 | 0.0 | 100.0 |

Appendix Table 7.22: Status of TT Vaccine During Pregnancy (Continued...)

(Figures in %)

| States/UTs | LM aware about post natal care services at AWC | LM took TT | Source | | | If no, why? | | |
|---------------------------|--|-------------|-------------|---------------------|-------------|----------------------|-------------|-------------|
| | | | AWC/ANM | Government hospital | Others | Not available at AWC | Not aware | Others |
| Delhi | 86.5 | 100.0 | 37.2 | 32.1 | 30.8 | - | - | - |
| Chandigarh | 68.6 | 100.0 | 0.0 | 100.0 | 0.0 | - | - | - |
| Arunachal Pradesh | 44.9 | 16.6 | 0.0 | 91.2 | 8.9 | 5.8 | 20.8 | 73.4 |
| Manipur | 50.7 | 98.5 | 44.2 | 27.7 | 28.2 | 100.0 | 0.0 | 0.0 |
| Meghalaya | 22.2 | 100.0 | 57.2 | 24.0 | 18.8 | - | - | - |
| Mizoram | 83.3 | 94.7 | 0.0 | 40.7 | 59.3 | 0.0 | 0.0 | 100.0 |
| Nagaland | 55.5 | 95.5 | 9.5 | 50.1 | 40.4 | 0.0 | 0.0 | 100.0 |
| Tripura | 39.9 | 80.3 | 3.9 | 42.1 | 54.0 | 78.2 | 16.7 | 5.1 |
| Sikkim | 76.0 | 100.0 | 68.0 | 32.0 | 0.0 | - | - | - |
| Dadar & Nagar Haveli | 100.0 | 100.0 | 15.8 | 73.1 | 11.1 | - | - | - |
| Daman & Diu | 100.0 | 100.0 | 70.1 | 29.9 | 0.0 | - | - | - |
| Goa | 36.9 | 100.0 | 0.0 | 45.3 | 54.7 | - | - | - |
| Puducherry | 100.0 | 85.6 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 80.4 | 97.8 | 84.8 | 15.2 | 0.0 | 0.0 | 0.0 | 100.0 |
| All India | 68.8 | 93.1 | 58.2 | 28.7 | 13.1 | 15.5 | 26.3 | 58.2 |

Appendix Table 7.23: About IFA Tablets

(Figures in %)

| States/UTs | LM consumed IFA tablets | Source | | If no, why? | | |
|-------------------|-------------------------|---------|--------|---------------|-----------|--------|
| | | AWC/ANM | Others | Not available | Not aware | Others |
| Andhra Pradesh | 57.9 | 85.5 | 14.5 | 15.0 | 22.5 | 62.5 |
| Assam | 41.2 | 90.6 | 9.4 | 7.9 | 32.6 | 59.5 |
| Bihar | 11.5 | 68.5 | 31.5 | 32.6 | 35.1 | 32.3 |
| Chhattisgarh | 14.7 | 100.0 | 0.0 | 14.2 | 15.3 | 70.5 |
| Gujarat | 52.1 | 100.0 | 0.0 | 3.9 | 0.7 | 95.4 |
| Haryana | 42.0 | 100.0 | 0.0 | 4.0 | 29.2 | 66.9 |
| Himachal Pradesh | 45.2 | 93.5 | 6.5 | 10.3 | 26.1 | 63.6 |
| Jammu and Kashmir | 45.7 | 49.9 | 50.2 | 11.3 | 35.6 | 53.1 |
| Jharkhand | 32.9 | 95.6 | 4.4 | 9.6 | 41.8 | 48.7 |
| Karnataka | 78.4 | 71.9 | 28.1 | 4.6 | 38.9 | 56.5 |
| Kerala | 28.7 | 45.0 | 55.0 | 31.4 | 14.4 | 54.2 |
| Madhya Pradesh | 26.0 | 92.3 | 7.7 | 22.7 | 25.5 | 51.8 |
| Maharashtra | 73.4 | 92.4 | 7.6 | 5.4 | 14.1 | 80.6 |
| Orissa | 33.8 | 100.0 | 0.0 | 4.1 | 17.1 | 78.8 |
| Punjab | 57.3 | 93.9 | 6.1 | 16.6 | 18.3 | 65.1 |
| Rajasthan | 21.5 | 96.6 | 3.4 | 16.2 | 9.3 | 74.5 |
| Tamil Nadu | 60.0 | 66.0 | 34.0 | 14.9 | 25.8 | 59.3 |
| Uttar Pradesh | 11.3 | 92.2 | 7.9 | 22.7 | 30.4 | 46.9 |
| Uttarkhand | 22.5 | 79.7 | 20.3 | 24.7 | 7.2 | 68.1 |
| West Bengal | 39.1 | 74.2 | 25.8 | 2.5 | 8.0 | 89.5 |

Appendix Table 7.23: About IFA Tablets (Continued...)

(Figures in %)

| States/UTs | LM consumed IFA tablets | Source | | If no, why? | | |
|--------------------------------------|-------------------------|-------------|-------------|---------------|-------------|-------------|
| | | AWC/ANM | Others | Not available | Not aware | Others |
| Delhi | 43.1 | 100.0 | 0.0 | 8.9 | 10.9 | 80.2 |
| Chandigarh | 9.0 | 0.0 | 100.0 | 0.0 | 9.9 | 90.2 |
| Arunachal Pradesh | 13.6 | 0.0 | 100.0 | 35.3 | 3.1 | 61.6 |
| Manipur | 0.0 | - | - | 0.0 | 21.6 | 78.4 |
| Meghalaya | 66.0 | 77.9 | 22.1 | 0.0 | 0.0 | 100.0 |
| Mizoram | 43.0 | 61.2 | 38.8 | 0.0 | 0.0 | 100.0 |
| Nagaland | 9.5 | 0.0 | 100.0 | 2.1 | 3.0 | 94.9 |
| Tripura | 27.7 | 10.9 | 89.1 | 5.7 | 55.4 | 38.8 |
| Sikkim | 15.0 | 100.0 | 0.0 | 0.0 | 20.0 | 80.0 |
| Dadar & Nagar Haveli | 26.2 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| Daman & Diu | 46.2 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| Goa | 100.0 | 0.0 | 100.0 | - | - | - |
| Puducherry | 56.6 | 36.2 | 63.9 | 0.0 | 0.0 | 100.0 |
| Andaman & Nicobar Islands | 49.0 | 100.0 | 0.0 | 0.0 | 3.0 | 97.0 |
| All India | 33.9 | 85.7 | 14.3 | 16.8 | 24.6 | 58.7 |

Appendix Table 7.24: Lactating Mother Attended NHE Meetings

(Figures in %)

| States/UTs | LM who have attended NHE meetings in the last one month |
|-------------------|---|
| Andhra Pradesh | 44.3 |
| Assam | 13.2 |
| Bihar | 3.5 |
| Chhattisgarh | 47.2 |
| Gujarat | 41.5 |
| Haryana | 28.8 |
| Himachal Pradesh | 11.4 |
| Jammu and Kashmir | 18.9 |
| Jharkhand | 31.9 |
| Karnataka | 6.8 |
| Kerala | 36.4 |
| Madhya Pradesh | 17.8 |
| Maharashtra | 39.4 |
| Orissa | 34.2 |
| Punjab | 9.7 |
| Rajasthan | 13.1 |
| Tamil Nadu | 31.5 |
| Uttar Pradesh | 7.9 |
| Uttarkhand | 25.5 |
| West Bengal | 11.1 |
| Delhi | 25.8 |
| Chandigarh | 62.8 |
| Arunachal Pradesh | 0.0 |
| Manipur | 0.0 |
| Meghalaya | 23.3 |
| Mizoram | 57.0 |
| Nagaland | 4.7 |

Appendix Table 7.24: Lactating Mother Attended NHE Meetings (Continued...)

(Figures in %)

| States/UTs | LM who have attended NHE meetings in the last one month |
|---------------------------|---|
| Tripura | 1.7 |
| Sikkim | 0.0 |
| Dadar & Nagar Haveli | 4.1 |
| Daman & Diu | 28.3 |
| Goa | 0.0 |
| Puducherry | 0.0 |
| Andaman & Nicobar Islands | 0.0 |
| All India | 20.3 |

Appendix Table 7.25: Lactating Mothers Following Advices Regarding Services/Activities about Child Care Discussed During NHE

| States/UTs | Taking care and monitoring of child's growth | Timely immunization | About breastfeeding | About colostrum feeding | About treatment of diarrhoea/minor illness | About preparation of nutritious food/feeding practices | Provide medicine/consult AWW during illness | Importance of education of the child | Cleanliness and hygiene |
|--------------------------|--|---------------------|---------------------|-------------------------|--|--|---|--------------------------------------|-------------------------|
| Andhra Pradesh | 57.7 | 56.8 | 57.7 | 56.8 | 53.1 | 53.0 | 57.3 | 53.6 | 58.4 |
| Assam | 14.2 | 14.2 | 16.3 | 15.5 | 10.2 | 9.3 | 9.7 | 11.9 | 10.5 |
| Bihar | 3.0 | 3.5 | 2.5 | 2.5 | 3.5 | 1.8 | 0.3 | 2.5 | 1.8 |
| Chhattisgarh | 59.9 | 61.4 | 53.4 | 50.0 | 57.5 | 22.2 | 21.9 | 27.5 | 40.2 |
| Gujarat | 50.8 | 61.4 | 52.5 | 42.4 | 45.9 | 43.0 | 38.6 | 43.9 | 52.6 |
| Haryana | 28.8 | 28.8 | 28.8 | 28.8 | 27.7 | 27.7 | 28.8 | 28.8 | 28.8 |
| Himachal Pradesh | 20.9 | 20.9 | 20.9 | 11.4 | 14.3 | 20.9 | 14.3 | 20.9 | 14.3 |
| Jammu and Kashmir | 18.8 | 19.4 | 19.4 | 19.4 | 18.8 | 19.4 | 18.0 | 19.4 | 19.4 |
| Jharkhand | 36.8 | 39.6 | 25.6 | 22.7 | 30.3 | 24.4 | 27.5 | 36.2 | 32.5 |
| Karnataka | 8.3 | 5.7 | 8.3 | 4.3 | 8.3 | 5.7 | 8.3 | 4.7 | 8.3 |
| Kerala | 39.6 | 39.6 | 39.6 | 39.6 | 39.6 | 39.6 | 39.6 | 37.9 | 39.6 |
| Madhya Pradesh | 17.3 | 17.3 | 17.3 | 17.3 | 17.3 | 17.3 | 16.8 | 16.8 | 16.8 |
| Maharashtra | 46.5 | 47.5 | 45.8 | 43.0 | 46.7 | 35.3 | 42.8 | 40.8 | 34.4 |
| Orissa | 39.4 | 41.9 | 34.9 | 32.1 | 29.8 | 21.7 | 19.8 | 22.5 | 33.8 |
| Punjab | 7.1 | 5.2 | 7.1 | 9.7 | 5.0 | 5.2 | 5.2 | 7.1 | 9.7 |
| Rajasthan | 12.4 | 13.1 | 13.1 | 12.4 | 10.9 | 9.4 | 7.6 | 10.1 | 10.9 |
| Tamil Nadu | 38.6 | 38.2 | 37.9 | 33.3 | 38.1 | 38.0 | 37.8 | 31.5 | 37.3 |
| Uttar Pradesh | 7.5 | 7.9 | 7.1 | 6.7 | 6.6 | 6.0 | 5.4 | 7.1 | 5.9 |
| Uttarkhand | 25.5 | 25.5 | 25.5 | 25.5 | 23.8 | 23.8 | 25.5 | 25.5 | 25.5 |

**Appendix Table 7.25: Lactating Mothers Following Advices Regarding Services/Activities about Child Care Discussed During NHE
(Continued...)**

| States/UTs | Taking care and monitoring of child's growth | Timely immunization | About breastfeeding | About colostrum feeding | About treatment of diarrhoea/minor illness | About preparation of nutritious food/feeding practices | Provide medicine/consult AWW during illness | Importance of education of the child | Cleanliness and hygiene |
|--------------------------------------|--|---------------------|---------------------|-------------------------|--|--|---|--------------------------------------|-------------------------|
| West Bengal | 26.4 | 26.4 | 19.0 | 21.6 | 13.0 | 17.4 | 26.1 | 26.4 | 19.9 |
| Delhi | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 |
| Chandigarh | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 |
| Arunachal Pradesh | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Manipur | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Meghalaya | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 |
| Mizoram | 51.8 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 |
| Nagaland | 4.7 | 4.7 | 4.7 | 4.7 | 0.0 | 0.0 | 0.0 | 4.7 | 4.7 |
| Tripura | 7.7 | 7.7 | 7.7 | 7.0 | 7.7 | 7.7 | 7.0 | 7.7 | 7.0 |
| Sikkim | 20.2 | 28.2 | 28.2 | 28.2 | 20.2 | 17.1 | 21.6 | 21.6 | 25.1 |
| Dadar & Nagar Haveli | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |
| Daman & Diu | 28.3 | 28.3 | 28.3 | 28.3 | 14.9 | 14.9 | 28.3 | 28.3 | 28.3 |
| Goa | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 |
| Puducherry | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| All India | 24.1 | 24.8 | 22.7 | 21.4 | 21.4 | 18.5 | 19.4 | 20.5 | 21.1 |

Appendix Table 7.26: Lactating Mothers Following Advices Regarding Services/Activities about Mother Care Discussed During NHE

| States/UTs | About Immunization during Pregnancy | About institutional delivery | Precaution in case of home delivery | About feeding practices during pregnancy and lactating period | About correct posture during pregnancy | About correct posture breast feeding | About self care & health (cleanliness & hygiene) | About disease/illness | About nipple hygiene | About family planning |
|-------------------|-------------------------------------|------------------------------|-------------------------------------|---|--|--------------------------------------|--|-----------------------|----------------------|-----------------------|
| Andhra Pradesh | 58.1 | 55.7 | 51.8 | 57.5 | 56.0 | 58.1 | 57.6 | 58.2 | 57.0 | 41.8 |
| Assam | 12.2 | 12.2 | 11.7 | 10.4 | 9.7 | 8.9 | 11.1 | 7.1 | 7.1 | 6.8 |
| Bihar | 2.5 | 3.5 | 3.2 | 1.8 | 1.8 | 1.8 | 3.0 | 3.2 | 2.8 | 2.5 |
| Chhattisgarh | 59.9 | 51.2 | 53.2 | 29.5 | 20.2 | 21.2 | 42.4 | 54.6 | 18.5 | 6.0 |
| Gujarat | 59.3 | 53.6 | 42.5 | 35.1 | 30.9 | 31.5 | 52.5 | 48.8 | 41.9 | 57.5 |
| Haryana | 28.8 | 28.8 | 28.8 | 28.8 | 28.8 | 28.8 | 28.8 | 28.8 | 28.8 | 28.8 |
| Himachal Pradesh | 20.9 | 20.9 | 20.9 | 20.9 | 14.3 | 14.3 | 20.9 | 14.3 | 14.3 | 20.9 |
| Jammu and Kashmir | 19.4 | 19.0 | 19.4 | 19.4 | 19.4 | 19.4 | 19.0 | 19.0 | 18.2 | 19.0 |
| Jharkhand | 42.2 | 34.5 | 22.1 | 30.1 | 26.6 | 22.7 | 32.7 | 34.0 | 28.1 | 23.0 |
| Karnataka | 5.7 | 4.2 | 7.3 | 4.2 | 4.7 | 8.3 | 5.7 | 4.7 | 4.2 | 7.3 |
| Kerala | 39.6 | 39.6 | 13.5 | 39.6 | 39.6 | 39.6 | 39.6 | 39.1 | 39.1 | 39.6 |
| Madhya Pradesh | 17.3 | 17.3 | 16.8 | 17.3 | 17.3 | 17.3 | 17.3 | 17.3 | 17.3 | 17.3 |
| Maharashtra | 45.2 | 39.2 | 37.5 | 37.8 | 34.7 | 34.4 | 41.8 | 32.7 | 31.9 | 33.7 |
| Orissa | 40.4 | 34.3 | 30.6 | 27.8 | 34.7 | 35.7 | 32.8 | 26.4 | 24.7 | 15.4 |
| Punjab | 9.7 | 6.9 | 6.9 | 9.7 | 9.7 | 9.7 | 9.7 | 4.3 | 9.7 | 9.7 |
| Rajasthan | 13.1 | 13.1 | 13.1 | 11.7 | 9.9 | 8.6 | 13.1 | 12.4 | 8.7 | 6.4 |
| Tamil Nadu | 38.3 | 38.3 | 32.7 | 38.6 | 38.0 | 37.6 | 38.3 | 38.3 | 37.8 | 28.5 |
| Uttar Pradesh | 7.6 | 7.1 | 6.6 | 6.8 | 6.1 | 5.8 | 6.8 | 6.8 | 7.1 | 7.5 |

**Appendix Table 7.26: Lactating Mothers Following Advices Regarding Services/Activities about Mother Care Discussed During NHE
(Continued...)**

| States/UTs | About Immunization during Pregnancy | About institutional delivery | Precaution in case of home delivery | About feeding practices during pregnancy and lactating period | About correct posture during pregnancy | About correct posture breast feeding | About self care & health (cleanliness & hygiene) | About disease/illness | About nipple hygiene | About family planning |
|--------------------------------------|-------------------------------------|------------------------------|-------------------------------------|---|--|--------------------------------------|--|-----------------------|----------------------|-----------------------|
| Uttarkhand | 25.5 | 19.8 | 21.4 | 19.8 | 25.5 | 21.4 | 25.5 | 25.5 | 25.5 | 25.5 |
| West Bengal | 29.7 | 27.2 | 13.4 | 21.8 | 24.9 | 20.6 | 18.7 | 21.9 | 14.6 | 17.4 |
| Delhi | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 | 41.6 |
| Chandigarh | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 | 62.8 |
| Arunachal Pradesh | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Manipur | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Meghalaya | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 | 8.8 |
| Mizoram | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 | 57.0 |
| Nagaland | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 |
| Tripura | 7.7 | 5.3 | 2.4 | 7.7 | 6.7 | 6.7 | 7.7 | 7.7 | 5.3 | 7.7 |
| Sikkim | 28.2 | 28.2 | 28.2 | 21.6 | 3.5 | 3.5 | 28.2 | 20.2 | 20.2 | 28.2 |
| Dadar & Nagar Haveli | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |
| Daman & Diu | 28.3 | 28.3 | 14.9 | 28.3 | 28.3 | 28.3 | 28.3 | 28.3 | 28.3 | 28.3 |
| Goa | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 | 29.5 |
| Puducherry | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| All India | 24.7 | 22.6 | 19.9 | 20.3 | 19.6 | 19.4 | 21.9 | 21.2 | 18.8 | 17.1 |

Appendix Table 7.27: Awareness and Use of Boil Water (%)

| States/UTs | % of LM using iodised salt | % of LM know method of delay/avoid of pregnancy | Legal of age for marriage (mean): reported by LM | % of LM using boiled water |
|-------------------|----------------------------|---|--|----------------------------|
| Andhra Pradesh | 69.1 | 45.8 | 17 | 66.8 |
| Assam | 97.5 | 87.3 | 17 | 84.7 |
| Bihar | 87.9 | 65.5 | 13 | 21.8 |
| Chattisgarh | 91.9 | 83.2 | 16 | 91.9 |
| Gujarat | 89.2 | 78.7 | 17 | 54.3 |
| Haryana | 100.0 | 64.9 | 15 | 56.6 |
| Himachal Pradesh | 100.0 | 82.5 | 18 | 97.6 |
| Jammu and Kashmir | 94.3 | 29.2 | 16 | 90.2 |
| Jharkhand | 93.2 | 78.4 | 14 | 45.3 |
| Karnataka | 58.9 | 12.5 | 13 | 89.3 |
| Kerala | 100.0 | 100.0 | 18 | 88.9 |
| Madhya Pradesh | 92.8 | 59.5 | 17 | 72.4 |
| Maharashtra | 94.7 | 79.2 | 17 | 65.5 |
| Orissa | 88.3 | 94.9 | 18 | 60.2 |
| Punjab | 47.8 | 85.6 | 14 | 46.4 |
| Rajasthan | 86.8 | 94.6 | 17 | 32.3 |
| Tamil Nadu | 85.2 | 55.9 | 20 | 89.0 |
| Uttar Pradesh | 46.4 | 78.4 | 16 | 42.3 |
| Uttarkhand | 83.0 | 73.5 | 17 | 68.6 |
| West Bengal | 92.0 | 67.2 | 14 | 36.9 |

Appendix Table 7.27: Awareness and Use of Boil Water (%)(Continued...)

| States/UTs | % of LM using iodised salt | % of LM know method of delay/avoid of pregnancy | Legal of age for marriage (mean): reported by LM | % of LM using boiled water |
|---------------------------|----------------------------|---|--|----------------------------|
| Delhi | 95.2 | 73.5 | 18 | 63.6 |
| Chandigarh | 75.0 | 100.0 | 16 | 86.5 |
| Arunachal Pradesh | 90.5 | 36.9 | 5 | 90.5 |
| Manipur | 100.0 | 100.0 | 18 | 94.7 |
| Meghalaya | 100.0 | 59.2 | 18 | 25.4 |
| Mizoram | 100.0 | 100.0 | 18 | 26.3 |
| Nagaland | 95.5 | 80.5 | 9 | 92.7 |
| Tripura | 68.9 | 18.1 | 19 | 96.2 |
| Sikkim | 93.0 | 94.3 | 20 | 65.3 |
| Dadar & Nagar Haveli | 100.0 | 91.0 | 19 | 100.0 |
| Daman & Diu | 100.0 | 100.0 | 18 | 100.0 |
| Goa | 100.0 | 100.0 | 18 | 100.0 |
| Puducherry | 100.0 | 100.0 | 22 | 84.3 |
| Andaman & Nicobar Islands | 100.0 | 78.1 | 18 | 16.9 |
| All India | 76.2 | 71.8 | 16 | 57.0 |

Appendix Table 7.28 Lactating Mother's Perception about Ideal Birth Interval

(Figures in %)

| States/UTs | 1 to 2 Years | 3 to 4 Years | 5 to 6 Years | More than 6 years | Don't know |
|-------------------|--------------|--------------|--------------|-------------------|------------|
| Andhra Pradesh | 9.2 | 64.8 | 12.7 | 1.4 | 11.9 |
| Assam | 4.3 | 61.6 | 32.9 | 1.2 | 0.0 |
| Bihar | 41.4 | 54.3 | 2.4 | 0.0 | 1.9 |
| Chhattisgarh | 10.6 | 47.9 | 17.9 | 0.0 | 23.6 |
| Gujarat | 25.7 | 59.9 | 12.4 | 0.0 | 2.0 |
| Haryana | 18.9 | 74.0 | 0.9 | 1.0 | 5.3 |
| Himachal Pradesh | 7.8 | 76.6 | 15.6 | 0.0 | 0.0 |
| Jammu and Kashmir | 28.1 | 55.2 | 16.8 | 0.0 | 0.0 |
| Jharkhand | 6.9 | 62.4 | 23.7 | 1.5 | 5.6 |
| Karnataka | 35.7 | 47.3 | 0.4 | 0.0 | 16.7 |
| Kerala | 8.3 | 72.5 | 19.2 | 0.0 | 0.0 |
| Madhya Pradesh | 24.7 | 52.8 | 13.4 | 0.0 | 9.1 |
| Maharashtra | 23.4 | 66.9 | 7.6 | 0.0 | 2.1 |
| Orissa | 4.6 | 50.0 | 41.9 | 0.0 | 3.5 |
| Punjab | 8.4 | 81.2 | 7.7 | 0.0 | 2.8 |
| Rajasthan | 20.5 | 63.7 | 11.9 | 0.0 | 3.9 |
| Tamil Nadu | 24.3 | 58.1 | 14.0 | 0.8 | 2.7 |
| Uttar Pradesh | 11.8 | 60.6 | 20.9 | 0.0 | 6.8 |
| Uttarkhand | 1.0 | 35.1 | 47.5 | 4.5 | 12.0 |
| West Bengal | 19.0 | 39.3 | 37.6 | 1.5 | 2.6 |

Appendix Table 7.28 Lactating Mother's Perception about Ideal Birth Interval (Continued...)

(Figures in %)

| States/UTs | 1 to 2 Years | 3 to 4 Years | 5 to 6 Years | More than 6 years | Don't know |
|---------------------------|--------------|--------------|--------------|-------------------|------------|
| Delhi | 4.8 | 43.8 | 42.7 | 0.0 | 8.7 |
| Chandigarh | 9.0 | 91.0 | 0.0 | 0.0 | 0.0 |
| Arunachal Pradesh | 21.2 | 6.3 | 0.0 | 0.0 | 72.5 |
| Manipur | 0.0 | 64.2 | 32.7 | 3.1 | 0.0 |
| Meghalaya | 53.5 | 46.5 | 0.0 | 0.0 | 0.0 |
| Mizoram | 55.3 | 44.7 | 0.0 | 0.0 | 0.0 |
| Nagaland | 24.1 | 71.4 | 0.0 | 0.0 | 4.5 |
| Tripura | 3.5 | 18.6 | 69.1 | 0.0 | 8.8 |
| Sikkim | 0.0 | 64.1 | 25.4 | 0.0 | 10.5 |
| Dadar & Nagar Haveli | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 |
| Daman & Diu | 13.4 | 73.2 | 13.4 | 0.0 | 0.0 |
| Goa | 0.0 | 73.7 | 26.3 | 0.0 | 0.0 |
| Puducherry | 33.8 | 38.6 | 14.5 | 13.3 | 0.0 |
| Andaman & Nicobar Islands | 0.0 | 37.4 | 58.3 | 0.0 | 4.3 |
| All India | 16.6 | 57.9 | 18.7 | 0.4 | 6.4 |

Appendix Table 7.29: Status of Supplementary Nutrition (Food)

| States/UTs | Receiving food | | Awareness of food entitlement (%) |
|-------------------|----------------|------------------------|-----------------------------------|
| | % AG | Average number of days | |
| Andhra Pradesh | 44.5 | 3 | 40.7 |
| Assam | 42.8 | 3 | 37.3 |
| Bihar | 67.6 | 9 | 20.9 |
| Chhattisgarh | 26.3 | 3 | 16.8 |
| Gujarat | 91.9 | 17 | 80.3 |
| Haryana | 17.0 | 3 | 0.0 |
| Himachal Pradesh | 87.2 | 17 | 17.5 |
| Jammu and Kashmir | 89.8 | 17 | 8.4 |
| Jharkhand | 86.7 | 18 | 0.0 |
| Karnataka | 81.2 | 10 | 66.8 |
| Kerala | 95.6 | 20 | 98.1 |
| Madhya Pradesh | 89.1 | 7 | 6.5 |
| Maharashtra | 70.9 | 13 | 57.6 |
| Orissa | 0.4 | 0 | 0.2 |
| Punjab | 91.9 | 15 | 43.3 |
| Rajasthan | 93.0 | 6 | 30.9 |
| Tamil Nadu | 0.8 | 0 | 1.4 |
| Uttar Pradesh | 82.6 | 15 | 14.7 |
| Uttarakhand | 79.0 | 9 | 23.5 |
| West Bengal | 46.4 | 7 | 11.2 |
| Delhi | 100.0 | 21 | - |
| Chandigarh | - | - | - |
| Arunachal Pradesh | 73.8 | 4 | 2.5 |
| Manipur | 30.6 | 3 | 11.8 |
| Meghalaya | 94.9 | 13 | 27.2 |
| Mizoram | 66.7 | 3 | 66.7 |
| Nagaland | 93.7 | 6 | 100.0 |

Appendix Table 7.29: Status of Supplementary Nutrition (Food) (Continued...)

| States/UTs | Receiving food | | Awareness of food entitlement (%) |
|--------------------------------------|----------------|------------------------|-----------------------------------|
| | % AG | Average number of days | |
| Tripura | 100.0 | 10 | 18.7 |
| Sikkim | 0.0 | 0 | 0.0 |
| Dadar & Nagar Haveli | 100.0 | 23 | 100.0 |
| Daman & Diu | 100.0 | 24 | 90.0 |
| Goa | 100.0 | 22 | 87.5 |
| Puducherry | 100.0 | 10 | 100.0 |
| Andaman & Nicobar Islands | 100.0 | 23 | 3.1 |
| All India | 41.7 | 6 | 26.8 |

Appendix Table 7.30: About Deworming

(Figures in %)

| States/UTs | AG reported taking weight regularly | AG started deworming | Source | | If no, why? | | | |
|--------------------------|-------------------------------------|----------------------|---------|--------|-----------------------|-----------------------------|-----------------|--------|
| | | | AWC/ANM | Others | Financial constraints | Family members didn't allow | Don't feel need | Others |
| Andhra Pradesh | 71.5 | 13.2 | 86.2 | 13.8 | 0.3 | 0.7 | 58.3 | 40.8 |
| Assam | 18.1 | 5.0 | 60.4 | 39.6 | 0.0 | 7.0 | 68.6 | 24.4 |
| Bihar | 15.0 | 32.4 | 49.8 | 50.2 | 12.9 | 5.2 | 31.5 | 50.4 |
| Chhattisgarh | 2.7 | 19.3 | 100.0 | 0.0 | 1.2 | 0.0 | 49.0 | 49.8 |
| Gujarat | 67.8 | 16.7 | 91.2 | 8.8 | 0.8 | 2.8 | 71.4 | 25.0 |
| Haryana | 45.0 | 0.0 | - | - | 80.5 | 0.0 | 17.0 | 2.5 |
| Himachal Pradesh | 49.4 | 34.7 | 100.0 | 0.0 | 0.0 | 3.7 | 49.0 | 47.3 |
| Jammu and Kashmir | 1.2 | 22.0 | 94.6 | 5.4 | 0.0 | 0.0 | 54.6 | 45.4 |
| Jharkhand | 18.3 | 18.9 | 95.7 | 4.3 | 1.2 | 0.0 | 79.5 | 19.4 |
| Karnataka | 37.2 | 25.6 | 91.7 | 8.3 | 2.1 | 0.0 | 59.8 | 38.1 |
| Kerala | 57.1 | 61.1 | 31.0 | 69.0 | 0.0 | 33.9 | 22.9 | 43.2 |
| Madhya Pradesh | 83.8 | 21.5 | 76.7 | 23.3 | 0.0 | 0.9 | 47.7 | 51.4 |
| Maharashtra | 93.5 | 26.9 | 94.1 | 5.9 | 1.6 | 1.0 | 78.1 | 19.3 |
| Orissa | 27.7 | 26.6 | 80.3 | 19.7 | 0.0 | 7.3 | 69.0 | 23.7 |
| Punjab | 34.8 | 0.0 | - | - | 0.0 | 4.2 | 47.9 | 47.9 |
| Rajasthan | 44.4 | 28.7 | 98.1 | 2.0 | 0.7 | 0.8 | 53.5 | 45.1 |
| Tamil Nadu | 42.2 | 16.8 | 74.9 | 25.1 | 8.1 | 3.8 | 39.3 | 48.9 |
| Uttar Pradesh | 18.5 | 17.3 | 86.6 | 13.4 | 1.8 | 5.1 | 44.7 | 48.4 |
| Uttarakhand | 34.0 | 18.5 | 100.0 | 0.0 | 2.4 | 0.0 | 54.6 | 43.1 |
| West Bengal | 10.9 | 24.3 | 87.2 | 12.8 | 1.9 | 2.7 | 95.4 | 0.0 |

Appendix Table 7.30: About Deworming (Continued...)

(Figures in %)

| States/UTs | AG reported taking weight regularly | AG started deworming | Source | | If no, why? | | | |
|--------------------------------------|-------------------------------------|----------------------|-------------|-------------|-----------------------|-----------------------------|-----------------|-------------|
| | | | AWC/ANM | Others | Financial constraints | Family members didn't allow | Don't feel need | Others |
| Delhi | 60.8 | 20.8 | 100.0 | 0.0 | 5.8 | 0.0 | 88.4 | 5.8 |
| Arunachal Pradesh | 7.3 | 27.4 | 62.6 | 37.4 | 7.7 | 11.4 | 62.3 | 18.7 |
| Manipur | 9.9 | 8.4 | 0.0 | 100.0 | 0.0 | 0.0 | 100.0 | 0.0 |
| Meghalaya | 40.9 | 10.3 | 0.0 | 100.0 | 0.0 | 0.0 | 41.8 | 58.2 |
| Mizoram | 66.7 | 0.0 | - | - | 33.3 | 0.0 | 0.0 | 66.7 |
| Nagaland | 14.1 | 27.1 | 41.6 | 58.4 | 1.0 | 0.0 | 88.3 | 10.7 |
| Tripura | 19.6 | 23.6 | 79.0 | 21.0 | 0.0 | 0.0 | 50.0 | 50.0 |
| Sikkim | 0.0 | 22.3 | 50.0 | 50.1 | 0.0 | 0.0 | 83.4 | 16.6 |
| Dadar & Nagar Haveli | 70.0 | 30.0 | 100.0 | 0.0 | 0.0 | 0.0 | 85.7 | 14.3 |
| Daman & Diu | 100.0 | 0.0 | - | - | 0.0 | 0.0 | 100.0 | 0.0 |
| Goa | 0.0 | 0.0 | - | - | 0.0 | 0.0 | 100.0 | 0.0 |
| Puducherry | 79.3 | 23.2 | 0.0 | 100.0 | 0.0 | 0.0 | 64.3 | 35.7 |
| Andaman & Nicobar Islands | 6.3 | 0.0 | - | - | 0.0 | 3.1 | 77.3 | 19.7 |
| All India | 48.9 | 19.0 | 80.4 | 19.6 | 3.1 | 3.1 | 57.0 | 36.9 |

Appendix Table 7.31: Adolescent Girls Following Advices Regarding Health and Hygiene Care Discussed During NHE

| States/UTs | AG attended NHE meetings | Taking Care and monitoring | About health and nutrition | About growing self confidence | About treatment of minor illness | About cleanliness and hygiene | Importance of education | About the age of marriage |
|--------------------------|--------------------------|----------------------------|----------------------------|-------------------------------|----------------------------------|-------------------------------|-------------------------|---------------------------|
| Andhra Pradesh | 16.3 | 17.8 | 19.8 | 17.8 | 20.0 | 16.5 | 18.1 | 18.0 |
| Assam | 7.4 | 16.6 | 6.1 | 6.6 | 16.6 | 14.9 | 18.6 | 16.6 |
| Bihar | 16.7 | 11.7 | 10.2 | 11.6 | 12.0 | 14.5 | 10.8 | 11.0 |
| Chhattisgarh | 18.0 | 22.1 | 11.5 | 7.6 | 22.7 | 12.7 | 9.8 | 20.2 |
| Gujarat | 58.2 | 57.3 | 63.6 | 45.8 | 46.7 | 62.9 | 54.1 | 59.9 |
| Haryana | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Himachal Pradesh | 8.4 | 14.0 | 14.0 | 8.4 | 14.0 | 8.4 | 14.0 | 10.8 |
| Jammu and Kashmir | 31.0 | 38.1 | 39.6 | 39.6 | 38.7 | 39.2 | 39.6 | 39.6 |
| Jharkhand | 24.6 | 28.6 | 24.1 | 27.6 | 24.3 | 31.0 | 29.9 | 27.8 |
| Karnataka | 32.5 | 33.1 | 24.6 | 32.9 | 22.1 | 32.2 | 24.5 | 32.3 |
| Kerala | 63.2 | 56.8 | 56.7 | 52.3 | 59.2 | 60.1 | 56.7 | 42.9 |
| Madhya Pradesh | 51.4 | 62.4 | 62.9 | 61.0 | 61.8 | 62.9 | 62.2 | 62.4 |
| Maharashtra | 29.2 | 38.6 | 35.2 | 28.6 | 28.0 | 34.0 | 34.6 | 33.9 |
| Orissa | 37.3 | 33.6 | 28.8 | 28.0 | 23.7 | 35.7 | 31.8 | 36.7 |
| Punjab | 3.8 | 0.0 | 1.4 | 2.4 | 1.0 | 2.4 | 1.0 | 2.4 |
| Rajasthan | 49.8 | 35.6 | 48.1 | 38.3 | 39.6 | 42.8 | 40.4 | 39.5 |
| Tamil Nadu | 24.7 | 31.2 | 31.2 | 30.6 | 30.9 | 31.2 | 29.3 | 29.1 |
| Uttar Pradesh | 13.0 | 10.0 | 13.0 | 9.7 | 10.8 | 12.5 | 11.5 | 11.2 |
| Uttarakhand | 33.9 | 42.9 | 42.9 | 42.9 | 42.9 | 42.9 | 41.2 | 41.2 |
| West Bengal | 8.9 | 11.1 | 11.6 | 9.4 | 9.4 | 11.6 | 13.3 | 11.6 |

Appendix Table 7.31: Adolescent Girls Following Advices Regarding Health and Hygiene Care Discussed During NHE (Continued...)

| States/UTs | AG attended NHE meetings | Taking Care and monitoring | About health and nutrition | About growing self confidence | About treatment of minor illness | About cleanliness and hygiene | Importance of education | About the age of marriage |
|--------------------------------------|--------------------------|----------------------------|----------------------------|-------------------------------|----------------------------------|-------------------------------|-------------------------|---------------------------|
| Delhi | 46.2 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 | 70.8 |
| Arunachal Pradesh | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 | 2.5 |
| Manipur | 0.0 | 13.9 | 13.9 | 13.9 | 13.9 | 13.9 | 13.9 | 13.9 |
| Meghalaya | 48.7 | 43.5 | 39.5 | 38.4 | 47.6 | 38.4 | 42.5 | 42.5 |
| Mizoram | 33.3 | 33.3 | 33.3 | 33.3 | 33.3 | 33.3 | 33.3 | 33.3 |
| Nagaland | 5.2 | 11.5 | 8.9 | 11.5 | 11.5 | 11.5 | 11.5 | 11.5 |
| Tripura | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |
| Sikkim | 2.2 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | 2.2 |
| Dadar & Nagar Haveli | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 | 40.0 |
| Daman & Diu | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 | 70.0 |
| Goa | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Puducherry | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| All India | 24.4 | 27.7 | 26.5 | 24.2 | 25.6 | 27.1 | 26.3 | 26.9 |

Appendix Table 7.32: Adolescent Girls Heard of AIDS

(Figures in %)

| States/UTs | AG heard of AIDS | Source of information | |
|-------------------|------------------|-----------------------|--------|
| | | AWW/ANM | Others |
| Andhra Pradesh | 80.1 | 22.3 | 77.7 |
| Assam | 74.4 | 24.6 | 75.4 |
| Bihar | 28.9 | 44.1 | 55.9 |
| Chhattisgarh | 65.1 | 18.8 | 81.2 |
| Gujarat | 45.2 | 39.8 | 60.2 |
| Haryana | 97.5 | 40.0 | 60.0 |
| Himachal Pradesh | 82.0 | 47.3 | 52.7 |
| Jammu and Kashmir | 35.7 | 19.0 | 81.1 |
| Jharkhand | 20.2 | 58.9 | 41.2 |
| Karnataka | 36.3 | 54.4 | 45.6 |
| Kerala | 87.8 | 26.4 | 73.7 |
| Madhya Pradesh | 76.1 | 57.4 | 42.6 |
| Maharashtra | 71.0 | 19.2 | 80.9 |
| Orissa | 93.4 | 21.1 | 78.9 |
| Punjab | 87.6 | 5.5 | 94.5 |
| Rajasthan | 59.8 | 43.6 | 56.4 |
| Tamil Nadu | 81.2 | 35.9 | 64.1 |
| Uttar Pradesh | 36.3 | 29.6 | 70.4 |
| Uttarakhand | 29.6 | 27.2 | 72.9 |
| West Bengal | 48.3 | 12.7 | 87.3 |
| Delhi | 75.4 | 67.4 | 32.6 |
| Arunachal Pradesh | 35.0 | 14.0 | 86.0 |
| Manipur | 100.0 | 4.4 | 95.6 |
| Meghalaya | 74.5 | 66.8 | 33.2 |
| Mizoram | 66.7 | 0.0 | 100.0 |
| Nagaland | 94.9 | 13.3 | 86.7 |

Appendix Table 7.32: Adolescent Girls Heard of AIDS (Continued...)

(Figures in %)

| States/UTs | AG heard of AIDS | Source of information | |
|--------------------------------------|------------------|-----------------------|-------------|
| | | AWW/ANM | Others |
| Tripura | 0.0 | - | - |
| Sikkim | 81.7 | 0.0 | 100.0 |
| Dadar & Nagar Haveli | 100.0 | 40.0 | 60.0 |
| Daman & Diu | 100.0 | 10.0 | 90.0 |
| Goa | 75.0 | 0.0 | 100.0 |
| Puducherry | 78.1 | 0.0 | 100.0 |
| Andaman & Nicobar Islands | 59.9 | 10.4 | 89.6 |
| All India | 72.9 | 27.5 | 72.5 |

Appendix Table 7.33: Awareness about Anemia

(Figures in %)

| States/UTs | AG know about anemia | Awareness about preventing anemia | | | | |
|-------------------|----------------------|---------------------------------------|----------------------------|--------------------------------|--|---------------|
| | | Consumption of green leafy vegetables | Consumption of IFA tablets | Consumption of sugarcane juice | Consumption of carrot/tomato/drum stick etc. | Can't explain |
| Andhra Pradesh | 72.2 | 95.1 | 1.2 | 0.6 | 2.6 | 0.5 |
| Assam | 41.3 | 52.5 | 13.0 | 0.0 | 3.1 | 31.4 |
| Bihar | 14.4 | 69.5 | 13.9 | 2.4 | 9.6 | 4.6 |
| Chhattisgarh | 30.9 | 58.6 | 4.1 | 0.0 | 9.7 | 27.7 |
| Gujarat | 44.7 | 52.0 | 40.8 | 0.0 | 0.0 | 7.2 |
| Haryana | 85.5 | 97.1 | 0.0 | 0.0 | 2.9 | 0.0 |
| Himachal Pradesh | 20.4 | 25.5 | 35.1 | 0.0 | 0.0 | 39.4 |
| Jammu and Kashmir | 1.2 | 70.3 | 0.0 | 0.0 | 29.7 | 0.0 |
| Jharkhand | 37.9 | 68.6 | 16.4 | 0.0 | 0.0 | 15.1 |
| Karnataka | 17.5 | 78.0 | 17.4 | 4.6 | 0.0 | 0.0 |
| Kerala | 73.7 | 77.8 | 7.5 | 2.3 | 0.9 | 11.5 |
| Madhya Pradesh | 51.3 | 58.3 | 29.8 | 0.2 | 11.3 | 0.5 |
| Maharashtra | 20.7 | 91.1 | 5.0 | 1.0 | 2.6 | 0.3 |
| Orissa | 68.2 | 73.5 | 19.5 | 0.3 | 2.0 | 4.7 |
| Punjab | 56.3 | 69.3 | 29.4 | 0.0 | 0.0 | 1.4 |
| Rajasthan | 67.0 | 45.9 | 21.7 | 0.0 | 28.9 | 3.6 |
| Tamil Nadu | 39.3 | 80.1 | 9.1 | 0.0 | 7.1 | 3.7 |
| Uttar Pradesh | 31.0 | 64.3 | 6.8 | 5.4 | 10.7 | 12.9 |
| Uttarakhand | 32.2 | 39.7 | 5.9 | 3.0 | 0.0 | 51.4 |
| West Bengal | 29.9 | 41.7 | 58.3 | 0.0 | 0.0 | 0.0 |

Appendix Table 7.33: Awareness about Anemia (Continued...)

(Figures in %)

| States/UTs | AG know about anemia | Awareness about preventing anemia | | | | |
|---------------------------|----------------------|---------------------------------------|----------------------------|--------------------------------|--|---------------|
| | | Consumption of green leafy vegetables | Consumption of IFA tablets | Consumption of sugarcane juice | Consumption of carrot/tomato/drum stick etc. | Can't explain |
| Delhi | 64.6 | 76.1 | 0.0 | 0.0 | 23.9 | 0.0 |
| Arunachal Pradesh | 0.0 | - | - | - | - | - |
| Manipur | 57.4 | 75.0 | 17.3 | 0.0 | 0.0 | 7.7 |
| Meghalaya | 0.0 | - | - | - | - | - |
| Mizoram | 66.7 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Nagaland | 6.6 | 31.2 | 0.0 | 0.0 | 68.8 | 0.0 |
| Tripura | 0.0 | - | - | - | - | - |
| Sikkim | 39.6 | 58.1 | 41.9 | 0.0 | 0.0 | 0.0 |
| Dadar & Nagar Haveli | 40.0 | 0.0 | 75.0 | 0.0 | 25.0 | 0.0 |
| Daman & Diu | 40.0 | 50.0 | 0.0 | 0.0 | 50.0 | 0.0 |
| Goa | 37.5 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Puducherry | 33.5 | 30.9 | 40.0 | 0.0 | 0.0 | 29.1 |
| Andaman & Nicobar Islands | 17.3 | 71.6 | 0.0 | 0.0 | 0.0 | 28.4 |
| All India | 47.2 | 79.5 | 10.2 | 0.5 | 4.3 | 5.5 |

Appendix Table 7.34: Adolescent Girls Participated in Income Generation Activity

| States/UTs | % of AG participated | How many days (mean) | % of AG participated in social activity |
|-------------------|----------------------|----------------------|---|
| Andhra Pradesh | 10.2 | 41 | 30.1 |
| Assam | 4.8 | 3 | 14.7 |
| Bihar | 1.0 | 41 | 14.3 |
| Chattisgarh | 10.5 | 12 | 38.3 |
| Gujarat | 4.9 | 30 | 27.0 |
| Haryana | 83.0 | 18 | 45.0 |
| Himachal Pradesh | 8.8 | 44 | 43.8 |
| Jammu and Kashmir | 26.3 | 86 | 26.2 |
| Jharkhand | 13.0 | 6 | 39.6 |
| Karnataka | 36.1 | 37 | 35.9 |
| Kerala | 4.6 | 26 | 26.1 |
| Madhya Pradesh | 10.3 | 31 | 43.1 |
| Maharashtra | 7.5 | 30 | 30.7 |
| Orissa | 5.3 | 12 | 32.1 |
| Punjab | 3.5 | 4 | 7.7 |
| Rajasthan | 0.8 | 53 | 66.5 |
| Tamil Nadu | 9.3 | 56 | 19.2 |
| Uttar Pradesh | 13.3 | 37 | 13.3 |
| Uttarakhand | 12.8 | 31 | 16.6 |
| West Bengal | 8.7 | 30 | 14.3 |
| Delhi | 10.8 | 50 | 35.4 |
| Arunachal Pradesh | 4.9 | 18 | 19.5 |
| Manipur | 0.0 | - | 70.3 |
| Meghalaya | 5.2 | 50 | 71.8 |
| Mizoram | 0.0 | - | 66.7 |
| Nagaland | 0.0 | - | 87.8 |
| Tripura | 0.0 | - | 0.0 |

Appendix Table 7.34: Adolescent Girls Participated in Income Generation Activity (Continued...)

| States/UTs | % of AG participated | How many days (mean) | % of AG participated in social activity |
|---------------------------|----------------------|----------------------|---|
| Sikkim | 0.0 | - | 7.9 |
| Dadar & Nagar Haveli | 0.0 | - | 40.0 |
| Daman & Diu | 10.0 | 20 | 40.0 |
| Goa | 50.0 | 3 | 12.5 |
| Puducherry | 0.0 | - | 29.9 |
| Andaman & Nicobar Islands | 0.0 | - | 39.5 |
| All India | 9.1 | 36 | 27.5 |

Appendix Table 7.35: Awareness and Perception of Adolescent Girls

(Figures in %)

| States/UTs | AG reported awareness of average legal age for marriage | AG know method of delay/ avoid of pregnancy | AG's perception about Ideal birth interval | | | | |
|-------------------|---|---|--|--------------|--------------|-------------------|------------|
| | | | 1 to 2 Years | 3 to 4 Years | 5 to 6 Years | More than 6 years | Don't know |
| Andhra Pradesh | 18.0 | 36.2 | 15.7 | 46.3 | 4.2 | 0.1 | 33.8 |
| Assam | 16.0 | 31.5 | 6.7 | 28.8 | 14.2 | 1.7 | 48.7 |
| Bihar | 12.0 | 25.7 | 17.0 | 27.1 | 6.0 | 2.0 | 48.0 |
| Chhattisgarh | 16.0 | 29.9 | 0.4 | 17.0 | 6.2 | 0.0 | 76.3 |
| Gujarat | 17.0 | 47.8 | 13.4 | 57.0 | 6.8 | 0.0 | 22.9 |
| Haryana | 20.0 | 86.5 | 0.0 | 95.0 | 0.0 | 0.0 | 5.0 |
| Himachal Pradesh | 18.0 | 36.6 | 16.0 | 56.2 | 13.0 | 0.8 | 14.0 |
| Jammu and Kashmir | 16.0 | 4.9 | 16.5 | 52.2 | 10.1 | 0.0 | 21.3 |
| Jharkhand | 14.0 | 14.3 | 3.0 | 39.1 | 8.3 | 0.0 | 49.6 |
| Karnataka | 12.0 | 7.7 | 16.8 | 33.8 | 0.7 | 0.0 | 48.7 |
| Kerala | 13.0 | 26.2 | 8.2 | 18.8 | 2.9 | 0.0 | 70.2 |
| Madhya Pradesh | 18.0 | 43.8 | 24.2 | 31.8 | 7.2 | 0.0 | 36.8 |
| Maharashtra | 18.0 | 33.9 | 13.1 | 59.7 | 7.2 | 0.8 | 19.3 |
| Orissa | 17.0 | 69.1 | 1.2 | 39.7 | 42.3 | 0.5 | 16.3 |
| Punjab | 14.0 | 59.6 | 5.8 | 78.7 | 1.1 | 0.0 | 14.4 |
| Rajasthan | 16.0 | 53.6 | 6.3 | 57.0 | 2.8 | 0.0 | 34.0 |
| Tamil Nadu | 20.0 | 36.6 | 23.0 | 54.0 | 9.7 | 0.3 | 13.0 |
| Uttar Pradesh | 14.0 | 26.3 | 6.1 | 29.6 | 7.0 | 0.4 | 56.9 |
| Uttarakhand | 14.0 | 19.5 | 0.0 | 16.2 | 6.5 | 2.9 | 74.4 |
| West Bengal | 17.0 | 27.4 | 3.6 | 32.4 | 26.6 | 21.6 | 15.8 |
| Delhi | 19.0 | 56.2 | 14.6 | 44.6 | 20.8 | 0.0 | 20.0 |
| Arunachal Pradesh | 7.0 | 30.2 | 24.4 | 4.7 | 0.7 | 0.0 | 70.2 |
| Manipur | 18.0 | 96.0 | 12.8 | 82.7 | 4.4 | 0.0 | 0.0 |
| Meghalaya | 3.0 | 0.0 | 0.0 | 39.2 | 0.0 | 0.0 | 60.8 |
| Mizoram | 6.0 | 0.0 | 66.7 | 0.0 | 0.0 | 0.0 | 33.3 |
| Nagaland | 6.0 | 44.7 | 22.6 | 42.9 | 3.3 | 0.0 | 31.2 |
| Tripura | 15.0 | 0.0 | 37.3 | 19.6 | 4.1 | 0.0 | 39.1 |

Appendix Table 7.35: Awareness and Perception of Adolescent Girls (Continued)

(Figures in %)

| States/UTs | AG reported awareness of average legal age for marriage | AG know method of delay/ avoid of pregnancy | AG's perception about Ideal birth interval | | | | |
|--------------------------------------|---|---|--|--------------|--------------|-------------------|-------------|
| | | | 1 to 2 Years | 3 to 4 Years | 5 to 6 Years | More than 6 years | Don't know |
| Sikkim | 20.0 | 79.3 | 0.0 | 26.3 | 13.3 | 0.0 | 60.5 |
| Dadar & Nagar Haveli | 18.0 | 100.0 | 0.0 | 90.0 | 10.0 | 0.0 | 0.0 |
| Daman & Diu | 18.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 |
| Goa | 18.0 | 12.5 | 12.5 | 12.5 | 0.0 | 0.0 | 75.0 |
| Puducherry | 21.0 | 34.1 | 23.8 | 76.2 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 12.0 | 14.2 | 3.1 | 14.1 | 24.2 | 8.7 | 50.0 |
| All India | 17.0 | 38.2 | 13.4 | 45.0 | 10.9 | 0.7 | 30.1 |

Appendix Table 8.1: Composite Indices of Behavioural Pattern Among ICDS Beneficiaries

| States/UTs | Behaviour index | NHE-Child index | NHE-Mother index | PSE-Learning skills index | PSE-Hygiene & social behaviour index | Health check-up index |
|-------------------|-----------------|-----------------|------------------|---------------------------|--------------------------------------|-----------------------|
| Andhra Pradesh | 0.668 | 0.639 | 0.678 | 0.897 | 0.408 | 0.719 |
| Assam | 0.445 | 0.135 | 0.132 | 0.912 | 0.543 | 0.503 |
| Bihar | 0.142 | 0.015 | 0.023 | 0.166 | 0.466 | 0.037 |
| Chhattisgarh | 0.422 | 0.507 | 0.411 | 0.416 | 0.158 | 0.618 |
| Gujarat | 0.487 | 0.527 | 0.534 | 0.334 | 0.488 | 0.553 |
| Haryana | 0.295 | 0.228 | 0.242 | 0.271 | 0.170 | 0.563 |
| Himachal Pradesh | 0.699 | 0.588 | 0.638 | 0.792 | 0.670 | 0.805 |
| Jammu and Kashmir | 0.449 | 0.240 | 0.266 | 0.766 | 0.927 | 0.045 |
| Jharkhand | 0.543 | 0.336 | 0.309 | 0.833 | 0.914 | 0.323 |
| Karnataka | 0.400 | 0.235 | 0.209 | 0.872 | 0.271 | 0.411 |
| Kerala | 0.908 | 1.000 | 0.909 | 0.980 | 0.650 | 1.000 |
| Madhya Pradesh | 0.430 | 0.177 | 0.200 | 0.576 | 0.758 | 0.438 |
| Maharashtra | 0.650 | 0.458 | 0.447 | 0.746 | 0.722 | 0.879 |
| Orissa | 0.418 | 0.393 | 0.403 | 0.592 | 0.041 | 0.661 |
| Punjab | 0.302 | 0.007 | 0.012 | 0.626 | 0.362 | 0.503 |
| Rajasthan | 0.226 | 0.102 | 0.099 | 0.306 | 0.332 | 0.290 |
| Tamil Nadu | 0.655 | 0.447 | 0.500 | 0.760 | 0.612 | 0.954 |
| Uttar Pradesh | 0.166 | 0.007 | 0.001 | 0.146 | 0.675 | 0.000 |
| Uttrakhand | 0.400 | 0.135 | 0.140 | 0.706 | 0.834 | 0.185 |
| West Bengal | 0.585 | 0.362 | 0.359 | 0.867 | 0.797 | 0.542 |
| All India | 0.394 | 0.243 | 0.243 | 0.510 | 0.570 | 0.404 |

Appendix Table 8.2: Estimates of Components of NHE-Child Index:

Percentage of Mothers Followed the Advices Given by AWW on the Following Components of Child Care (Continued...)

(Figures in %)

| States/UTs | Taking care and monitoring of child's growth | Timely immunization | About breastfeeding | About colostrums feeding | About treatment of diarrhea/ minor illness | About preparation of nutritious food/feeding practices | Provide medicine/ consult AWW during illness | Importance of education of the child | Cleanliness and hygiene |
|--------------------------------------|--|---------------------|---------------------|--------------------------|--|--|--|--------------------------------------|-------------------------|
| Meghalaya | 30.2 | 30.2 | 30.2 | 29.0 | 26.0 | 28.3 | 26.0 | 30.2 | 25.9 |
| Mizoram | 45.3 | 72.2 | 54.2 | 72.2 | 30.6 | 16.8 | 32.7 | 23.7 | 25.8 |
| Nagaland | 5.9 | 6.4 | 6.4 | 5.9 | 4.5 | 5.4 | 4.5 | 8.3 | 5.0 |
| Tripura | 37.3 | 37.7 | 19.3 | 4.0 | 9.8 | 17.5 | 5.5 | 32.1 | 21.1 |
| Sikkim | 35.6 | 44.1 | 41.7 | 36.9 | 33.9 | 8.9 | 9.0 | 18.1 | 28.4 |
| Dadar& Nagar Haveli | 41.1 | 41.1 | 35.3 | 37.9 | 34.5 | 34.5 | 41.1 | 36.4 | 33.8 |
| Daman & Diu | 53.0 | 53.0 | 50.2 | 45.0 | 46.0 | 51.3 | 53.0 | 53.0 | 53.0 |
| Goa | 51.2 | 48.3 | 37.7 | 43.6 | 51.2 | 51.2 | 44.8 | 48.3 | 48.3 |
| Puducherry | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 |
| Andaman & Nicobar Islands | 0.0 | 10.3 | 4.7 | 4.6 | 1.3 | 0.0 | 0.0 | 10.3 | 2.7 |
| All India | 25.9 | 27.7 | 25.7 | 23.4 | 23.1 | 20.9 | 22.2 | 25.4 | 24.0 |

Appendix Table 8.3: Estimates of Components of NHE-Mother Index:

Percentage of Mothers Followed the Advices Given by AWW on the Following Components of Self Care (Continued...)

(Figures in %)

| States/UTs | About immunization during pregnancy | About institutional delivery | Precautions in case of home delivery | About feeding practices during pregnancy and lactating period | About correct posture during pregnancy | About correct posture during breastfeeding | About self care & health (cleanliness & hygiene) | About disease/illness | About nipple hygiene | About family planning |
|--------------------------------------|-------------------------------------|------------------------------|--------------------------------------|---|--|--|--|-----------------------|----------------------|-----------------------|
| Arunachal Pradesh | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Manipur | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.6 |
| Meghalaya | 30.2 | 30.2 | 29.0 | 23.3 | 21.8 | 25.9 | 25.9 | 29.8 | 27.1 | 26.2 |
| Mizoram | 72.2 | 67.2 | 67.2 | 56.3 | 27.5 | 35.8 | 31.8 | 33.9 | 43.1 | 68.5 |
| Nagaland | 5.9 | 5.9 | 6.4 | 6.4 | 5.0 | 5.9 | 5.9 | 5.9 | 5.9 | 4.1 |
| Tripura | 29.4 | 30.2 | 12.6 | 13.1 | 5.4 | 4.8 | 22.8 | 11.1 | 6.1 | 7.0 |
| Sikkim | 45.0 | 31.6 | 35.2 | 16.8 | 0.7 | 1.7 | 30.5 | 22.9 | 18.5 | 39.1 |
| Dadar & Nagar Haveli | 41.1 | 41.1 | 34.4 | 37.7 | 37.8 | 40.3 | 38.6 | 41.1 | 41.1 | 36.0 |
| Daman & Diu | 53.0 | 53.0 | 48.5 | 53.0 | 53.0 | 53.0 | 53.0 | 53.0 | 47.8 | 53.0 |
| Goa | 51.2 | 45.0 | 45.3 | 40.7 | 40.7 | 43.6 | 51.2 | 48.2 | 43.6 | 51.2 |
| Puducherry | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 10.8 | 5.0 |
| Andaman & Nicobar Islands | 10.3 | 10.3 | 8.5 | 10.3 | 10.3 | 10.3 | 3.6 | 0.0 | 0.0 | 10.3 |
| All India | 27.8 | 24.8 | 22.0 | 22.1 | 21.3 | 22.0 | 23.0 | 23.7 | 20.0 | 21.7 |

Appendix Table 8.4: Estimates of Components of PSE-Learning Skills and Hygiene & Social Behaviour Index

(Figures in %)

| States/UTs | Read simple words | Count numbers | Write alphabets/words | Wash hands after using toilet | Respect elders |
|-------------------|-------------------|---------------|-----------------------|-------------------------------|----------------|
| Andhra Pradesh | 89.0 | 93.5 | 78.7 | 85.7 | 58.4 |
| Assam | 92.1 | 91.4 | 82.3 | 61.9 | 88.5 |
| Bihar | 54.2 | 71.1 | 39.7 | 76.0 | 70.9 |
| Chhattisgarh | 73.2 | 84.6 | 32.9 | 55.1 | 65.8 |
| Gujarat | 55.7 | 87.1 | 32.9 | 87.8 | 62.5 |
| Haryana | 70.7 | 70.2 | 41.4 | 67.3 | 56.3 |
| Himachal Pradesh | 94.9 | 94.9 | 51.4 | 87.9 | 75.9 |
| Jammu and Kashmir | 87.5 | 87.2 | 71.2 | 92.4 | 91.0 |
| Jharkhand | 88.5 | 90.6 | 74.5 | 98.6 | 84.8 |
| Karnataka | 88.2 | 93.7 | 74.9 | 58.0 | 71.7 |
| Kerala | 93.0 | 97.0 | 81.1 | 75.7 | 84.7 |
| Madhya Pradesh | 87.6 | 84.2 | 45.4 | 82.5 | 86.9 |
| Maharashtra | 93.2 | 94.1 | 47.0 | 89.2 | 78.6 |
| Orissa | 74.4 | 88.2 | 54.0 | 58.7 | 54.1 |
| Punjab | 85.1 | 83.6 | 57.8 | 72.3 | 66.3 |
| Rajasthan | 63.7 | 84.1 | 25.6 | 83.2 | 54.8 |
| Tamil Nadu | 91.4 | 94.3 | 51.1 | 74.9 | 82.6 |
| Uttar Pradesh | 42.9 | 79.0 | 31.8 | 92.4 | 72.4 |
| Uttarakhand | 80.9 | 93.6 | 54.7 | 98.7 | 78.7 |
| West Bengal | 93.4 | 94.7 | 66.1 | 93.6 | 80.4 |
| Delhi | 54.2 | 82.6 | 50.5 | 82.7 | 77.2 |
| Chandigarh | 100.0 | 100.0 | 32.8 | 89.9 | 76.7 |
| Arunachal Pradesh | 64.7 | 54.1 | 43.4 | 68.1 | 48.6 |
| Manipur | 91.6 | 94.0 | 86.2 | 95.8 | 88.8 |
| Meghalaya | 73.1 | 87.2 | 75.3 | 93.2 | 100.0 |
| Mizoram | 73.0 | 77.8 | 53.0 | 79.5 | 86.9 |
| Nagaland | 84.6 | 74.8 | 66.1 | 85.0 | 73.3 |
| Tripura | 76.7 | 74.9 | 38.4 | 97.4 | 73.4 |
| Sikkim | 60.4 | 95.1 | 96.9 | 93.5 | 89.9 |

Appendix Table 8.4: Estimates of Components of PSE-Learning Skills and Hygiene & Social Behaviour Index (Continued...)

(Figures in %)

| States/UTs | Read simple words | Count numbers | Write alphabets/words | Wash hands after using toilet | Respect elders |
|--------------------------------------|--------------------------|----------------------|------------------------------|--------------------------------------|-----------------------|
| Dadar& Nagar Haveli | 75.8 | 95.3 | 48.3 | 95.3 | 95.3 |
| Daman & Diu | 87.9 | 100.0 | 45.7 | 100.0 | 100.0 |
| Goa | 45.4 | 100.0 | 25.7 | 100.0 | 100.0 |
| Puducherry | 51.5 | 100.0 | 35.3 | 67.7 | 67.7 |
| Andaman & Nicobar Islands | 100.0 | 100.0 | 87.6 | 100.0 | 100.0 |
| All India | 71.1 | 85.7 | 49.0 | 82.4 | 73.1 |

Appendix Table 8.5: Estimates of Components of Health Check-up and Some Other Selected Indexes

(Figures in %)

| States/UTs | Child weighed at birth | Initiated breastfeeding within one hour after birth | Child had no diarrhea | Mother reporting received deworming tablets from AWC | Households using iodised salt | Households using boiling water during illness | Households aware of any method to delay or avoid pregnancy | Households aware of measures to prevent anemia |
|-------------------|------------------------|---|-----------------------|--|-------------------------------|---|--|--|
| Andhra Pradesh | 74.6 | 75.0 | 76.4 | 78.2 | 69.3 | 69.3 | 36.8 | 57.4 |
| Assam | 55.3 | 73.2 | 80.0 | 9.4 | 96.3 | 87.3 | 89.8 | 27.2 |
| Bihar | 13.8 | 7.7 | 83.9 | 13.6 | 81.8 | 32.3 | 50.6 | 16.8 |
| Chhattisgarh | 65.6 | 41.6 | 65.9 | 70.9 | 85.3 | 84.2 | 73.8 | 27.9 |
| Gujarat | 59.8 | 38.5 | 48.3 | 82.0 | 87.9 | 37.2 | 86.0 | 41.3 |
| Haryana | 60.6 | 31.8 | 75.1 | 85.9 | 98.7 | 70.8 | 44.1 | 43.6 |
| Himachal Pradesh | 82.2 | 60.6 | 90.4 | 76.2 | 97.9 | 86.0 | 78.5 | 35.7 |
| Jammu and Kashmir | 14.6 | 42.6 | 73.7 | 72.8 | 94.7 | 87.7 | 33.5 | 21.9 |
| Jharkhand | 39.3 | 27.8 | 94.8 | 66.0 | 92.8 | 53.2 | 81.4 | 24.3 |
| Karnataka | 47.1 | 61.5 | 74.8 | 67.7 | 55.7 | 79.9 | 13.3 | 15.2 |
| Kerala | 99.6 | 73.0 | 82.0 | 11.1 | 99.0 | 97.8 | 98.1 | 94.9 |
| Madhya Pradesh | 49.6 | 45.4 | 67.3 | 92.8 | 88.9 | 78.3 | 62.7 | 26.3 |
| Maharashtra | 88.8 | 74.3 | 71.8 | 79.3 | 94.7 | 56.6 | 84.3 | 26.6 |
| Orissa | 69.4 | 77.5 | 77.7 | 63.7 | 87.3 | 78.1 | 93.4 | 58.6 |
| Punjab | 55.4 | 9.3 | 79.2 | 45.6 | 46.0 | 55.7 | 77.2 | 53.2 |
| Rajasthan | 36.4 | 23.1 | 33.5 | 81.6 | 90.2 | 34.4 | 92.3 | 37.0 |
| Tamil Nadu | 95.5 | 65.1 | 51.6 | 51.8 | 80.4 | 90.0 | 63.2 | 22.2 |
| Uttar Pradesh | 10.5 | 20.6 | 58.6 | 73.1 | 51.2 | 48.7 | 76.8 | 29.7 |
| Uttarakhand | 27.0 | 28.3 | 54.5 | 57.1 | 75.7 | 62.1 | 72.0 | 34.5 |
| West Bengal | 58.8 | 30.8 | 93.9 | 41.0 | 89.2 | 48.5 | 74.0 | 21.2 |

Appendix Table 8.5: Estimates of Components of Health Check-up and Some Other Selected Indexes (Continued...)

(Figures in %)

| States/UTs | Child weighed at birth | Initiated breastfeeding within one hour after birth | Child had no diarrhea | Mother reporting received deworming tablets from AWC | Households using iodised salt | Households using boiling water during illness | Households aware of any method to delay or avoid pregnancy | Households aware of measures to prevent anemia |
|---------------------------|------------------------|---|-----------------------|--|-------------------------------|---|--|--|
| Delhi | 48.4 | 39.3 | 89.1 | 87.8 | 99.3 | 84.1 | 83.2 | 76.3 |
| Chandigarh | 65.5 | 25.3 | 95.6 | 100.0 | 69.1 | 90.6 | 95.0 | 61.6 |
| Arunachal Pradesh | 0.5 | 75.2 | 45.0 | 44.4 | 84.0 | 73.1 | 84.5 | 18.6 |
| Manipur | 74.4 | 75.7 | 63.6 | 0.0 | 100.0 | 98.6 | 99.8 | 52.5 |
| Meghalaya | 52.2 | 75.8 | 67.7 | 65.0 | 100.0 | 59.0 | 77.1 | 44.7 |
| Mizoram | 83.0 | 100.0 | 66.1 | 48.6 | 100.0 | 21.0 | 96.0 | 61.1 |
| Nagaland | 41.2 | 37.7 | 60.0 | 59.6 | 98.7 | 96.9 | 72.8 | 12.7 |
| Tripura | 73.8 | 32.3 | 85.8 | 8.8 | 91.3 | 49.9 | 60.1 | 6.0 |
| Sikkim | 68.4 | 85.6 | 38.8 | 56.3 | 77.0 | 91.2 | 96.9 | 16.7 |
| Dadar & Nagar Haveli | 80.5 | 70.7 | 84.8 | 46.5 | 100.0 | 82.2 | 82.5 | 11.9 |
| Daman & Diu | 89.2 | 50.0 | 74.3 | 73.8 | 100.0 | 92.3 | 100.0 | 25.6 |
| Goa | 96.4 | 96.4 | 64.8 | 0.0 | 100.0 | 99.1 | 100.0 | 67.5 |
| Puducherry | 96.9 | 60.0 | 78.9 | 36.1 | 97.4 | 89.0 | 95.5 | 54.4 |
| Andaman & Nicobar Islands | 94.5 | 5.0 | 99.0 | 50.7 | 97.9 | 22.2 | 91.5 | 12.6 |
| All India | 46.5 | 42.8 | 69.3 | 56.0 | 76.4 | 60.6 | 71.6 | 32.8 |

Appendix Table 8.6: Difference in Mean: Some Characteristic Variables of ICDS and Non-ICDS Samples

(Figures in %)

| States/UTs | Sex | Weight at birth (in Kg.) | House Ownership | Toilet facility |
|-------------------|------|-----------------------------|-----------------|-----------------|
| Andhra Pradesh | -0.1 | 0.0 | 0.0 | 0.1 |
| Assam | 0.1 | 0.2 | 0.0 | -0.1 |
| Bihar | -0.2 | 0.0 | 0.0 | 0.0 |
| Chhattisgarh | 0.1 | 0.0 | 0.0 | 0.5 |
| Gujarat | 0.1 | -0.2 | 0.0 | -0.1 |
| Haryana | 0.2 | 0.0 | 0.0 | 0.1 |
| Himachal Pradesh | -0.1 | 0.1 | 0.0 | 0.0 |
| Jammu and Kashmir | 0.3 | 0.5 | 0.1 | 0.9 |
| Jharkhand | 0.1 | 0.0 | 0.0 | 0.0 |
| Karnataka | 0.3 | 0.3 | 0.0 | 0.0 |
| Kerala | -0.1 | 0.2 | 0.2 | 0.5 |
| Madhya Pradesh | 0.0 | 0.0 | 0.0 | 0.3 |
| Maharashtra | 0.1 | -0.1 | 0.1 | 0.1 |
| Orissa | 0.0 | -0.3 | 0.0 | 0.2 |
| Punjab | 0.0 | 0.1 | 0.0 | 0.3 |
| Rajasthan | 0.1 | -0.4 | 0.0 | 0.0 |
| Tamil Nadu | 0.1 | -0.2 | 0.0 | 0.2 |
| Uttar Pradesh | 0.1 | 0.0 | 0.0 | 0.0 |
| Uttrakhand | 0.5 | 2.8 | 0.0 | 0.5 |
| West Bengal | 0.1 | 0.0 | -0.1 | 0.2 |
| Delhi | -0.1 | 0.3 | 0.1 | 0.2 |
| Chandigarh | 0.6 | 0.0 | 0.2 | 0.0 |
| Arunachal Pradesh | -0.2 | -0.7 | -0.4 | -0.1 |
| Manipur | -0.1 | -0.4 | 0.1 | -0.1 |
| Meghalaya | 0.1 | -0.8 | 0.0 | -0.2 |
| Mizoram | -0.1 | 0.0 | -0.2 | -0.2 |
| Nagaland | 0.0 | -0.4 | 0.0 | 0.1 |
| Tripura | -0.1 | -0.1 | 0.2 | 0.3 |
| Sikkim | -0.1 | -0.3 | -0.2 | 0.1 |

Appendix Table 8.6: Difference in Mean: Some Characteristic Variables of ICDS and Non-ICDS Samples (Continued...)

(Figures in %)

| States/UTs | Sex | Weight at birth (in Kg.) | House ownership | Toilet facility |
|---------------------|------------|--------------------------|-----------------|-----------------|
| Dadar& Nagar Haveli | 0.1 | -0.2 | 0.4 | 0.4 |
| Daman & Diu | 0.4 | 0.0 | 0.4 | 0.5 |
| Goa | -0.1 | 0.0 | 0.2 | 0.1 |
| Puducherry | 0.1 | -0.1 | 0.1 | 0.1 |
| West Bengal | 0.1 | 0.0 | -0.1 | 0.2 |
| All India | 0.0 | 0.0 | 0.0 | 0.1 |

Appendix Table 8.7: Estimates of Components Nutritional Status of Children Aged 7 Months-60 Months (ICDS v/s Non ICDS)

(Figures in %)

| States/UTs | ICDS | | | | | Non-ICDS | | | | |
|-------------------|--------|---------|---------|---------|---------|----------|---------|---------|---------|---------|
| | Normal | Grade 1 | Grade 2 | Grade 3 | Grade 4 | Normal | Grade 1 | Grade 2 | Grade 3 | Grade 4 |
| Andhra Pradesh | 52.2 | 27.6 | 15.6 | 4.6 | 0.0 | 46.1 | 33.4 | 15.8 | 3.4 | 1.4 |
| Assam | 47.3 | 31.5 | 14.6 | 6.7 | 0.0 | 46.7 | 27.5 | 22.6 | 2.3 | 1.0 |
| Bihar | 46.9 | 31.9 | 11.1 | 8.1 | 2.1 | 40.0 | 26.5 | 22.1 | 7.0 | 4.4 |
| Chhattisgarh | 41.1 | 35.0 | 14.5 | 8.1 | 1.3 | 52.0 | 23.4 | 17.5 | 6.6 | 0.6 |
| Gujarat | 40.9 | 34.8 | 18.3 | 4.7 | 1.4 | 49.9 | 24.3 | 12.0 | 13.8 | 0.0 |
| Haryana | 55.3 | 33.8 | 8.8 | 2.1 | 0.0 | 53.0 | 31.1 | 15.2 | 0.8 | 0.0 |
| Himachal Pradesh | 56.2 | 30.1 | 13.1 | 0.3 | 0.3 | 57.0 | 22.5 | 20.5 | 0.0 | 0.0 |
| Jammu and Kashmir | 63.0 | 18.0 | 17.0 | 1.5 | 0.5 | 67.1 | 12.2 | 17.3 | 2.8 | 0.6 |
| Jharkhand | 48.3 | 33.0 | 10.9 | 5.6 | 2.2 | 54.3 | 26.8 | 13.4 | 4.4 | 1.0 |
| Karnataka | 45.0 | 35.1 | 14.6 | 4.7 | 0.6 | 52.1 | 27.7 | 11.9 | 8.3 | 0.0 |
| Kerala | 63.6 | 23.9 | 11.3 | 1.2 | 0.0 | 57.1 | 35.9 | 7.1 | 0.0 | 0.0 |
| Madhya Pradesh | 39.0 | 30.6 | 21.0 | 6.9 | 2.6 | 31.5 | 32.3 | 27.2 | 6.8 | 2.2 |
| Maharashtra | 55.2 | 31.3 | 11.1 | 1.4 | 1.1 | 51.7 | 31.1 | 11.4 | 4.7 | 1.1 |
| Orissa | 46.0 | 31.0 | 14.2 | 6.5 | 2.4 | 47.7 | 19.9 | 19.5 | 12.5 | 0.4 |
| Punjab | 63.6 | 22.1 | 10.6 | 3.1 | 0.7 | 73.2 | 16.0 | 6.5 | 4.3 | 0.0 |
| Rajasthan | 47.9 | 27.1 | 16.6 | 5.2 | 3.3 | 45.0 | 25.7 | 18.8 | 8.9 | 1.6 |
| Tamil Nadu | 55.3 | 33.0 | 8.4 | 2.6 | 0.7 | 54.0 | 29.8 | 12.5 | 1.8 | 2.0 |
| Uttar Pradesh | 38.6 | 33.1 | 19.5 | 6.4 | 2.4 | 38.9 | 31.2 | 20.9 | 6.9 | 2.2 |
| Uttarakhand | 49.6 | 23.1 | 20.9 | 6.0 | 0.4 | 64.4 | 23.3 | 3.4 | 9.0 | 0.0 |
| West Bengal | 57.8 | 28.1 | 10.3 | 3.0 | 0.8 | 46.1 | 32.2 | 15.0 | 6.2 | 0.5 |
| Delhi | 44.1 | 31.6 | 22.8 | 1.5 | 0.0 | 50.1 | 24.6 | 25.3 | 0.0 | 0.0 |
| Chandigarh | 74.3 | 9.5 | 9.8 | 6.4 | 0.0 | 22.2 | 77.8 | 0.0 | 0.0 | 0.0 |
| Arunachal Pradesh | 49.4 | 14.4 | 24.8 | 7.7 | 3.7 | 49.1 | 0.0 | 50.9 | 0.0 | 0.0 |
| Manipur | 71.6 | 26.0 | 2.4 | 0.0 | 0.0 | 85.3 | 13.0 | 1.7 | 0.0 | 0.0 |
| Meghalaya | 59.0 | 19.6 | 16.7 | 4.7 | 0.0 | 48.7 | 9.1 | 29.1 | 13.1 | 0.0 |
| Mizoram | 61.9 | 18.2 | 11.9 | 2.9 | 5.1 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Nagaland | 87.8 | 5.6 | 4.7 | 0.0 | 1.9 | 71.4 | 18.8 | 4.1 | 0.0 | 5.7 |

Appendix Table 8.7: Estimates of Components Nutritional Status of Children Aged 7 Months-60 Months (ICDS v/s Non ICDS)
(Continued...)

(Figures in %)

| States/UTs | ICDS | | | | | Non-ICDS | | | | |
|--------------------------------------|-------------|-------------|-------------|------------|------------|-------------|-------------|-------------|------------|------------|
| | Normal | Grade 1 | Grade 2 | Grade 3 | Grade 4 | Normal | Grade 1 | Grade 2 | Grade 3 | Grade 4 |
| Tripura | 53.0 | 24.7 | 16.7 | 5.4 | 0.2 | 56.3 | 33.9 | 9.8 | 0.0 | 0.0 |
| Sikkim | 71.1 | 23.6 | 5.3 | 0.0 | 0.0 | 70.3 | 21.7 | 8.1 | 0.0 | 0.0 |
| Dadar& Nagar Haveli | 32.0 | 42.2 | 25.8 | 0.0 | 0.0 | 70.4 | 21.2 | 0.0 | 0.0 | 8.5 |
| Daman & Diu | 55.3 | 32.0 | 6.1 | 6.6 | 0.0 | 87.2 | 12.8 | 0.0 | 0.0 | 0.0 |
| Goa | 84.5 | 8.3 | 7.3 | 0.0 | 0.0 | 48.1 | 43.8 | 8.1 | 0.0 | 0.0 |
| Puducherry | 68.0 | 22.9 | 9.1 | 0.0 | 0.0 | 93.6 | 6.4 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 73.8 | 25.2 | 1.0 | 0.0 | 0.0 | 46.8 | 47.7 | 5.6 | 0.0 | 0.0 |
| All India | 47.3 | 31.0 | 15.1 | 5.1 | 1.5 | 46.0 | 28.9 | 17.8 | 5.5 | 1.9 |

Appendix Table 8.8: Estimates of Components of Immunization Status of Children Aged 12-23 Months (ICDS v/s Non ICDS)

(Figures in %)

| States/UTs | BCG | | Measels | | All Vaccination* | |
|-------------------|-------|----------|---------|----------|------------------|----------|
| | ICDS | Non-ICDS | ICDS | Non-ICDS | ICDS | Non-ICDS |
| Andhra Pradesh | 95.3 | 93.8 | 74.9 | 69.4 | 49.6 | 45.5 |
| Assam | 73.0 | 82.5 | 66.6 | 64.5 | 37.0 | 39.1 |
| Bihar | 73.9 | 73.2 | 53.1 | 48.1 | 39.8 | 35.4 |
| Chhattisgarh | 88.3 | 89.3 | 70.7 | 69.0 | 54.0 | 52.3 |
| Gujarat | 91.6 | 97.5 | 74.0 | 95.2 | 55.2 | 47.6 |
| Haryana | 82.3 | 96.1 | 80.7 | 79.6 | 74.8 | 75.6 |
| Himachal Pradesh | 100.0 | 100.0 | 88.6 | 87.5 | 73.0 | 87.5 |
| Jammu and Kashmir | 97.0 | 100.0 | 86.7 | 96.4 | 78.0 | 96.4 |
| Jharkhand | 83.7 | 79.8 | 65.9 | 53.1 | 51.1 | 53.1 |
| Karnataka | 88.6 | 82.6 | 75.4 | 76.2 | 63.4 | 58.8 |
| Kerala | 100.0 | 100.0 | 88.4 | 89.7 | 79.7 | 89.7 |
| Madhya Pradesh | 86.1 | 87.9 | 65.5 | 66.1 | 48.9 | 44.3 |
| Maharashtra | 100.0 | 98.1 | 88.3 | 77.6 | 65.1 | 66.1 |
| Orissa | 83.2 | 75.1 | 73.7 | 70.6 | 59.1 | 49.1 |
| Punjab | 88.4 | 84.9 | 79.7 | 68.4 | 67.9 | 58.6 |
| Rajasthan | 70.5 | 67.1 | 58.4 | 55.7 | 31.9 | 32.0 |
| Tamil Nadu | 99.1 | 98.8 | 90.9 | 87.8 | 86.7 | 82.8 |
| Uttar Pradesh | 71.0 | 67.5 | 41.5 | 38.9 | 29.9 | 25.3 |
| Uttarakhand | 91.4 | 100.0 | 75.6 | 0.0 | 63.6 | 0.0 |
| West Bengal | 94.0 | 97.0 | 82.2 | 73.9 | 67.4 | 61.8 |
| Delhi | 89.6 | 100.0 | 89.6 | 70.0 | 63.6 | 70.0 |
| Chandigarh | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Arunachal Pradesh | 65.1 | - | 34.6 | - | 19.1 | - |
| Manipur | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Meghalaya | 82.8 | 100.0 | 100.0 | 64.6 | 82.8 | 64.6 |
| Mizoram | 75.4 | - | 100.0 | - | 75.4 | 77.6 |
| Nagaland | 96.8 | 100.0 | 81.2 | 100.0 | 78.0 | 0.0 |
| Tripura | 80.1 | 100.0 | 72.8 | 94.3 | 69.4 | - |

Appendix Table 8.8: Estimates of Components of Immunization Status of Children Aged 12-23 Months (ICDS v/s Non ICDS)
(continued ...)

(Figures in %)

| States/UTs | BCG | | Measels | | All Vaccination* | |
|--------------------------------------|--------------|-------------|-------------|-------------|------------------|-------------|
| | ICDS | Non-ICDS | ICDS | Non-ICDS | ICDS | Non-ICDS |
| Sikkim | 100.0 | - | 100.0 | - | 100.0 | - |
| Dadar & Nagar Haveli | 100.0 | - | 100.0 | - | 100.0 | - |
| Daman & Diu | 100.0 | - | 100.0 | - | 100.0 | - |
| Goa | 100.0 | 100.0 | 59.3 | 71.4 | 59.3 | 71.4 |
| Puducherry | 100.0 | - | 100.0 | - | 100.0 | - |
| Andaman & Nicobar Islands | 100.0 | 100.0 | 95.0 | 88.5 | 95.0 | 88.5 |
| All India | 84.4 | 86.5 | 67.2 | 59.9 | 51.2 | 50.8 |

Note: * Children who are fully vaccinated i.e. those who have received BCG, measles and three doses of DPT and Polio vaccine

Appendix Table 8.9: Estimates of Components of Practice of Child Getting Weighed at Birth (ICDS v/s Non ICDS)

(Figures in %)

| States/UTs | Child weighed at birth | |
|-------------------|------------------------|----------|
| | ICDS | Non-ICDS |
| Andhra Pradesh | 74.6 | 72.5 |
| Assam | 55.3 | 53.7 |
| Bihar | 13.8 | 15.3 |
| Chhattisgarh | 65.6 | 63.6 |
| Gujarat | 59.8 | 60.0 |
| Haryana | 60.6 | 68.4 |
| Himachal Pradesh | 82.2 | 96.4 |
| Jammu and Kashmir | 14.6 | 23.4 |
| Jharkhand | 39.3 | 29.0 |
| Karnataka | 47.1 | 59.6 |
| Kerala | 99.6 | 100.0 |
| Madhya Pradesh | 49.6 | 55.4 |
| Maharashtra | 88.8 | 86.8 |
| Orissa | 69.4 | 70.7 |
| Punjab | 55.4 | 77.3 |
| Rajasthan | 36.4 | 36.0 |
| Tamil Nadu | 95.5 | 97.8 |
| Uttar Pradesh | 10.5 | 11.7 |
| Uttrakhand | 27.0 | 26.2 |
| West Bengal | 58.8 | 71.3 |
| Delhi | 48.4 | 40.6 |
| Chandigarh | 65.5 | 68.5 |
| Arunachal Pradesh | 0.5 | 23.2 |
| Manipur | 74.4 | 74.9 |
| Meghalaya | 52.2 | 46.0 |
| Mizoram | 83.0 | 100.0 |
| Nagaland | 41.2 | 27.1 |
| Tripura | 73.8 | 91.7 |
| Sikkim | 68.4 | 47.2 |

**Appendix Table 8.9: Estimates of Components of Practice of Child Getting Weighed at Birth (ICDS v/s Non ICDS)
(Continued...)**

(Figures in %)

| States/UTs | Child weighed at birth | |
|--------------------------------------|------------------------|-------------|
| | ICDS | Non-ICDS |
| Dadar& Nagar Haveli | 80.5 | 90.5 |
| Daman & Diu | 89.2 | 100.0 |
| Goa | 96.4 | 58.1 |
| Puducherry | 96.9 | 100.0 |
| Andaman & Nicobar Islands | 94.5 | 95.6 |
| All India | 46.5 | 47.2 |

Appendix Table 8.10: Estimates of Components of Colostrum Feeding (ICDS v/s Non ICDS)

(Figures in %)

| States/UTs | ICDS | | Non-ICDS | |
|-------------------|-----------------|----------------|-----------------|----------------|
| | Within one hour | Within one day | Within one hour | Within one day |
| Andhra Pradesh | 75.0 | 14.1 | 55.1 | 29.9 |
| Assam | 73.2 | 20.8 | 63.7 | 28.9 |
| Bihar | 7.7 | 54.5 | 4.0 | 57.9 |
| Chhattisgarh | 41.6 | 45.2 | 27.5 | 53.1 |
| Gujarat | 38.5 | 50.1 | 49.0 | 38.2 |
| Haryana | 31.8 | 49.6 | 26.1 | 50.6 |
| Himachal Pradesh | 60.6 | 27.8 | 63.2 | 35.9 |
| Jammu and Kashmir | 42.6 | 36.6 | 40.7 | 55.8 |
| Jharkhand | 27.8 | 56.9 | 25.6 | 55.4 |
| Karnataka | 61.5 | 17.2 | 59.6 | 19.1 |
| Kerala | 73.0 | 25.4 | 75.2 | 16.0 |
| Madhya Pradesh | 45.4 | 39.9 | 46.4 | 42.1 |
| Maharashtra | 74.3 | 18.4 | 58.0 | 35.5 |
| Orissa | 77.5 | 20.7 | 80.1 | 18.5 |
| Punjab | 9.3 | 19.9 | 12.7 | 23.8 |
| Rajasthan | 23.1 | 50.3 | 21.0 | 32.7 |
| Tamil Nadu | 65.1 | 29.6 | 63.7 | 26.0 |
| Uttar Pradesh | 20.6 | 28.0 | 17.1 | 30.6 |
| Uttarakhand | 28.3 | 29.9 | 1.1 | 71.7 |
| West Bengal | 30.8 | 62.3 | 14.9 | 78.2 |
| Delhi | 39.3 | 24.1 | 24.6 | 50.0 |
| Chandigarh | 25.3 | 69.9 | 30.9 | 69.1 |
| Arunachal Pradesh | 75.2 | 20.8 | 86.0 | 14.0 |
| Manipur | 75.7 | 19.3 | 89.8 | 9.3 |
| Meghalaya | 75.8 | 24.2 | 52.3 | 47.8 |
| Mizoram | 100.0 | 0.0 | 100.0 | 0.0 |
| Nagaland | 37.7 | 32.0 | 37.1 | 42.8 |
| Tripura | 32.3 | 44.1 | 22.7 | 77.4 |
| Sikkim | 85.6 | 13.1 | 86.6 | 8.2 |

Appendix Table 8.10: Estimates of Components of Colostrum Feeding (ICDS v/s Non ICDS) (Continued)

(Figures in %)

| States/UTs | ICDS | | Non-ICDS | |
|--------------------------------------|-----------------|----------------|-----------------|----------------|
| | Within one hour | Within one day | Within one hour | Within one day |
| Dadar& Nagar Haveli | 70.7 | 29.3 | 68.4 | 31.6 |
| Daman & Diu | 50.0 | 45.8 | 28.2 | 71.8 |
| Goa | 96.4 | 3.6 | 100.0 | 0.0 |
| Puducherry | 60.0 | 33.7 | 66.5 | 33.5 |
| Andaman & Nicobar Islands | 5.0 | 84.0 | 0.0 | 97.7 |
| All India | 42.8 | 33.0 | 32.6 | 41.7 |

Appendix Table 8.11: Estimates of Components of Enrollment of and Discontinuation by Children Aged 7-14 Years in Primary and Post-Primary Education (ICDS v/s Non ICDS)

(Figures in %)

| States/UTs | Enrollment | | Discontinuation | |
|-------------------|------------|----------|-----------------|----------|
| | ICDS | Non-ICDS | ICDS | Non-ICDS |
| Andhra Pradesh | 95.6 | 89.5 | 4.5 | 2.0 |
| Assam | 98.7 | 99.2 | 1.8 | 7.1 |
| Bihar | 96.3 | 91.8 | 4.9 | 4.0 |
| Chhattisgarh | 99.6 | 98.0 | 6.4 | 7.0 |
| Gujarat | 99.1 | 97.1 | 3.7 | 1.7 |
| Haryana | 100.0 | 100.0 | 0.1 | 0.0 |
| Himachal Pradesh | 100.0 | 100.0 | 0.1 | 0.0 |
| Jammu and Kashmir | 95.8 | 97.7 | 1.4 | 0.0 |
| Jharkhand | 87.1 | 80.0 | 6.2 | 7.9 |
| Karnataka | 95.8 | 99.5 | 3.1 | 3.2 |
| Kerala | 100.0 | 100.0 | 0.0 | 1.3 |
| Madhya Pradesh | 98.7 | 82.1 | 3.6 | 2.2 |
| Maharashtra | 97.6 | 95.8 | 3.6 | 3.0 |
| Orissa | 97.7 | 92.3 | 3.5 | 3.6 |
| Punjab | 97.3 | 85.6 | 3.8 | 1.9 |
| Rajasthan | 95.7 | 93.5 | 5.8 | 5.7 |
| Tamil Nadu | 99.4 | 95.8 | 1.0 | 0.9 |
| Uttar Pradesh | 95.4 | 91.0 | 4.8 | 9.7 |
| Uttrakhand | 99.2 | 100.0 | 1.2 | 0.0 |
| West Bengal | 98.3 | 97.4 | 4.3 | 6.7 |
| Delhi | 100.0 | 100.0 | 1.8 | 0.0 |
| Chandigarh | 100.0 | 100.0 | 0.0 | 0.0 |
| Arunachal Pradesh | 93.9 | 56.9 | 0.0 | 0.0 |
| Manipur | 99.4 | 93.5 | 1.2 | 0.0 |
| Meghalaya | 100.0 | 100.0 | 0.5 | 0.0 |
| Mizoram | 100.0 | 100.0 | 0.0 | 0.0 |
| Nagaland | 98.8 | 89.6 | 6.6 | 23.6 |
| Tripura | 87.2 | 89.2 | 2.9 | 0.0 |

Appendix Table 8.11: Estimates of Components of Enrollment of and Discontinuation by Children Aged 7-14 Years in Primary and Post-Primary Education (ICDS v/s Non ICDS) (Continued...)

(Figures in %)

| States/UTs | Enrollment | | Discontinuation | |
|--------------------------------------|-------------|-------------|-----------------|------------|
| | ICDS | Non-ICDS | ICDS | Non-ICDS |
| Sikkim | 100.0 | 100.0 | 11.6 | 0.0 |
| Dadar& Nagar Haveli | 100.0 | 58.8 | 14.8 | 0.0 |
| Daman & Diu | 100.0 | 76.7 | 0.0 | 0.0 |
| Goa | 100.0 | - | 0.0 | - |
| Puducherry | 100.0 | 100.0 | 5.8 | 0.0 |
| Andaman & Nicobar Islands | 100.0 | 100.0 | 4.8 | 0.0 |
| All India | 96.8 | 91.8 | 4.0 | 6.4 |

Appendix Table 9.2: Nutritional Status of Children Aged 7 Months-60 Months

(Figures in %)

| States/UTs | ICDS | | Non-ICDS | | (MWCD,2009) | |
|-------------------|-------------------------|-----------------------|-------------------------|-----------------------|-------------------------|-----------------------|
| | Moderately malnourished | Severely malnourished | Moderately malnourished | Severely malnourished | Moderately malnourished | Severely malnourished |
| Andhra Pradesh | 43.1 | 4.6 | 49.2 | 4.8 | 49.9 | 0.1 |
| Assam | 46.1 | 6.7 | 50.1 | 3.2 | 35.0 | 0.6 |
| Bihar | 43.0 | 10.2 | 48.6 | 11.4 | 66.7 | 33.3 |
| Chhattisgarh | 49.5 | 9.4 | 40.9 | 7.1 | 52.3 | 0.7 |
| Gujarat | 53.1 | 6.1 | 36.3 | 13.8 | 56.1 | 0.8 |
| Haryana | 42.6 | 2.1 | 46.3 | 0.8 | 43.8 | 0.1 |
| Himachal Pradesh | 43.2 | 0.6 | 43.0 | 0.0 | 37.2 | 0.1 |
| Jammu and Kashmir | 35.0 | 2.0 | 29.5 | 3.4 | 31.1 | 0.1 |
| Jharkhand | 43.9 | 7.8 | 40.2 | 5.5 | 42.8 | 0.8 |
| Karnataka | 49.7 | 5.3 | 39.7 | 8.3 | 51.6 | 0.4 |
| Kerala | 35.2 | 1.2 | 42.9 | 0.0 | 37.1 | 0.1 |
| Madhya Pradesh | 51.6 | 9.5 | 59.5 | 9.1 | 43.5 | 0.4 |
| Maharashtra | 42.3 | 2.5 | 42.4 | 5.8 | 37.8 | 0.1 |
| Orissa | 45.2 | 8.9 | 39.3 | 12.9 | 51.9 | 0.8 |
| Punjab | 32.7 | 3.7 | 22.5 | 4.3 | 34.8 | 0.1 |
| Rajasthan | 43.6 | 8.5 | 44.5 | 10.5 | 46.6 | 0.7 |
| Tamil Nadu | 41.4 | 3.3 | 42.3 | 3.8 | 36.5 | 0.0 |
| Uttar Pradesh | 52.6 | 8.8 | 52.1 | 9.1 | 52.2 | 0.5 |
| Uttarakhand | 43.9 | 6.5 | 26.7 | 9.0 | 93.5 | 2.1 |
| West Bengal | 38.4 | 3.8 | 47.2 | 6.7 | 49.0 | 0.6 |
| Delhi | 54.4 | 1.5 | 49.9 | 0.0 | 49.9 | 0.0 |
| Chandigarh | 19.3 | 6.4 | 77.8 | 0.0 | 31.3 | 0.4 |
| Arunachal Pradesh | 39.2 | 11.4 | 50.9 | 0.0 | 0.0 | 0.0 |
| Manipur | 28.4 | 0.0 | 14.7 | 0.0 | 13.6 | 0.2 |
| Meghalaya | 36.3 | 4.7 | 38.2 | 13.1 | 38.2 | 0.2 |
| Mizoram | 30.1 | 8.0 | 0.0 | 0.0 | 26.8 | 0.1 |
| Nagaland | 10.3 | 1.9 | 22.9 | 5.7 | 6.3 | 0.1 |
| Tripura | 41.3 | 5.6 | 43.8 | 0.0 | 38.1 | 0.3 |

Appendix Table 9.2: Nutritional Status of Children Aged 7 Months-60 Months (Continued ...)

(Figures in %)

| States/UTs | ICDS | | Non-ICDS | | (MWCD,2009) | |
|---------------------------|-------------------------|-----------------------|-------------------------|-----------------------|-------------------------|-----------------------|
| | Moderately malnourished | Severely malnourished | Moderately malnourished | Severely malnourished | Moderately malnourished | Severely malnourished |
| Sikkim | 28.9 | 0.0 | 29.8 | 0.0 | 17.4 | 0.0 |
| Dadar& Nagar Haveli | 68.0 | 0.0 | 21.2 | 8.5 | 71.9 | 0.4 |
| Daman & Diu | 38.1 | 6.6 | 12.8 | 0.0 | 52.7 | 0.1 |
| Goa | 15.5 | 0.0 | 51.9 | 0.0 | 37.5 | 0.1 |
| Puducherry | 32.0 | 0.0 | 6.4 | 0.0 | 39.7 | 0.0 |
| Andaman & Nicobar Islands | 26.2 | 0.0 | 53.2 | 0.0 | 13.3 | 2.4 |
| All India | 46.1 | 6.6 | 46.7 | 7.3 | 45.5 | 0.4 |

Source: (i) MWCD Website (Under Child Development Section-Data Tables of ICDS: States/UTs -wise details of Classification of Nutritional Status of Children (as on 31.12.2009)
(ii) Figures for Bihar under ICDS Ben. (MWCD, 2009) for the year Feb, 2007.

Appendix Table 9.3: Nutritional Status of Children Aged 7 Months-60 Months by Expenditure Classes

(Figures in %)

| States/UTs | ICDS | | | | | | Non-ICDS | | | | | |
|-------------------|---------------|----------|------------|----------|------------|----------|---------------|----------|------------|----------|------------|----------|
| | Upto Rs. 2000 | | 2001-3000 | | Above 3000 | | Upto Rs. 2000 | | 2001-3000 | | Above 3000 | |
| | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely |
| Andhra Pradesh | 47.7 | 6.7 | 44.7 | 5.0 | 31.0 | 1.5 | 46.3 | 7.4 | 45.0 | 5.7 | 33.8 | 0.7 |
| Assam | 58.4 | 11.7 | 48.1 | 9.4 | 35.2 | 0.0 | 60.2 | 7.0 | 50.4 | 8.0 | 31.0 | 0.0 |
| Bihar | 44.9 | 14.2 | 41.5 | 7.0 | 38.0 | 0.6 | 55.3 | 17.7 | 43.2 | 11.2 | 45.9 | 0.0 |
| Chhattisgarh | 45.3 | 15.0 | 49.1 | 3.9 | 62.2 | 2.8 | 61.5 | 24.7 | 61.5 | 8.6 | 24.4 | 0.0 |
| Gujarat | 54.3 | 8.4 | 48.6 | 6.6 | 56.5 | 0.0 | 38.3 | 10.0 | 46.0 | 8.2 | 45.5 | 0.0 |
| Haryana | 55.9 | 11.0 | 52.7 | 0.0 | 24.3 | 0.0 | 43.0 | 4.3 | 73.4 | 0.0 | 17.3 | 0.0 |
| Himachal Pradesh | 50.2 | 2.6 | 46.9 | 0.7 | 37.3 | 0.0 | 63.9 | 0.0 | 47.8 | 0.0 | 29.1 | 0.0 |
| Jammu and Kashmir | 43.8 | 12.7 | 33.6 | 2.6 | 34.5 | 0.0 | 55.6 | 18.9 | 48.4 | 4.4 | 26.7 | 0.0 |
| Jharkhand | 47.1 | 12.5 | 36.7 | 7.5 | 54.0 | 3.8 | 40.7 | 9.3 | 42.0 | 2.4 | 34.8 | 0.0 |
| Karnataka | 53.2 | 6.7 | 42.1 | 2.5 | 36.8 | 0.0 | 44.3 | 19.8 | 57.7 | 0.0 | 2.0 | 0.0 |
| Kerala | 44.2 | 9.6 | 35.6 | 0.0 | 33.3 | 0.0 | 85.6 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 |
| Madhya Pradesh | 57.1 | 13.4 | 48.9 | 7.6 | 42.9 | 3.2 | 63.5 | 15.6 | 60.5 | 11.8 | 55.3 | 1.5 |
| Maharashtra | 51.7 | 5.6 | 46.3 | 1.2 | 26.5 | 0.0 | 46.0 | 13.2 | 31.8 | 2.5 | 28.8 | 1.7 |
| Orissa | 50.2 | 13.5 | 45.9 | 5.9 | 32.8 | 2.3 | 46.9 | 20.1 | 34.1 | 15.7 | 37.1 | 0.0 |
| Punjab | 38.3 | 12.1 | 30.1 | 0.6 | 30.8 | 0.0 | 36.5 | 8.9 | 22.9 | 6.5 | 17.6 | 0.0 |
| Rajasthan | 51.3 | 11.8 | 41.6 | 8.9 | 39.1 | 3.7 | 53.0 | 16.9 | 46.1 | 14.1 | 36.6 | 1.4 |
| Tamil Nadu | 44.3 | 5.6 | 41.7 | 2.1 | 34.8 | 0.0 | 41.7 | 6.5 | 42.9 | 5.4 | 42.2 | 0.0 |
| Uttar Pradesh | 58.2 | 12.2 | 52.7 | 8.4 | 47.4 | 5.9 | 58.7 | 15.4 | 47.6 | 7.5 | 51.7 | 2.4 |
| Uttarakhand | 47.4 | 16.4 | 45.7 | 0.0 | 34.8 | 0.0 | 36.4 | 14.0 | 33.6 | 0.0 | 0.0 | 0.0 |
| West Bengal | 41.9 | 6.2 | 37.7 | 2.1 | 29.8 | 1.9 | 48.1 | 12.9 | 44.9 | 2.5 | 37.2 | 1.7 |
| Delhi | 100.0 | 0.0 | 69.3 | 0.0 | 48.9 | 2.0 | 56.7 | 0.0 | 58.7 | 0.0 | 47.1 | 0.0 |
| Chandigarh | 15.0 | 19.6 | 29.1 | 0.0 | 0.0 | 0.0 | - | - | 5.8 | 0.0 | 93.1 | 0.0 |

Appendix Table 9.3: Nutritional Status of Children Aged 7 Months-60 Months by Expenditure Classes (Continued...)

(Figures in %)

| States/UTs | ICDS | | | | | | Non-ICDS | | | | | |
|--------------------------------------|---------------|-------------|-------------|------------|-------------|------------|---------------|-------------|-------------|------------|-------------|------------|
| | Upto Rs. 2000 | | 2001-3000 | | Above 3000 | | Upto Rs. 2000 | | 2001-3000 | | Above 3000 | |
| | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely |
| Arunachal Pradesh | 35.3 | 16.2 | 57.7 | 15.3 | 30.1 | 0.0 | 16.9 | 0.0 | 100.0 | 0.0 | 0.0 | 0.0 |
| Manipur | 56.2 | 0.0 | 28.1 | 0.0 | 24.9 | 0.0 | 22.4 | 0.0 | 10.7 | 0.0 | 5.9 | 0.0 |
| Meghalaya | 24.1 | 7.7 | 47.5 | 4.5 | 34.4 | 3.5 | 29.0 | 23.8 | 16.3 | 0.0 | 47.5 | 11.1 |
| Mizoram | 46.2 | 10.1 | 0.0 | 12.7 | 25.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| Nagaland | 0.0 | 0.0 | 17.7 | 0.0 | 8.7 | 2.8 | 100.0 | 0.0 | 51.8 | 11.6 | 13.8 | 4.4 |
| Tripura | 65.4 | 9.0 | 15.9 | 11.7 | 55.1 | 0.4 | 100.0 | 0.0 | 4.2 | 0.0 | 50.0 | 0.0 |
| Sikkim | 24.8 | 0.0 | 31.0 | 0.0 | 34.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 84.5 | 0.0 |
| Dadar & Nagar Haveli | 0.0 | 0.0 | 62.4 | 0.0 | 88.1 | 0.0 | 0.0 | 100.0 | 37.7 | 0.0 | 9.1 | 0.0 |
| Daman & Diu | 60.6 | 0.0 | 38.0 | 5.4 | 30.5 | 11.1 | - | - | 0.0 | 0.0 | 13.4 | 0.0 |
| Goa | 0.0 | 0.0 | 0.0 | 0.0 | 19.4 | 0.0 | - | - | 0.0 | 0.0 | 56.5 | 0.0 |
| Puducherry | 48.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 9.7 | 0.0 | - | - | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 0.0 | 0.0 | 25.0 | 0.0 | 28.4 | 0.0 | 46.1 | 0.0 | 54.7 | 0.0 | 56.6 | 0.0 |
| All India | 51.2 | 10.2 | 45.7 | 5.8 | 39.4 | 2.7 | 52.7 | 12.7 | 45.1 | 6.9 | 38.5 | 0.8 |

Appendix Table 9.4: Nutritional Status of Children Aged 7 Months-60 Months by Occupation Group

(Figures in %)

| States/UTs | ICDS | | | | | | Non-ICDS | | | | | |
|--------------------------|-------------|----------|--------------|----------|------------|----------|-------------|----------|--------------|----------|------------|----------|
| | Agriculture | | Wage earners | | Others | | Agriculture | | Wage earners | | Others | |
| | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely |
| Andhra Pradesh | 37.4 | 4.1 | 53.1 | 6.4 | 11.3 | 0.7 | 34.9 | 0.0 | 58.7 | 9.0 | 25.2 | 1.4 |
| Assam | 26.9 | 6.3 | 57.8 | 14.1 | 47.0 | 0.0 | 31.0 | 0.0 | 67.3 | 13.3 | 37.3 | 0.4 |
| Bihar | 47.7 | 5.7 | 45.9 | 17.1 | 37.2 | 2.2 | 45.5 | 3.3 | 49.6 | 14.5 | 48.8 | 9.9 |
| Chhattisgarh | 53.2 | 11.9 | 36.8 | 13.8 | 58.2 | 1.1 | 39.6 | 9.3 | 53.1 | 26.7 | 37.5 | 0.0 |
| Gujarat | 53.6 | 9.1 | 49.5 | 5.8 | 58.0 | 2.1 | 57.7 | 1.0 | 35.9 | 23.1 | 18.2 | 0.0 |
| Haryana | 43.0 | 0.0 | 42.3 | 4.7 | 42.7 | 0.0 | 30.6 | 0.0 | 68.8 | 2.0 | 32.8 | 0.0 |
| Himachal Pradesh | 24.6 | 0.0 | 60.7 | 2.0 | 39.3 | 0.0 | 30.0 | 0.0 | 84.6 | 0.0 | 38.1 | 0.0 |
| Jammu and Kashmir | 14.8 | 1.0 | 54.8 | 7.2 | 35.9 | 0.8 | 32.5 | 26.9 | 76.4 | 0.0 | 24.5 | 0.0 |
| Jharkhand | 39.3 | 2.8 | 42.8 | 11.2 | 50.0 | 0.0 | 37.0 | 0.0 | 40.8 | 8.6 | 40.5 | 0.0 |
| Karnataka | 43.8 | 3.5 | 63.76 | 9.7 | 32.7 | 0.0 | 58.0 | 0.6 | 36.6 | 21.5 | 12.2 | 0.0 |
| Kerala | 41.7 | 17.2 | 44.0 | 1.2 | 12.0 | 0.0 | - | - | 61.9 | 0.0 | 2.0 | 0.0 |
| Madhya Pradesh | 46.1 | 7.3 | 53.7 | 11.9 | 55.1 | 7.0 | 65.7 | 3.7 | 59.2 | 19.0 | 52.6 | 5.3 |
| Maharashtra | 46.8 | 3.1 | 52.6 | 2.0 | 22.3 | 2.0 | 36.4 | 1.3 | 31.0 | 17.8 | 35.3 | 1.6 |
| Orissa | 53.7 | 14.8 | 48.0 | 10.4 | 35.7 | 3.0 | 68.0 | 10.0 | 40.7 | 29.9 | 24.3 | 1.8 |
| Punjab | 34.9 | 0.0 | 28.7 | 6.6 | 41.5 | 0.0 | 26.1 | 0.0 | 33.3 | 3.4 | 10.0 | 8.8 |
| Rajasthan | 44.5 | 4.6 | 47.2 | 14.2 | 39.7 | 5.0 | 55.1 | 14.3 | 58.2 | 24.6 | 31.8 | 0.6 |
| Tamil Nadu | 46.6 | 2.1 | 44.8 | 4.3 | 28.8 | 1.4 | 37.5 | 9.5 | 35.2 | 4.2 | 56.0 | 0.2 |
| Uttar Pradesh | 48.7 | 8.9 | 59.7 | 9.0 | 39.3 | 7.7 | 48.8 | 5.6 | 54.5 | 15.7 | 56.1 | 2.5 |
| Uttrakhand | 40.2 | 0.0 | 44.9 | 9.0 | 42.8 | 2.1 | 0.0 | 0.0 | 45.9 | 12.0 | 35.7 | 0.0 |
| West Bengal | 38.4 | 3.7 | 40.9 | 4.3 | 28.2 | 2.1 | 27.4 | 1.7 | 45.7 | 8.8 | 46.4 | 2.8 |
| Chandigarh | - | - | 14.4 | 18.7 | 21.9 | 0.0 | - | - | 0.0 | 0.0 | 82.2 | 0.0 |
| Arunachal Pradesh | 39.7 | 10.7 | 9.4 | 62.4 | 45.6 | 0.0 | 100.0 | 0.0 | 16.9 | 0.0 | 16.9 | 0.0 |

Appendix Table 9.4: Nutritional Status of Children Aged 7 Months-60 Months by Occupation Group (Continued...)

(Figures in %)

| States/UTs | ICDS | | | | | | Non-ICDS | | | | | |
|---------------------------|-------------|----------|--------------|----------|------------|----------|-------------|----------|--------------|----------|------------|----------|
| | Agriculture | | Wage earners | | Others | | Agriculture | | Wage earners | | Others | |
| | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely |
| Manipur | 0.0 | 0.0 | 9.1 | 0.0 | 40.9 | 0.0 | 0.0 | 0.0 | 27.8 | 0.0 | 6.4 | 0.0 |
| Meghalaya | 18.8 | 0.0 | 34.3 | 5.3 | 44.6 | 6.3 | 0.0 | 0.0 | 49.2 | 20.2 | 22.5 | 0.0 |
| Mizoram | 22.4 | 0.0 | 54.1 | 0.0 | 28.5 | 16.1 | 0.0 | 0.0 | - | - | 0.0 | 0.0 |
| Nagaland | 0.0 | 0.0 | 34.3 | 31.5 | 11.5 | 0.0 | 59.7 | 7.3 | 0.0 | 0.0 | 7.4 | 5.2 |
| Tripura | 69.8 | 0.0 | 61.3 | 2.4 | 8.0 | 11.2 | 100.0 | 0.0 | 50.0 | 0.0 | 43.3 | 0.0 |
| Sikkim | 20.6 | 0.0 | 32.5 | 0.0 | 29.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 45.7 | 0.0 |
| Dadar & Nagar Haveli | 50.0 | 0.0 | 84.6 | 0.0 | 55.4 | 0.0 | 31.7 | 15.9 | - | - | 9.1 | 0.0 |
| Daman & Diu | - | - | 0.0 | 33.7 | 42.0 | 3.9 | - | - | - | - | 12.8 | 0.0 |
| Goa | 0.0 | 0.0 | 16.4 | 0.0 | 15.9 | 0.0 | - | - | 0.0 | 0.0 | 56.5 | 0.0 |
| Puducherry | - | - | 29.8 | 0.0 | 57.2 | 0.0 | - | - | 9.7 | 0.0 | 0.0 | 0.0 |
| Andaman & Nicobar Islands | 0.0 | 0.0 | 25.7 | 0.0 | 34.8 | 0.0 | 0.0 | 0.0 | 51.0 | 0.0 | 61.1 | 0.0 |
| All India | 45.7 | 6.7 | 50.7 | 8.4 | 37.4 | 3.0 | 45.5 | 4.2 | 48.8 | 11.5 | 42.4 | 3.6 |

Appendix Table 9.5: Nutritional Status of Children Aged 7 Months-60 Months by Asset Class

(Figures in %)

| States/UTs | ICDS | | | | Non-ICDS | | | |
|-------------------|------------|----------|------------|----------|------------|----------|------------|----------|
| | Asset 1 | | Asset 2 | | Asset 1 | | Asset 2 | |
| | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely |
| Andhra Pradesh | 29.4 | 3.5 | 47.5 | 5.4 | 29.7 | 0.8 | 49.9 | 6.9 |
| Assam | 44.5 | 0.0 | 46.3 | 7.9 | 25.9 | 2.0 | 52.1 | 6.1 |
| Bihar | 27.9 | 3.9 | 44.3 | 10.7 | 43.3 | 6.0 | 49.9 | 12.4 |
| Chhattisgarh | 68.9 | 6.3 | 36.7 | 11.4 | 23.6 | 0.0 | 65.6 | 17.3 |
| Gujarat | 48.6 | 2.0 | 54.9 | 7.8 | 50.8 | 0.0 | 35.8 | 13.7 |
| Haryana | 34.9 | 0.0 | 49.5 | 4.1 | 40.6 | 0.0 | 55.1 | 1.9 |
| Himachal Pradesh | 34.5 | 0.7 | 49.5 | 0.5 | 37.0 | 0.0 | 50.6 | 0.0 |
| Jammu and Kashmir | 41.2 | 1.3 | 32.4 | 2.3 | 3.7 | 0.0 | 74.4 | 7.9 |
| Jharkhand | 43.6 | 3.3 | 43.9 | 8.3 | 38.0 | 0.0 | 40.6 | 6.4 |
| Karnataka | 32.9 | 2.8 | 56.0 | 6.3 | 40.3 | 0.0 | 39.0 | 17.1 |
| Kerala | 36.1 | 0.0 | 34.7 | 1.9 | 1.4 | 0.0 | 77.0 | 0.0 |
| Madhya Pradesh | 46.7 | 5.5 | 54.5 | 11.8 | 58.8 | 1.7 | 60.3 | 18.2 |
| Maharashtra | 35.3 | 1.3 | 52.3 | 4.1 | 31.5 | 2.0 | 49.6 | 21.0 |
| Orissa | 34.1 | 5.5 | 49.3 | 10.1 | 36.1 | 0.0 | 42.5 | 25.4 |
| Punjab | 33.4 | 1.1 | 31.3 | 8.8 | 21.4 | 3.9 | 27.9 | 6.2 |
| Rajasthan | 41.3 | 2.5 | 44.9 | 11.8 | 33.7 | 3.4 | 58.5 | 19.6 |
| Tamil Nadu | 28.9 | 2.3 | 46.6 | 3.7 | 36.7 | 0.5 | 45.7 | 5.8 |
| Uttar Pradesh | 44.2 | 8.1 | 55.5 | 9.0 | 48.2 | 5.5 | 53.8 | 10.7 |
| Uttarakhand | 65.7 | 0.0 | 39.5 | 7.8 | - | - | 35.0 | 9.0 |
| West Bengal | 18.0 | 1.2 | 40.3 | 4.1 | 25.7 | 1.1 | 49.3 | 8.0 |
| Delhi | 50.7 | 2.1 | 63.7 | 0.0 | 34.9 | 0.0 | 67.7 | 0.0 |
| Chandigarh | 7.4 | 0.0 | 39.2 | 17.0 | 82.2 | 0.0 | 0.0 | 0.0 |
| Arunachal Pradesh | 0.0 | 0.0 | 41.1 | 12.0 | - | - | - | - |
| Manipur | 26.5 | 0.0 | 30.8 | 0.0 | 14.4 | 0.0 | 50.9 | 0.0 |
| Meghalaya | 24.9 | 0.0 | 57.8 | 13.6 | 48.1 | 11.0 | 14.8 | 0.0 |
| Mizoram | 30.5 | 12.7 | 29.3 | 0.0 | 0.0 | 0.0 | 23.5 | 16.3 |
| Nagaland | 8.7 | 2.4 | 16.4 | 0.0 | 15.5 | 5.0 | 0.0 | 0.0 |

Appendix Table 9.5: Nutritional Status of Children Aged 7 Months-60 Months by Asset Class (Continued...)

(Figures in %)

| States/UTs | ICDS | | | | Non-ICDS | | | |
|--------------------------------------|-------------|------------|-------------|------------|-------------|------------|-------------|------------|
| | Asset 1 | | Asset 2 | | Asset 1 | | Asset 2 | |
| | Moderately | Severely | Moderately | Severely | Moderately | Severely | Moderately | Severely |
| Tripura | 2.2 | 0.0 | 49.0 | 6.8 | 38.9 | 0.0 | 40.2 | 7.4 |
| Sikkim | 33.2 | 0.0 | 28.7 | 0.0 | 47.0 | 0.0 | 50.7 | 0.0 |
| Dadar& Nagar Haveli | 100.0 | 0.0 | 66.7 | 0.0 | 9.1 | 0.0 | 15.0 | 0.0 |
| Daman & Diu | 22.7 | 8.2 | 49.4 | 5.4 | 16.3 | 0.0 | 31.7 | 15.9 |
| Goa | 30.0 | 0.0 | 0.0 | 0.0 | 51.9 | 0.0 | 0.0 | 0.0 |
| Puducherry | 19.7 | 0.0 | 45.5 | 0.0 | 0.0 | 0.0 | 19.8 | 0.0 |
| Andaman & Nicobar Islands | 37.0 | 0.0 | 25.1 | 0.0 | 67.8 | 0.0 | 50.9 | 0.0 |
| All India | 39.0 | 3.8 | 49.0 | 7.8 | 37.8 | 2.3 | 50.3 | 9.9 |

Asset 1: Households holding assets like Refrigerator or Motorcycle/Scooter or Tractor or Car/Jeep or Land more than 2 acres.

Asset 2: Others The information for smaller States/UTs/UTs is available in Appendix Table.

Note: Moderately malnourished children (Grade I & II). Severely malnourished children (Grade III & IV).

Appendix Table 9.6: Distribution of Households by Level of Education – Beneficiary vs. Non-Beneficiary

(Figures in %)

| States/UTs | Beneficiary children household | | | | | | Non-Beneficiary children household | | | | |
|-------------------|--------------------------------|--------------|-------------------|-------------|---------|------------------|------------------------------------|-------------------|-------------|---------|------------------|
| | Illiterate | Primary pass | Middle level pass | Matric pass | HS pass | Graduate & above | Primary pass | Middle level pass | Matric pass | HS pass | Graduate & above |
| Andhra Pradesh | 39.1 | 13.1 | 17.0 | 16.2 | 10.6 | 4.0 | 12.8 | 6.6 | 21.3 | 18.5 | 9.4 |
| Assam | 8.5 | 9.0 | 41.3 | 13.5 | 16.7 | 11.0 | 9.9 | 27.8 | 12.4 | 17.5 | 16.2 |
| Bihar | 41.8 | 18.1 | 16.2 | 15.2 | 5.9 | 2.8 | 12.9 | 17.8 | 8.5 | 11.7 | 8.6 |
| Chhattisgarh | 10.4 | 23.3 | 31.4 | 23.0 | 7.1 | 4.9 | 7.6 | 26.1 | 24.2 | 27.0 | 10.7 |
| Gujarat | 9.4 | 18.6 | 23.9 | 15.4 | 17.8 | 15.0 | 22.3 | 14.8 | 13.9 | 31.1 | 12.9 |
| Haryana | 14.8 | 7.0 | 22.6 | 25.9 | 18.6 | 11.1 | 2.2 | 22.5 | 21.6 | 32.0 | 10.4 |
| Himachal Pradesh | 0.0 | 9.5 | 24.7 | 24.7 | 27.2 | 13.9 | 1.0 | 14.3 | 10.2 | 58.5 | 16.0 |
| Jammu and Kashmir | 4.8 | 1.6 | 13.3 | 27.0 | 36.2 | 17.1 | 1.8 | 29.1 | 9.1 | 29.8 | 23.6 |
| Jharkhand | 27.7 | 23.4 | 29.8 | 9.2 | 4.3 | 5.5 | 27.2 | 27.8 | 11.2 | 0.8 | 3.4 |
| Karnataka | 27.7 | 19.6 | 10.4 | 21.8 | 16.3 | 4.2 | 9.9 | 16.1 | 41.7 | 15.0 | 3.8 |
| Kerala | 1.8 | 5.4 | 23.8 | 25.1 | 29.0 | 14.8 | 0.0 | 38.2 | 20.3 | 5.6 | 35.9 |
| Madhya Pradesh | 11.4 | 12.9 | 18.8 | 31.1 | 18.4 | 7.4 | 4.1 | 13.5 | 27.9 | 31.2 | 17.5 |
| Maharashtra | 7.6 | 10.4 | 18.9 | 31.7 | 17.5 | 13.9 | 4.9 | 17.7 | 32.4 | 25.3 | 18.6 |
| Orissa | 20.4 | 17.4 | 30.7 | 14.5 | 9.0 | 8.1 | 12.0 | 32.3 | 20.4 | 11.9 | 17.9 |
| Punjab | 14.7 | 16.5 | 17.6 | 31.4 | 16.1 | 3.7 | 9.6 | 17.0 | 38.1 | 17.7 | 7.6 |
| Rajasthan | 16.9 | 22.1 | 18.7 | 22.0 | 8.9 | 11.4 | 15.9 | 14.7 | 25.9 | 23.7 | 8.2 |
| Tamil Nadu | 7.1 | 16.8 | 31.7 | 25.3 | 11.5 | 7.6 | 10.5 | 25.8 | 26.4 | 25.3 | 8.1 |
| Uttar Pradesh | 18.9 | 22.7 | 27.4 | 12.8 | 9.9 | 8.3 | 25.0 | 24.5 | 11.2 | 11.7 | 5.9 |
| Uttarakhand | 7.2 | 25.0 | 29.4 | 15.0 | 17.3 | 6.3 | 9.0 | 26.1 | 23.9 | 1.1 | 0.0 |
| West Bengal | 18.8 | 29.5 | 34.9 | 9.0 | 3.3 | 4.6 | 16.5 | 35.0 | 16.5 | 5.6 | 11.9 |
| Delhi | 13.1 | 9.9 | 24.4 | 22.8 | 14.3 | 15.5 | 16.8 | 7.3 | 14.3 | 19.7 | 35.0 |
| Chandigarh | 4.7 | 20.3 | 9.3 | 29.0 | 31.9 | 4.9 | 0.0 | 29.1 | 34.4 | 3.6 | 33.0 |
| Arunachal Pradesh | 26.4 | 29.7 | 27.4 | 13.4 | 3.2 | 0.0 | 55.1 | 33.3 | 0.0 | 11.6 | 0.0 |
| Manipur | 0.0 | 0.0 | 36.8 | 8.4 | 37.0 | 17.8 | 5.7 | 21.3 | 28.8 | 24.3 | 20.0 |
| Meghalaya | 12.4 | 18.7 | 39.9 | 16.0 | 11.7 | 1.2 | 19.6 | 4.2 | 16.3 | 14.3 | 0.9 |
| Mizoram | 0.0 | 2.7 | 50.4 | 24.1 | 16.3 | 6.4 | 0.0 | 66.7 | 0.0 | 33.3 | 0.0 |
| Nagaland | 4.8 | 11.5 | 38.3 | 21.1 | 8.7 | 15.6 | 4.9 | 19.6 | 31.6 | 25.8 | 12.3 |
| Tripura | 12.4 | 35.1 | 35.7 | 11.2 | 0.0 | 5.6 | 0.0 | 18.2 | 57.2 | 17.3 | 7.4 |

Appendix Table 9.6: Distribution of Households by Level of Education – Beneficiary vs. Non-Beneficiary

(Figures in %)

| States/UTs | Beneficiary children household | | | | | | Non-Beneficiary children household | | | | |
|--------------------------------------|--------------------------------|--------------|-------------------|-------------|-------------|------------------|------------------------------------|-------------------|-------------|-------------|------------------|
| | Illiterate | Primary pass | Middle level pass | Matric pass | HS pass | Graduate & above | Primary pass | Middle level pass | Matric pass | HS pass | Graduate & above |
| Sikkim | 18.4 | 56.3 | 13.6 | 9.3 | 0.0 | 2.5 | 49.0 | 10.5 | 11.9 | 1.7 | 6.9 |
| Dadar& Nagar Haveli | 15.2 | 31.4 | 24.8 | 11.6 | 17.0 | 0.0 | 31.6 | 6.0 | 17.9 | 17.9 | 14.9 |
| Daman & Diu | 0.0 | 10.7 | 14.0 | 37.6 | 28.1 | 9.6 | 3.3 | 0.0 | 37.9 | 49.0 | 9.7 |
| Goa | 3.6 | 0.0 | 21.5 | 47.2 | 23.6 | 4.2 | 0.0 | 4.8 | 27.2 | 27.6 | 40.5 |
| Puducherry | 0.0 | 0.0 | 15.1 | 48.9 | 23.7 | 12.3 | 2.7 | 40.1 | 23.1 | 13.2 | 15.5 |
| Andaman & Nicobar Islands | 0.0 | 9.9 | 64.4 | 21.2 | 2.4 | 2.1 | 4.9 | 45.4 | 47.4 | 0.0 | 0.0 |
| All India | 18.1 | 18.3 | 25.3 | 18.0 | 12.0 | 8.2 | 15.1 | 23.3 | 17.1 | 15.3 | 10.6 |

Appendix Table 9.7: Distribution of Households by Occupation Group – Beneficiary vs. Non-Beneficiary

(Figures in %)

| States/UTs | Beneficiary children household | | | | Non-beneficiary children household | | |
|-------------------|--------------------------------|-------------|----------|--------|------------------------------------|-------------|--------|
| | Agriculture | Wage earner | Salaried | Others | Agriculture | Wage earner | Others |
| Andhra Pradesh | 18.5 | 64.2 | 7.2 | 10.2 | 21.1 | 43.7 | 19.4 |
| Assam | 26.2 | 35.4 | 14.9 | 23.5 | 23.9 | 36.9 | 28.3 |
| Bihar | 13.8 | 49.9 | 21.0 | 15.4 | 10.7 | 46.1 | 16.6 |
| Chhattisgarh | 42.6 | 30.2 | 9.5 | 17.8 | 21.1 | 23.3 | 36.6 |
| Gujarat | 39.7 | 36.9 | 11.0 | 12.5 | 49.6 | 27.9 | 8.0 |
| Haryana | 18.9 | 44.8 | 24.0 | 12.3 | 20.0 | 37.1 | 27.8 |
| Himachal Pradesh | 18.4 | 30.9 | 22.3 | 28.4 | 32.7 | 25.0 | 10.8 |
| Jammu and Kashmir | 18.9 | 20.1 | 55.7 | 5.3 | 10.2 | 8.6 | 27.3 |
| Jharkhand | 11.7 | 66.6 | 4.2 | 17.6 | 13.3 | 62.3 | 19.8 |
| Karnataka | 47.7 | 37.4 | 7.9 | 7.0 | 49.7 | 31.2 | 4.0 |
| Kerala | 2.2 | 70.8 | 17.6 | 9.4 | 0.0 | 68.9 | 9.4 |
| Madhya Pradesh | 32.2 | 46.9 | 8.7 | 12.2 | 38.7 | 30.9 | 18.1 |
| Maharashtra | 43.1 | 31.5 | 11.7 | 13.8 | 45.7 | 27.5 | 14.3 |
| Orissa | 19.1 | 49.1 | 10.0 | 21.8 | 21.3 | 35.9 | 26.6 |
| Punjab | 22.0 | 57.6 | 9.4 | 11.0 | 32.2 | 34.9 | 19.3 |
| Rajasthan | 21.4 | 37.7 | 18.3 | 22.6 | 22.2 | 32.6 | 17.8 |
| Tamil Nadu | 14.9 | 62.1 | 14.0 | 9.1 | 15.7 | 57.1 | 6.9 |
| Uttar Pradesh | 35.6 | 49.3 | 5.5 | 9.6 | 47.1 | 37.5 | 8.2 |
| Uttarakhand | 13.4 | 66.4 | 12.7 | 7.5 | 23.3 | 75.1 | 1.1 |
| West Bengal | 5.0 | 76.1 | 4.3 | 14.6 | 6.1 | 59.0 | 23.0 |
| Delhi | 0.0 | 19.9 | 46.5 | 33.6 | 0.0 | 23.0 | 39.8 |
| Chandigarh | 0.0 | 37.3 | 38.2 | 24.4 | 0.0 | 2.1 | 0.0 |
| Arunachal Pradesh | 71.8 | 4.5 | 16.9 | 6.9 | 58.1 | 14.0 | 2.4 |
| Manipur | 1.2 | 38.7 | 13.9 | 46.2 | 17.8 | 44.9 | 16.9 |
| Meghalaya | 16.9 | 36.0 | 23.1 | 24.0 | 11.6 | 57.5 | 24.6 |
| Mizoram | 41.8 | 11.3 | 47.0 | 0.0 | 66.7 | 0.0 | 0.0 |
| Nagaland | 22.0 | 4.5 | 40.3 | 33.2 | 33.2 | 2.6 | 12.7 |
| Tripura | 4.1 | 59.2 | 11.1 | 25.6 | 0.5 | 18.2 | 51.8 |

Appendix Table 9.7: Distribution of Households by Occupation Group – Beneficiary vs. Non-Beneficiary (Continued ...)

(Figures in %)

| States/UTs | Beneficiary children household | | | | Non-beneficiary children household | | |
|--------------------------------------|--------------------------------|-------------|-------------|-------------|------------------------------------|-------------|-------------|
| | Agriculture | Wage earner | Salaried | Others | Agriculture | Wage earner | Others |
| Sikkim | 28.3 | 50.7 | 10.4 | 10.6 | 25.2 | 37.0 | 17.7 |
| Dadar& Nagar Haveli | 9.3 | 44.9 | 34.1 | 11.7 | 37.5 | 6.0 | 29.8 |
| Daman & Diu | 0.0 | 9.3 | 62.6 | 28.2 | 0.0 | 0.0 | 60.0 |
| Goa | 3.6 | 47.5 | 31.1 | 17.8 | 4.8 | 7.1 | 8.6 |
| Puducherry | 0.0 | 92.0 | 4.6 | 3.4 | 0.0 | 80.8 | 0.0 |
| Andaman & Nicobar Islands | 7.3 | 66.2 | 19.8 | 6.7 | 4.6 | 49.4 | 24.0 |
| All India | 27.0 | 48.4 | 10.7 | 14.0 | 24.7 | 44.1 | 15.7 |

Appendix Table 9.8: Distribution of Households by Expenditure Class (Rs./Month) – Beneficiary vs. Non-Beneficiary

(Figures in %)

| States/UTs | Beneficiary children | | | | | | Non-beneficiary children | | | | | |
|-------------------|----------------------|-----------|-----------|-----------|-----------|------------|--------------------------|-----------|-----------|-----------|-----------|------------|
| | Below 1000 | 1000-1500 | 1501-2000 | 2001-2500 | 2501-3000 | Above 3000 | Below 1000 | 1000-1500 | 1501-2000 | 2001-2500 | 2501-3000 | Above 3000 |
| Andhra Pradesh | 6.7 | 17.4 | 19.0 | 15.7 | 18.3 | 22.9 | 3.0 | 9.8 | 23.2 | 10.0 | 15.1 | 39.0 |
| Assam | 0.3 | 3.4 | 18.0 | 14.6 | 27.2 | 36.5 | 3.0 | 0.8 | 24.1 | 29.9 | 15.7 | 26.6 |
| Bihar | 7.5 | 22.2 | 23.9 | 16.3 | 18.5 | 11.7 | 1.8 | 13.5 | 25.6 | 25.8 | 9.8 | 23.4 |
| Chhattisgarh | 3.2 | 19.3 | 27.7 | 16.9 | 15.1 | 17.9 | 1.0 | 9.1 | 16.4 | 11.5 | 10.0 | 52.0 |
| Gujarat | 4.2 | 13.2 | 32.7 | 15.1 | 14.4 | 20.4 | 0.0 | 10.4 | 27.3 | 19.3 | 20.2 | 22.8 |
| Haryana | 1.1 | 8.0 | 7.3 | 19.1 | 25.9 | 38.6 | 0.0 | 0.0 | 17.5 | 14.6 | 26.5 | 41.5 |
| Himachal Pradesh | 0.0 | 1.4 | 10.2 | 7.5 | 38.6 | 42.4 | 0.0 | 0.0 | 11.1 | 25.6 | 22.0 | 41.3 |
| Jammu and Kashmir | 1.3 | 3.9 | 4.5 | 5.8 | 31.2 | 53.4 | 0.0 | 0.0 | 6.7 | 5.1 | 2.8 | 85.5 |
| Jharkhand | 1.0 | 10.0 | 15.3 | 22.8 | 25.9 | 25.0 | 0.0 | 3.3 | 46.5 | 21.2 | 9.9 | 19.1 |
| Karnataka | 5.1 | 40.3 | 26.2 | 12.1 | 7.7 | 8.7 | 2.1 | 11.2 | 39.1 | 5.4 | 23.6 | 18.5 |
| Kerala | 0.7 | 4.5 | 7.6 | 5.4 | 16.2 | 65.5 | 15.6 | 0.0 | 31.7 | 14.6 | 6.3 | 31.9 |
| Madhya Pradesh | 5.4 | 17.9 | 22.8 | 16.8 | 18.6 | 18.5 | 1.9 | 11.8 | 20.3 | 13.8 | 11.7 | 40.5 |
| Maharashtra | 9.3 | 10.8 | 16.6 | 16.5 | 17.5 | 29.3 | 7.9 | 6.9 | 13.6 | 8.6 | 17.4 | 45.6 |
| Orissa | 6.8 | 23.0 | 21.0 | 14.0 | 14.8 | 20.5 | 1.7 | 14.8 | 20.8 | 14.3 | 22.5 | 26.0 |
| Punjab | 0.9 | 8.6 | 20.0 | 11.5 | 28.0 | 30.9 | 2.9 | 0.9 | 12.9 | 21.4 | 22.9 | 39.1 |
| Rajasthan | 1.9 | 10.2 | 14.1 | 19.6 | 30.4 | 23.9 | 2.0 | 3.6 | 20.2 | 20.9 | 22.3 | 31.1 |
| Tamil Nadu | 7.6 | 16.8 | 22.3 | 12.0 | 18.5 | 22.9 | 3.8 | 6.8 | 27.4 | 16.6 | 11.2 | 34.1 |
| Uttar Pradesh | 4.2 | 11.1 | 15.0 | 12.2 | 23.5 | 34.0 | 1.5 | 9.2 | 23.0 | 23.0 | 22.9 | 20.4 |
| Uttarakhand | 3.0 | 17.1 | 22.4 | 14.8 | 20.8 | 21.9 | 0.0 | 0.0 | 63.9 | 34.4 | 0.6 | 1.1 |
| West Bengal | 4.6 | 8.3 | 30.3 | 18.3 | 23.7 | 14.9 | 2.6 | 5.6 | 31.4 | 18.6 | 16.2 | 25.6 |
| Delhi | 0.0 | 1.3 | 3.5 | 7.9 | 16.5 | 70.9 | 0.0 | 0.0 | 14.5 | 8.6 | 0.0 | 77.0 |
| Chandigarh | 4.7 | 15.4 | 11.0 | 29.0 | 22.9 | 17.0 | 0.0 | 0.0 | 0.0 | 37.4 | 2.2 | 60.4 |
| Arunachal Pradesh | 3.6 | 13.2 | 28.4 | 3.1 | 22.1 | 29.6 | 0.0 | 0.0 | 33.3 | 33.3 | 21.7 | 11.6 |
| Manipur | 0.0 | 1.8 | 5.9 | 8.0 | 25.5 | 58.8 | 0.0 | 0.0 | 40.8 | 7.3 | 7.5 | 44.5 |
| Meghalaya | 2.8 | 5.4 | 13.0 | 6.5 | 28.4 | 43.9 | 0.0 | 0.0 | 27.5 | 5.5 | 5.3 | 61.8 |
| Mizoram | 28.4 | 16.1 | 8.5 | 5.2 | 16.3 | 25.5 | 0.0 | 0.0 | 33.3 | 33.3 | 0.0 | 33.3 |
| Nagaland | 0.0 | 0.0 | 6.6 | 9.3 | 14.8 | 69.4 | 0.0 | 0.0 | 2.0 | 4.7 | 18.3 | 75.0 |

Appendix Table 9.8: Distribution of Households by Expenditure Class (Rs./Month) – Beneficiary vs. Non-Beneficiary (Continued...)

(Figures in %)

| States/UTs | Beneficiary children | | | | | | Non-beneficiary children | | | | | |
|--------------------------------------|----------------------|-------------|-------------|-------------|-------------|-------------|--------------------------|------------|-------------|-------------|-------------|-------------|
| | Below 1000 | 1000-1500 | 1501-2000 | 2001-2500 | 2501-3000 | Above 3000 | Below 1000 | 1000-1500 | 1501-2000 | 2001-2500 | 2501-3000 | Above 3000 |
| Tripura | 0.6 | 3.4 | 6.8 | 17.4 | 20.7 | 51.1 | 0.0 | 0.0 | 17.7 | 0.9 | 9.9 | 71.5 |
| Sikkim | 0.0 | 10.2 | 32.9 | 26.5 | 17.1 | 13.4 | 0.0 | 0.0 | 20.0 | 43.7 | 14.0 | 22.3 |
| Dadar & Nagar Haveli | 4.7 | 0.0 | 0.0 | 32.2 | 30.1 | 33.1 | 0.0 | 0.0 | 6.0 | 31.0 | 9.5 | 53.6 |
| Daman & Diu | 0.0 | 0.0 | 10.7 | 7.0 | 50.7 | 31.5 | 0.0 | 0.0 | 0.0 | 0.0 | 3.3 | 96.7 |
| Goa | 3.6 | 0.0 | 0.0 | 4.2 | 12.1 | 80.1 | 0.0 | 0.0 | 0.0 | 7.1 | 0.0 | 92.9 |
| Puducherry | 0.0 | 19.1 | 47.1 | 8.0 | 7.7 | 18.0 | 0.0 | 15.1 | 56.0 | 0.0 | 9.7 | 19.2 |
| Andaman & Nicobar Islands | 0.0 | 2.0 | 2.0 | 6.8 | 21.9 | 67.2 | 0.0 | 0.0 | 25.0 | 29.0 | 4.6 | 41.4 |
| All India | 4.7 | 13.8 | 19.1 | 14.6 | 20.9 | 27.1 | 2.5 | 7.8 | 25.9 | 19.4 | 15.5 | 28.8 |

Appendix Table 10.1: Requirement of Financial Provisions and Actual Expenditure-States/UTs -wise

| States/UTs | Number of children (6 months - 6 years) in '000 who received SN in 2008-09* | Number of PW & LM in '000 who received SN in 2008-09* | Total budgetary requirement/provision for SN for both children and PW&LM (in lakhs) as per norm** | Actual Expenditure on SN including States/UTs share (in lakhs) in 2008-09* | % Shortfall/ Excess |
|-------------------|---|---|---|--|---------------------|
| Andhra Pradesh | 4318 | 1078 | 33349 | 35091 | -5.2 |
| Assam | 2218 | 493 | 16736 | 9540 | 43.0 |
| Bihar | 3508 | 710 | 25978 | 53027 | -104.1 |
| Chhattisgarh | 1977 | 519 | 15471 | 18362 | -18.7 |
| Gujarat | 2401 | 481 | 17764 | 13084 | 26.3 |
| Haryana | 1015 | 285 | 8059 | 11513 | -42.9 |
| Himachal Pradesh | 425 | 97 | 3221 | 4543 | -41.0 |
| Jammu & Kashmir | 411 | 99 | 3149 | 4327 | -37.4 |
| Jharkhand | 2359 | 662 | 18759 | 18897 | -0.7 |
| Karnataka | 3255 | 804 | 25100 | 24645 | 1.8 |
| Kerala | 1166 | 219 | 8505 | 11848 | -39.3 |
| Madhya Pradesh | 5363 | 1140 | 40090 | 27156 | 32.3 |
| Maharashtra | 5814 | 1007 | 41847 | 38837 | 7.2 |
| Orissa | 4112 | 782 | 30139 | 20449 | 32.2 |
| Punjab | 1057 | 306 | 8460 | 4560 | 46.1 |
| Rajasthan | 3017 | 810 | 23732 | 23694 | 0.2 |
| Tamil Nadu | 2299 | 523 | 17402 | 13752 | 21.0 |
| Uttar Pradesh | 19442 | 3794 | 143008 | 108780 | 23.9 |
| Uttaranchal | 475 | 107 | 3612 | 1063 | 70.6 |
| West Bengal | 5277 | 785 | 37137 | 30208 | 18.7 |
| Delhi | 570 | 112 | 4188 | 4865 | -16.2 |
| Chandigarh | 34 | 7 | 255 | 207 | 19.0 |
| Arunachal Pradesh | 192 | 24 | 1323 | 880 | 33.5 |
| Manipur | 316 | 55 | 2273 | 2372 | -4.4 |
| Meghalaya | 330 | 59 | 2384 | 3152 | -32.2 |

Appendix Table 10.1: Requirement of Financial Provisions and Actual Expenditure-States/UTs -wise (Continued...)

| States/UTs | Number of children (6 months - 6 years) in '000 who received SN in 2008-09* | Number of PW & LM in '000 who received SN in 2008-09* | Total budgetary requirement/provision for SN for both children and PW&LM (in lakhs) as per norm** | Actual Expenditure on SN including States/UTs share (in lakhs) in 2008-09* | % Shortfall/ Excess |
|---------------------------|---|---|---|--|---------------------|
| Mizoram | 119 | 33 | 943 | 1495 | -58.5 |
| Nagaland | 295 | 53 | 2141 | 2503 | -16.9 |
| Tripura | 276 | 66 | 2115 | 1906 | 9.9 |
| Sikkim | 32 | 6 | 232 | 635 | -173.3 |
| Dadar & Nagar Haveli | 17 | 4 | 124 | 122 | 1.4 |
| Daman & Diu | 7 | 1 | 52 | 12 | 77.1 |
| Goa | 48 | 12 | 373 | 315 | 15.7 |
| Puducherry | 27 | 9 | 221 | 446 | -102.1 |
| Lakshadweep | 7 | 2 | 55 | 114 | -105.6 |
| Andaman & Nicobar Islands | 20 | 5 | 152 | 444 | -191.9 |
| All India | 72197 | 15147 | 538302 | 492844 | 8.4 |

* Ministry of Women and Child Development, 2008-09

**Rs. 2 for normal & moderately children, Rs. 2.7 for malnourished children and Rs. 2.3 for PW & LM; Number of days in a year is 300.

Appendix Table 10.2: Estimated Values of A and B (In %) for Major States/UTs

| States/UTs | Number of children (6 months - 6 years) in '000 who received SN as on 31.3.2009* | Percent children receiving SN | Days for SN delivered (%) |
|-------------------|--|-------------------------------|---------------------------|
| Andhra Pradesh | 4318 | 73.7 | 64.0 |
| Assam | 2218 | 73.5 | 8.0 |
| Bihar | 3508 | 52.6 | 56.0 |
| Chhattisgarh | 1977 | 85.6 | 76.0 |
| Gujarat | 2401 | 86.5 | 76.0 |
| Haryana | 1015 | 51.9 | 84.0 |
| Himachal Pradesh | 425 | 77.1 | 68.0 |
| Jammu & Kashmir | 411 | 91.5 | 72.0 |
| Jharkhand | 2359 | 88.3 | 72.0 |
| Karnataka | 3255 | 80.4 | 84.0 |
| Kerala | 1166 | 75.8 | 80.0 |
| Madhya Pradesh | 5363 | 68.2 | 56.0 |
| Maharashtra | 5814 | 69.6 | 84.0 |
| Orissa | 4112 | 69.9 | 84.0 |
| Punjab | 1057 | 59.1 | 68.0 |
| Rajasthan | 3017 | 55.6 | 60.0 |
| Tamil Nadu | 2299 | 75.8 | 84.0 |
| Uttar Pradesh | 19442 | 40.6 | 56.0 |
| Uttaranchal | 475 | 81.9 | 32.0 |
| West Bengal | 5277 | 78.3 | 84.0 |
| Delhi | 570 | 56.4 | 88.0 |
| Chandigarh | 34 | 68.0 | 88.0 |
| Arunachal Pradesh | 192 | 94.4 | 32.0 |
| Manipur | 316 | 44.9 | 48.0 |
| Meghalaya | 330 | 79.8 | 72.0 |
| Mizoram | 119 | 91.8 | 76.0 |
| Nagaland | 295 | 82.4 | 24.0 |
| Tripura | 276 | 77.6 | 68.0 |

Appendix Table 10.2: Estimated Values of A and B (In %) for Major States/UTs/UTs (Continued...)

| States/UTs | Number of children (6 months - 6 years) in '000 who received SN as on 31.3.2009* | Percent children receiving SN | Days for SN delivered (%) |
|---------------------------|--|-------------------------------|---------------------------|
| Sikkim | 32 | 93.8 | 56.0 |
| Dadra & Nagar Haveli | 17 | 60.0 | 96.0 |
| Daman & Diu | 7 | 54.7 | 92.0 |
| Goa | 48 | 73.4 | 80.0 |
| Puducherry | 27 | 56.7 | 88.0 |
| Lakshadweep | 7 | 64.0 | 64.0 |
| Andaman & Nicobar Islands | 20 | 100.0 | 96.0 |
| All India | 72197 | 64.0 | 64.0 |

*Ministry of Women and Child Development, 2008-09

Appendix Table 10.3: Estimated Proportion of SN Funds Spent on Children (In %)

| States/UTs | Actual Expenditure on children's SN (in lakhs) in 2008-09 | Expenditure on children's SN as % to total expenditure on SN | Estimated value of SN reached/ delivered to children as % to actual expenditure on children's SN in 2008-09 |
|-------------------|---|--|---|
| Andhra Pradesh | 27267 | 77.7 | 47.2 |
| Assam | 7602 | 79.7 | 5.9 |
| Bihar | 43022 | 81.1 | 29.4 |
| Chhattisgarh | 14115 | 76.9 | 65.1 |
| Gujarat | 10638 | 81.3 | 65.7 |
| Haryana | 8704 | 75.6 | 43.6 |
| Himachal Pradesh | 3595 | 79.1 | 52.4 |
| Jammu & Kashmir | 3389 | 78.3 | 65.9 |
| Jharkhand | 14298 | 75.7 | 63.6 |
| Karnataka | 19198 | 77.9 | 67.5 |
| Kerala | 9745 | 82.3 | 60.7 |
| Madhya Pradesh | 21827 | 80.4 | 38.2 |
| Maharashtra | 32390 | 83.4 | 58.4 |
| Orissa | 16790 | 82.1 | 58.7 |
| Punjab | 3421 | 75.0 | 40.2 |
| Rajasthan | 18116 | 76.5 | 33.3 |
| Tamil Nadu | 10900 | 79.3 | 63.7 |
| Uttar Pradesh | 88870 | 81.7 | 22.7 |
| Uttaranchal | 845 | 79.5 | 26.2 |
| West Bengal | 25804 | 85.4 | 65.8 |
| Delhi | 3971 | 81.6 | 49.7 |
| Chandigarh | 166 | 80.4 | 59.8 |
| Arunachal Pradesh | 768 | 87.3 | 30.2 |
| Manipur | 1977 | 83.4 | 21.6 |
| Meghalaya | 2617 | 83.0 | 57.5 |
| Mizoram | 1136 | 76.0 | 69.8 |
| Nagaland | 2073 | 82.8 | 19.8 |
| Tripura | 1493 | 78.3 | 52.8 |

Appendix Table 10.3: Estimated Proportion of SN Funds Spent on Children (In %) (Continued...)

| States/UTs | Actual Expenditure on children's SN (in lakhs) in 2008-09 | Expenditure on children's SN as % to total expenditure on SN | Estimated value of SN reached/ delivered to children as % to actual expenditure on children's SN in 2008-09 |
|--------------------------------------|---|--|---|
| Sikkim | 519 | 81.8 | 52.5 |
| Dadar & Nagar Haveli | 98 | 80.3 | 57.6 |
| Daman & Diu | 10 | 80.4 | 50.3 |
| Goa | 243 | 77.1 | 58.7 |
| Puducherry | 324 | 72.6 | 49.9 |
| Lakshadweep | 87 | 76.0 | 40.9 |
| Andaman & Nicobar Islands | 350 | 78.9 | 96.0 |
| All India | 397154 | 80.6 | 40.9 |

Source: Estimated using data provided by Ministry of Women and Child Development, 2008-09

Appendix Table 10.4: Estimated Values of A and B (In %) for Major States/UTs

| States/UTs | Number of PW & LM in '000 who received SN as on 31.3.2009* | Percent PW&LM receiving SN | Days for SN delivered (%) |
|-------------------|--|----------------------------|---------------------------|
| Andhra Pradesh | 1078 | 87.8 | 40.0 |
| Assam | 493 | 7.7 | 0.0 |
| Bihar | 710 | 68.0 | 40.0 |
| Chhattisgarh | 519 | 76.8 | 64.0 |
| Gujarat | 481 | 76.5 | 56.0 |
| Haryana | 285 | 93.1 | 72.0 |
| Himachal Pradesh | 97 | 75.3 | 64.0 |
| Jammu & Kashmir | 99 | 90.4 | 64.0 |
| Jharkhand | 662 | 91.4 | 80.0 |
| Karnataka | 804 | 90.7 | 44.0 |
| Kerala | 219 | 93.8 | 76.0 |
| Madhya Pradesh | 1140 | 78.4 | 32.0 |
| Maharashtra | 1007 | 93.3 | 80.0 |
| Orissa | 782 | 90.1 | 80.0 |
| Punjab | 306 | 87.8 | 64.0 |
| Rajasthan | 810 | 83.8 | 16.0 |
| Tamil Nadu | 523 | 89.5 | 52.0 |
| Uttar Pradesh | 3794 | 69.5 | 36.0 |
| Uttaranchal | 107 | 92.3 | 40.0 |
| West Bengal | 785 | 96.9 | 80.0 |
| Delhi | 112 | 89.4 | 56.0 |
| Chandigarh | 7 | 100.0 | 80.0 |
| Arunachal Pradesh | 24 | 63.3 | 28.0 |
| Manipur | 55 | 23.6 | 8.0 |
| Meghalaya | 59 | 66.5 | 56.0 |
| Mizoram | 33 | 100.0 | 68.0 |
| Nagaland | 53 | 92.3 | 28.0 |
| Tripura | 66 | 66.8 | 28.0 |

Appendix Table 10.4: Estimated Values of A and B (In %) for Major States/UTs/UTs (Continued...)

| States/UTs | Number of PW & LM in '000 who received SN as on 31.3.2009* | Percent PW&LM receiving SN | Days for SN delivered (%) |
|--|---|---|--------------------------------------|
| Sikkim | 6 | 86.8 | 52.0 |
| Dadra & Nagar Haveli | 4 | 100.0 | 96.0 |
| Daman & Diu | 1 | 100.0 | 88.0 |
| Goa | 12 | 100.0 | 96.0 |
| Puducherry | 9 | 100.0 | 96.0 |
| Lakshadweep | 2 | 78.3 | 48.0 |
| Andaman & Nicobar Islands | 5 | 74.2 | 60.0 |
| All India | 15147 | 78.3 | 48.0 |

*Ministry of Women and Child Development, 2008-09

Appendix Table 10.5: Proportion of SN funds spent for PW & LM

| States/UTs | Actual Expenditure on cPW & LM's SN (in lakh) in 2008-09 | Expenditure on PW & LM's SN as % to total expenditure on SN | Estimated value of SN reached/delivered to PW & LM as % to actual expenditure on PW & LM's SN in 2008-09 |
|-------------------|--|---|--|
| Andhra Pradesh | 7824 | 22.3 | 35.1 |
| Assam | 1938 | 20.3 | 0.0 |
| Bihar | 10005 | 18.9 | 27.2 |
| Chhattisgarh | 4247 | 23.1 | 49.2 |
| Gujarat | 2445 | 18.7 | 42.8 |
| Haryana | 2809 | 24.4 | 67.0 |
| Himachal Pradesh | 948 | 20.9 | 48.2 |
| Jammu & Kashmir | 938 | 21.7 | 57.9 |
| Jharkhand | 4599 | 24.3 | 73.1 |
| Karnataka | 5446 | 22.1 | 39.9 |
| Kerala | 2102 | 17.7 | 71.3 |
| Madhya Pradesh | 5329 | 19.6 | 25.1 |
| Maharashtra | 6447 | 16.6 | 74.6 |
| Orissa | 3660 | 17.9 | 72.0 |
| Punjab | 1139 | 25.0 | 56.2 |
| Rajasthan | 5579 | 23.5 | 13.4 |
| Tamil Nadu | 2852 | 20.7 | 46.5 |
| Uttar Pradesh | 19910 | 18.3 | 25.0 |
| Uttaranchal | 218 | 20.5 | 36.9 |
| West Bengal | 4404 | 14.6 | 77.5 |
| Delhi | 894 | 18.4 | 50.1 |
| Chandigarh | 41 | 19.6 | 80.0 |
| Arunachal Pradesh | 112 | 12.7 | 17.7 |
| Manipur | 395 | 16.6 | 1.9 |
| Meghalaya | 535 | 17.0 | 37.2 |
| Mizoram | 359 | 24.0 | 68.0 |
| Nagaland | 430 | 17.2 | 25.8 |
| Tripura | 413 | 21.7 | 18.7 |

Appendix Table 10.5: Proportion of SN funds spent for PW & LM (Continued...)

| States/UTs | Actual Expenditure on cPW & LM's SN (in lakh) in 2008-09 | Expenditure on PW & LM's SN as % to total expenditure on SN | Estimated value of SN reached/delivered to PW & LM as % to actual expenditure on PW & LM's SN in 2008-09 |
|--------------------------------------|--|---|--|
| Sikkim | 116 | 18.2 | 45.1 |
| Dadar & Nagar Haveli | 24 | 19.7 | 96.0 |
| Daman & Diu | 2 | 19.6 | 88.0 |
| Goa | 72 | 22.9 | 96.0 |
| Puducherry | 122 | 27.4 | 96.0 |
| Lakshadweep | 27 | 24.0 | 37.6 |
| Andaman & Nicobar Islands | 94 | 21.1 | 44.5 |
| All India | 95690 | 19.4 | 37.6 |

Source: Ministry of Women and Child Development, 2008-09

Appendix Table 10.6: Proportion of Expenditure on Spent SN and Estimated Shares of Different Groups (%)

| States/UTs | Estimated value of SN reached/delivered to children as % of total available funds for SN, 2008-09 | Estimated value of SN reached/delivered to PW & LM as % of total available funds for SN, 2008-09 | Estimated total value of SN reached/delivered as % of total available funds for SN, 2008-09 |
|-------------------|---|--|---|
| Andhra Pradesh | 36.7 | 7.8 | 44.5 |
| Assam | 4.7 | 0.0 | 4.7 |
| Bihar | 23.9 | 5.1 | 29.0 |
| Chhattisgarh | 50.0 | 11.4 | 61.4 |
| Gujarat | 53.4 | 8.0 | 61.4 |
| Haryana | 33.0 | 16.3 | 49.3 |
| Himachal Pradesh | 41.5 | 10.1 | 51.6 |
| Jammu & Kashmir | 51.6 | 12.5 | 64.2 |
| Jharkhand | 48.1 | 17.8 | 65.9 |
| Karnataka | 52.6 | 8.8 | 61.4 |
| Kerala | 49.9 | 12.6 | 62.6 |
| Madhya Pradesh | 30.7 | 4.9 | 35.6 |
| Maharashtra | 48.7 | 12.4 | 61.1 |
| Orissa | 48.2 | 12.9 | 61.1 |
| Punjab | 30.2 | 14.0 | 44.2 |
| Rajasthan | 25.5 | 3.2 | 28.7 |
| Tamil Nadu | 50.5 | 9.6 | 60.1 |
| Uttar Pradesh | 18.6 | 4.6 | 23.1 |
| Uttaranchal | 20.8 | 7.6 | 28.4 |
| West Bengal | 56.2 | 11.3 | 67.5 |
| Delhi | 40.5 | 9.2 | 49.7 |
| Chandigarh | 48.1 | 15.7 | 63.8 |
| Arunachal Pradesh | 26.4 | 2.3 | 28.6 |
| Manipur | 18.0 | 0.3 | 18.3 |
| Meghalaya | 47.7 | 6.3 | 54.0 |
| Mizoram | 53.0 | 16.3 | 69.3 |
| Nagaland | 16.4 | 4.4 | 20.8 |

Appendix Table 10.6: Proportion of Expenditure on Spent SN and Estimated Shares of Different Groups (%) (Continued...)

| States/UTs | Estimated value of SN reached/delivered to children as % of total available funds for SN, 2008-09 | Estimated value of SN reached/delivered to PW & LM as % of total available funds for SN, 2008-09 | Estimated total value of SN reached/delivered as % of total available funds for SN, 2008-09 |
|--------------------------------------|---|--|---|
| Tripura | 41.3 | 4.1 | 45.4 |
| Sikkim | 42.9 | 8.2 | 51.2 |
| Dadar & Nagar Haveli | 46.3 | 18.9 | 65.2 |
| Daman & Diu | 40.5 | 17.2 | 57.7 |
| Goa | 45.3 | 21.9 | 67.2 |
| Puducherry | 36.2 | 26.3 | 62.5 |
| Lakshadweep | 31.1 | 9.0 | 40.1 |
| Andaman & Nicobar Islands | 75.7 | 9.4 | 85.1 |
| All India | 33.0 | 7.3 | 40.3 |

Source: Estimated using data provided by Ministry of Women and Child Development, 2008-09

**Appendix Table 10.7: Estimated Average Available Fund for SN on Different Types of Beneficiaries
(Per Beneficiary Per Day In Rs.), 2008-09**

| States/UTs | Severely malnourished child | | Other child | | PW & LM | |
|-------------------|-------------------------------|-------------------|-------------------------------|-------------------|-------------------------------|-------------------|
| | Average available fund for SN | Reached/delivered | Average available fund for SN | Reached/delivered | Average available fund for SN | Reached/delivered |
| Andhra Pradesh | 2.8 | 1.3 | 2.1 | 1.0 | 2.4 | 0.9 |
| Assam | 1.5 | 0.1 | 1.1 | 0.1 | 1.3 | 0.0 |
| Bihar | 5.5 | 1.6 | 4.1 | 1.2 | 4.7 | 1.3 |
| Chhattisgarh | 3.2 | 2.1 | 2.4 | 1.5 | 2.7 | 1.3 |
| Gujarat | 2.0 | 1.3 | 1.5 | 1.0 | 1.7 | 0.7 |
| Haryana | 3.9 | 1.7 | 2.9 | 1.2 | 3.3 | 2.2 |
| Himachal Pradesh | 3.8 | 2.0 | 2.8 | 1.5 | 3.2 | 1.6 |
| Jammu & Kashmir | 3.7 | 2.4 | 2.7 | 1.8 | 3.2 | 1.8 |
| Jharkhand | 2.7 | 1.7 | 2.0 | 1.3 | 2.3 | 1.7 |
| Karnataka | 2.7 | 1.8 | 2.0 | 1.3 | 2.3 | 0.9 |
| Kerala | 3.8 | 2.3 | 2.8 | 1.7 | 3.2 | 2.3 |
| Madhya Pradesh | 1.8 | 0.7 | 1.4 | 0.5 | 1.6 | 0.4 |
| Maharashtra | 2.5 | 1.5 | 1.9 | 1.1 | 2.1 | 1.6 |
| Orissa | 1.8 | 1.1 | 1.4 | 0.8 | 1.6 | 1.1 |
| Punjab | 1.5 | 0.6 | 1.1 | 0.4 | 1.2 | 0.7 |
| Rajasthan | 2.7 | 0.9 | 2.0 | 0.7 | 2.3 | 0.3 |
| Tamil Nadu | 2.1 | 1.4 | 1.6 | 1.0 | 1.8 | 0.8 |
| Uttar Pradesh | 2.1 | 0.5 | 1.5 | 0.3 | 1.7 | 0.4 |
| Uttaranchal | 0.8 | 0.2 | 0.6 | 0.2 | 0.7 | 0.2 |
| West Bengal | 2.2 | 1.4 | 1.6 | 1.1 | 1.9 | 1.4 |
| Delhi | 3.1 | 1.6 | 2.3 | 1.2 | 2.7 | 1.3 |
| Chandigarh | 2.2 | 1.3 | 1.6 | 1.0 | 1.9 | 1.5 |
| Arunachal Pradesh | 2.2 | 0.7 | 1.3 | 0.4 | 1.5 | 0.3 |
| Manipur | 2.8 | 0.6 | 2.1 | 0.5 | 2.4 | 0.0 |

**Appendix Table 10.7: Estimated Average Available Fund for SN on Different Types of Beneficiaries (Per Beneficiary Per Day In Rs.)
2008-09 (Continued...)**

| States/UTs | Severely malnourished child | | Other child | | PW & LM | |
|--------------------------------------|-------------------------------|-------------------|-------------------------------|-------------------|-------------------------------|-------------------|
| | Average available fund for SN | Reached/delivered | Average available fund for SN | Reached/delivered | Average available fund for SN | Reached/delivered |
| Meghalaya | 3.6 | 2.1 | 2.6 | 1.5 | 3.0 | 1.1 |
| Mizoram | 4.3 | 3.0 | 3.2 | 2.2 | 3.6 | 2.5 |
| Nagaland | 3.2 | 0.6 | 2.3 | 0.5 | 2.7 | 0.7 |
| Tripura | 2.4 | 1.3 | 1.8 | 1.0 | 2.1 | 0.4 |
| Sikkim | 7.4 | 3.9 | 5.5 | 2.9 | 6.3 | 2.8 |
| Dadra & Nagar Haveli | 2.7 | 1.5 | 2.0 | 1.1 | 2.3 | 2.2 |
| Daman & Diu | 0.6 | 0.3 | 0.5 | 0.2 | 0.5 | 0.5 |
| Goa | 2.3 | 1.3 | 1.7 | 1.0 | 1.9 | 1.9 |
| Puducherry | 4.0 | 2.0 | 4.0 | 2.0 | 4.6 | 4.5 |
| Lakshadweep | 2.5 | 1.0 | 1.8 | 0.7 | 2.1 | 0.8 |
| Andaman & Nicobar Islands | 7.9 | 7.6 | 5.8 | 5.6 | 6.7 | 3.0 |
| All India | 2.5 | 1.0 | 1.8 | 0.7 | 2.1 | 0.8 |

Source: Estimated using data provided by Ministry of Women and Child Development, 2008-09